

# Gazette

No.TC15/43, Wednesday, 4 November 2015

**TARIFF CONCESSIONS** 

Published by the Commonwealth of Australia

### CONTENTS

TCO Applications	
TCO Application Reworded	7
TCOs Made	
Intention to Revoke TCO's not used in over 2 years	11

The Department of Immigration and Border Protection (DIBP) publishes the Commonwealth of Australia Tariff Concessions Gazette (the Tariff Concessions Gazette) free of charge on the DIBP internet site at: http://www.border.gov.au

Please note that the Industry Assistance Section has changed address. We are now located at 5 Chan St Belconnen ACT 2617.

Contact numbers are listed below:

General Email Inquiries.....tarcon@border.gov.au General Inquiries: .....(02) 6198 7289 Facsimile: .....(02) 6198 7203 TAPIN help desk ......(02) 6275 6534

#### CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269K(1) - APPLICATIONS MADE FOR TARIFF CONCESSION ORDERS

Applications have been lodged for Tariff Concession Orders for the goods described in the following TABLE.

Australian manufacturers who wish to contest the granting of a Tariff Concession Order for the goods described are invited to lodge a submission in writing in an approved form. Submissions must be lodged within 50 days of the date of publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

Objections to the making of TCO submission forms are available at <a href="http://www.border.gov.au/Tariffclassificationofgoods/Documents/typableb4442001.pdf">http://www.border.gov.au/Tariffclassificationofgoods/Documents/typableb4442001.pdf</a>

For guidance on the required description style, phone 02 6198 7289, fax 02 6198 7203 or email tarcon@border.gov.au.

#### THE TABLE

Description of Goods including the Customs Tariff Classification			4 Item Number al Duty Rate
3808.92.00	FUNGICIDES, having a basis of cyazofamid Op. 20.10.15	- TC 1539397	50
	Stated Use: For control of white blister in broccoli and late blight in potato		
	Applicant: UPL AUSTRALIA LTD		5%
3920.20.00	FILM, PRINTING, polypropylene, multi-layered Op. 12.10.15	- TC 1537983	50
	Stated Use: Manufacturing of labels for items such as retail packaging of bottles, cans and containers		
	Applicant: LABELMAKERS GROUP PTY. LTD		5%
6806.90.90	SHEETS, HEAT INSULATION, mineral fibre wool, silicon dioxide content NOT less than 50% and NOT greater than 60%, having BOTH of the following:  (a) thickness NOT less than 25 mm and NOT greater than 100 mm;		50
	(b) operating temperature greater than 750 degrees Celsius Op. 07.10.15	- TC 1537602	
	Stated Use: High temperature insulation used to contain heat		
	Applicant: MORGANITE AUSTRALIA PTY LTD		5%
6902.20.00	BRICKS, REFRACTORY CHECKER Op. 09.10.15	- TC 1537734	50
	Stated Use: For heat transfer within heat exchangers, blast furnace stoves, coke ovens or regenerators		
	Applicant: ONESTEEL MANUFACTURING PTY LTD		5%

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number General Duty Rate		
7218.99.00	BILLETS, stainless steel, having a chromium content NOT less than 10.5% Op. 02.10.15	- TC	1537232	50
	Stated Use: To be further worked into other stainless steel products			
	Applicant: OUTOKUMPU PTY LTD			5%
7306.19.00	RISERS, OIL AND/OR GAS, rigid, complying with Det Norske Veritas Offshore Standard F101 (DNV-OS-F101), whether OR not clad AND/OR coated, with OR without ANY of the following:  (a) centralisers; (b) fittings; (c) seals Op. 01.10.15	- TC	1536922	50
	Stated Use: Transport of hydrocarbons from seabed to a platform			
	Applicant: WOODSIDE ENERGY LTD			5%
7307.99.00	FLOWLINE END TERMINATIONS, SUBSEA, with OR without ANY of the following:  (a) anodes;  (b) mud mats;  (c) protective frames;  (d) support bases			50
	Op. 15.10.15	- TC	1538598	
	Stated Use: Subsea pipe connections for flowlines			
	Applicant: WOODSIDE ENERGY LTD			5%
8205.70.00	<pre>KITS, DRILL JIG, consisting of ALL of the following:    (a) square drivers;    (b) drill bits;    (c) collars;    (d) screws;    (e) plugs;    (f) hexagonal key;    (g) DVD;    (h) manuals AND/OR project plans;    (i) drill jigs</pre>	TIO.	1527705	50
	Op. 08.10.15 Stated Use:	- TC	1537725	
	For drilling and joining wood products  Applicant: BRAND DEVELOPERS AUST PTY LTD			5%
8418.69.00	BATCH FREEZERS, ICE CREAM OR GELATO, programmable logic controlled, having a maximum production capacity NOT less than 20 L per hour Op. 06.10.15	- TC	1537233	50
	Stated Use: Commercial ice cream or gelato production			
	Applicant: CREATIVE INGREDIENTS PTY LTD			5%

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Numb General Duty Rate	
8419.89.90	ENZYMATIC STARCH COOKING MACHINES, PAPER AND PAPERBOARD  MANUFACTURING, including ALL of the following:  (a) steam jet cookers; (b) enzymatic reactor; (c) flash chamber; (d) piping; (e) valves; (f) cooling tank; (g) framework  Op. 08.10.15	- TC 1537689	50
	Stated Use: For the heat treatment (cooking) of enzymatic starch preparations for paper and paperboard manufacturing		
	Applicant: VISY INDUSTRIES AUSTRALIA PTY LTD		5%
8420.91.00	ROLLS, PAPER AND PAPERBOARD MAKING MACHINE, having polyurethane covers Op. 19.10.15	- TC 1539267	50
	Stated Use: Parts of sizing press in paper making machine		
	Applicant: VISY INDUSTRIES AUSTRALIA PTY LTD		5%
8421.39.00	FILTERS, RESPIRATORY, threaded OR bayonet Op. 21.10.15	- TC 1539715	50
	Stated Use: Filtration of gaseous, vapour and particle contaminants		
	Applicant: RINDIN ENTERPRISES PTY. LTD		5%
8422.30.90	MAIL PACKAGING LINE, PAPERBOARD WALLET AND PLASTIC CARD AND/OR INTEGRATED CIRCUIT CARD AND/OR MAGNETIC STRIPE CARD AND/OR BOOKLET, having ALL of the following:  (a) conveyors; (b) diverters; (c) scanner mount; (d) dryer; (e) printer; (f) turn module; (g) crush roller; (h) folders; (i) hot melt gluer; (j) feeders; (k) vacuum transporter; (l) electrical cabinet Op. 02.10.15	- TC 1537229	50
	Stated Use: Prepare labelled mail packages consisting of cards and/or inserts		
	Applicant: PENDULUM LOGISTICS PTY LTD		5%

	of Goods including the ff Classification	Schedule 4 I General D	
8465.10.00	TIMBER CORE VENEER JOINTING MACHINES, including ALL of the following:  (a) in-feed AND out-feed conveyors;  (b) defect clipper;  (c) waste divider;  (d) dimension clipper;  (e) edge gluer;  (f) stacker  Op. 08.10.15	- TC 1537688	50
	Stated Use: Defect removal and re-join of timber veneers to recycle waste veneer into high quality veneer		
	Applicant: BIG RIVER GROUP PTY LTD		5%
8467.29.00	SETS, CUT OFF SAW AND ANGLE GRINDER, with OR without ANY of the following:  (a) abrasive wheel OR disc; (b) grinding wheel OR disc; (c) socket wrench; (d) lock nut wrench Op. 02.10.15	- TC 1537230	50
	Stated Use: Cut off saws and angle grinders for cutting metals and hard materials		
	Applicant: MAKITA (AUSTRALIA) PTY LTD		5%
8479.82.00	MIXING MACHINES, PAPER AND PAPERBOARD MANUFACTURING, including ALL the following:  (a) continuous mixer;  (b) pump;  (c) valves;  (d) piping;  (e) framework mounting skid		50
	Op. 08.10.15	- TC 1537726	
	Stated Use: To mix pigments with the required additives and starch for paper and paperboard manufacturing		
	Applicant: VISY INDUSTRIES AUSTRALIA PTY LTD		5%
8501.10.00	ACTUATORS, rotary, AC AND/OR DC, with OR without spring return, having ALL of the following:  (a) operating voltage NOT less than 24 V and NOT greater than 240 V;  (b) torque NOT greater than 100 Nm;  (c) power output NOT greater than 20 W;		50
	(d) single screw shaft fixation Op. 25.09.15	- TC 1536466	
	Stated Use: As air damper actuators for building ventilation		
	Applicant: SIEMENS LTD		5%
8504.40.90	<pre>INVERTERS, DC to 3 phase AC, having BOTH of the following:   (a) power unit, insulated gate bipolar transistor bridge,     maximum current NOT less than 200 A and NOT     greater than 3 933 A;   (b) control unit, microprocessor controlled</pre>		50
	Op. 06.10.15	- TC 1537543	
	Stated Use: For supplying power to a motor by converting DC Power to AC on offshore oil rig		
	Applicant: NOBLE CONTRACTING II GMBH		5%

_	of Goods including the ff Classification	Schedule 4 It General Du	
8544.49.20	CABLES, CONTROL, annealed copper stranding, having ALL of the following:  (a) strand diameter NOT greater than 0.25 mm;  (b) polyvinyl chloride (PVC) sheath;  (c) voltage capacity NOT less than 300 V and NOT greater than 500 V  Op. 10.10.15	- TC 1538083	50
	Stated Use: For the remote control of electrical equipment such as signalling		
	Applicant: ELTECH GLOBAL PTY LTD		5%
9503.00.70	BALLOON MODELLING SETS, consisting of BOTH of the following: (a) paste with a basis of polyvinyl acetate; (b) plastic tube Op. 12.10.15	- TC 1537984	50
	Stated Use: To make balloons		
	Applicant: FUNTASTIC LTD		5%

#### CUSTOMS ACT 1901

#### NOTICE PURSUANT TO SECTION PARAGRAPH 269L(4B)(b) - PROPOSAL TO AMEND DESCRIPTION OF GOODS FOLLOWING AN OBJECTION SUBMISSION

Amended description has been proposed for the Tariff Concession Order application shown in the following TABLE.

Australian manufacturers who consider that there are reasons why the Tariff Concession Order as proposed to be amended should not be made are invited to lodge a submission. Submissions must be lodged no later than 14 days after the publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

#### THE TABLE

Description of Goods including the Customs Tariff Classification

Schedule 4 Item Number

50

8419.50.90 HEAT EXCHANGERS, GAS TO GAS, SULPHURIC ACID PRODUCTION PLANT,

vertical, having BOTH of the following:

(a) disc AND donut baffles;

(b) convergent AND divergent tube profiles

Op. 15.07.15

- TC 1527838

Stated Use: To vary the temperature of gases to maximise processing efficiency during the manufacture of sulphuric acid

Applicant: NYRSTAR PORT PIRIE PTY LTD

#### CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269R(1) - TARIFF CONCESSION ORDERS MADE

Tariff Concession Orders have been made for the goods described in the following TABLE.

The operative date (Op.) and TC reference No. follow the description of goods. Local manufacturers of substitutable goods may request the revocation of TCOs at any time.

THE TABLE

_	of Goods including the ff Classification		Schedule 4 I Last Date	
3924.90.00	SHOWER HEADS, ABS (Acrylonitrile Butadiene Styrene), chrome plated, ball joint swivel connector Op. 13.08.15 Dec. date 02.11.15	- TC	1531722	50
3926.90.90	BOARDS, plastic, with OR without solid homogeneous microfibres OR metal profiles, in the following dimensions; (a) thickness NOT less than 35 mm and NOT greater than 60 mm; (b) width NOT less than 900 mm and NOT greater than 1 430 mm; (c) length NOT less than 1 100 mm and NOT greater than 1 305 mm Op. 18.08.15  Dec. date 02.11.15		1532165	50
5703.20.00	BATH MATS, microfibre, having a non-slip backing being ANY of the following:  (a) thermoplastic rubber; (b) thermoplastic elastomer; (c) silicone; (d) polyurethane; (e) plastic Op. 17.08.15  Dec. date 02.11.15	mc.	1521002	50
6910.10.00	Op. 17.08.15  WASH BASINS, fire clay, with OR without ANY of the following:  (a) waste plugs; (b) overflow rings; (c) fitting hardware, including ANY of the following:  (i) bolts AND/OR nuts; (ii) screws AND/OR screw inserts AND/OR screw covers; (iii) washers AND/OR spacers	- TC	1531983	50
7306.40.00	Op. 13.08.15  Dec. date 02.11.15  TUBES, stainless steel, spiral welded, having ALL of the following:  (a) outside diameter NOT less than 105 mm and NOT greater than 220 mm;  (b) wall thickness NOT less than 1.50 mm and NOT greater than 7.00 mm;  (c) SAE International grade 409 OR grade 410L	- TC	1531724	50
8205.59.00		- TC	1529367	50
8413.70.90	Op. 17.08.15 Dec. date 02.11.15  PUMPS, vertical turbine, motor driven, flanged column Op. 11.08.15 Dec. date 02.11.15		1531950 1531495	50
8419.89.90	DEHYDRATORS, CONTAMINATED WASTE, having a volume capacity NOT greater than 6 800 L Op. 10.08.15 Dec. date 02.11.15	- TC	1531416	50

voltage NOT exceeding 1 000 V, having ALL of the following:

Dec. date 02.11.15

- TC 1531411

(a) automatic AND manual operation;

(b) on AND/OR off sensors;(c) emergency testing timer

Op. 10.08.15

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number Last Date of Effect		
9404.90.00	COT LINERS, having BOTH of the (a) cotton outer layer; (b) polyester inner layer Op. 18.08.15	following:  Dec. date 02.11.15	- TC 1532241	50
9506.91.00	STANDS, BICYCLE EXERCISE, incl (a) rear wheel activated rol (b) wheel speed fixed magnet Op. 12.08.15	ler;	- TC 1531505	50

## COMMERCIAL TARIFF CONCESSION ORDERS (CTCOs) & TARIFF CONCESSION ORDERS (TCOs) NOT USED IN THE PREVIOUS 2 YEARS

The Comptroller-General of Customs is satisfied that CTCOs and TCOs listed in the table below are no longer required because, in the 2 years preceding the day of this notice, they have not been quoted in an import declaration to secure a concessional rate of duty.

From Thursday, 03 December 2015, it is intended to take action to revoke these Orders under subsection 269SD (1A) of the Customs Act 1901. In accordance with subsection 269SG (2) of the Customs Act 1901, in transit provisions shall apply. If revoked, the expected date of effect will be 02 December 2015.

Interested parties are invited to provide, by close of business, Wednesday, 02 December 2015, written reasons why an Order should NOT be revoked.

Please advise if any of the Orders listed below have been quoted on an import declaration.

If a request is made to retain an Order used for the granting of a Determination, please specify the Determination and the linked Item number to enable mapping to the Order and its scope.

Contact: Email tarcon@border.gov.au, fax 02 6198 7203 or phone 02 6275 6534.

#### THE TABLE

Tariff Classification	Description		Concession Number	
7304.41	length 3 000 mm, to S	mm WT; mm WT;	e 316L, having RA.4um; OR	
	(c) 23.4 mm x 1.631 (e) 38.1 mm x 1.651 (f) 63.5 mm x 1.651 (g) 76.2 mm x 1.651 (h) 101.6 mm x 2.108 (i) 101.6 mm x 3.175 (j) 152.4 mm x 5.004 Op. 07.10.91	mm WT;	- TC 9108894	
7606.12.00	<pre>sides with an alumini (a) silicon (Si) in    (both inclusive); (b) magnesium (Mg) i    (both inclusive);</pre>	1.3 mm; mm	following: eight %) (weight %)	
7607.11	<ul><li>(a) width exceeding</li><li>(b) thickness NOT ex</li><li>(c) maximum tensile</li><li>conforming to the A.D</li></ul>	ceeding 0.007 mm; strength 97 MPa, .C. Standard A 1145		
7607.19.00	<ul><li>(a) gauge NOT less t microns;</li><li>(b) printed with col</li></ul>	g ALL of the following: han 25 microns and NOT grea	- TC 9107903 ter than 50 - TC 0509832	

7607.20.00

PRINTED CIRCUIT BOARD BACKING AND ENTRY BOARDS, wood pulp core, with aluminium foil laminated on two sides
Op. 03.08.98

Dec. date 16.10.98

- TC 9806815

8516.80

HEATERS, coil, tubular metal sheath, minerally insulated, having ALL of the following:
(a) total element cross-section (including resistance wire, insulation and sheath) NOT exceeding 4 mm;
(b) 240 V;
(c) wattage NOT exceeding 550 W
Op. 01.10.91

Dec. date 02.10.91

- TC 9107928