

Gazette

No.TC16/17, Wednesday, 11 May 2016 Published by the Commonwealth of Australia **TARIFF CONCESSIONS**

CONTENTS

TCO Applications	. 2
Comptroller-General of Customs Initiated - Intention to Revoke Cancelled	. 5
TCOs Revoked - Unused for over 2 years	. 6
Intention to Revoke a Tariff Concession Order	13
Intention to Revoke TCOs not used in over 2 years	14

The Commonwealth of Australia Tariff Concessions Gazette (the Tariff Concessions Gazette) is free of charge on the DIBP internet site at: http://www.border.gov.au

The Industry Assistance Section is located at 5 Chan St Belconnen ACT 2617.

Contact numbers are listed below:

General Inquiries:(02) 6198 7289
TAPIN help desk(02) 6275 6534

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269K(1) - APPLICATIONS MADE FOR TARIFF CONCESSION ORDERS

Applications have been lodged for Tariff Concession Orders for the goods described in the following TABLE.

Australian manufacturers who wish to contest the granting of a Tariff Concession Order for the goods described are invited to lodge a submission in writing in an approved form. Submissions must be lodged within 50 days of the date of publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

Objections to the making of TCO submission forms are available at

http://www.border.gov.au/Forms/Documents/b444.pdf

For guidance on the required description style, phone 02 6198 7289.

THE TABLE

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number General Duty Rate	
3808.93.00	HERBICIDES, in water dispersible granule form, having an active ingredient of napropamide Op. 11.04.16	- TC 1613315	50
	Stated Use: For the control of annual grasses and broad-leaved weeds in fields containing vegetables, fruit trees, vines, strawberries, sunflowers, tobacco, olives, mint and turf		
	Applicant: UPL AUSTRALIA LTD		5%
8405.10.00	HYDROGEN PEROXIDE VAPOUR GENERATING MACHINES Op. 11.04.16	- TC 1613465	50
	Stated Use: For the biological decontamination of enclosed areas such as laboratories		
	Applicant: BIODECON SOLUTIONS LTD		5%
8419.31.00	DRYING LINES, AGRICULTURAL PRODUCE, programmable logic controlled, including ALL of the following: (a) storage bin AND/OR feeder; (b) electro-magnetic hammer; (c) conveyors; (d) hot air dryers; (e) heater shell; (f) LPG burner; (g) leaf shredder	TO 1612100	50
	Op. 07.04.16 Stated Use:	- TC 1613190	
	For the drying of leaves		
	Applicant: QUEENSLAND BOTANICALS PTY LTD		5%

_	of Goods including the ff Classification		Item Number Duty Rate
8419.39.90	ROTARY ATOMIZERS, with OR without electric motor, having BOTH of the following: (a) double helical gear drive; (b) one OR more atomizer wheels Op. 12.04.16	- TC 1613466	50
	Stated Use: For spray drying unit during pharmaceutical production, laboratory operations and food processing		
	Applicant: GEA PROCESS ENGINEERING PTY LTD		5%
8428.90.00	LOADING AND UNLOADING SYSTEM, AMBULANCE COT AND/OR STRETCHER, hydraulic AND/OR electric powered, with OR without wheel guides, whether OR not assembled, including ALL of the following: (a) trolley unit; (b) cot AND/OR stretcher fastenings; (c) lifting arms; (d) transfer slide with anchor unit; (e) control panel; (f) light emitting diode indicators Op. 06.04.16 Stated Use: In the handling and movement of stretchers/cots into and out of ambulance vehicles Applicant: SCHLUMBERGER AUSTRALIA PTY LTD	- TC 1612644	50
	Applicant: SCHLOMBERGER AUSTRALIA PTY LTD		5 8
8474.90.00	PARTS, COAL GRINDING AND/OR COAL MILLING MACHINE, being upper rings AND/OR lower rings, with OR without ONE or BOTH of the following: (i) guides; (ii) plates Op. 08.01.16	- TC 1601334	50
	Stated Use: Part of a coal grinding plant which is integrated to complete a highly flexible poly-metallic processing and recovery facility Applicant: NYRSTAR PORT PIRIE PTY LTD		5%
8518.22.00	LOUDSPEAKERS, being multiple loudspeakers mounted in the same enclosure, with OR without ANY of the following: (a) mounting brackets including screws; (b) dual concentric driver; (c) aluminium dome tweeter; (d) coaxially mounted woofer with soft dome tweeter; (e) line transformer Op. 11.04.16	- TC 1613464	50
	Stated Use: For enhanced sound reproduction in areas such as conference rooms, transport hubs and schools		
	Applicant: AUSTRALIS MUSIC GROUP PTY LTD		5%

Description of Goods including the Schedule 4 Item Number Customs Tariff Classification General Duty Rate 9402.90.00 COTS AND/OR STRETCHERS, PATIENT TRANSPORT, whether OR not 50 powered, whether OR not assembled, with OR without hydraulic unit AND/OR battery AND/OR sensors, including ALL of the following: (a) side rails; (b) release handles AND/OR levers AND/OR buttons; (c) collapsible legs; (d) wheels; (e) fasteners AND/OR restraints; (f) mattress - TC 1612645 Op. 06.04.16 Stated Use: For transporting hospital patients requiring medical assistance Applicant: STRYKER AUSTRALIA PTY LTD 5%

CUSTOMS ACT 1901

CANCELLATION OF THE INTENTION TO REVOKE

The intention to revoke the Tariff Concession Order for goods described in the following TABLE has been cancelled.

THE TABLE

Description of Goods including the
Customs Tariff Classification

4818.30.00

TABLE NAPKIN STOCK, wood cellulose, single ply OR multi-ply, in
rolls having a width NOT less than 230 mm and NOT greater than
310 mm
Op. 30.05.13

Dec. date 26.08.13

Schedule 4 Item Number
50

TO 1317650

CUSTOMS ACT 1901

NOTICE PURSUANT TO SECTION 269SE(2) - TARIFF CONCESSION ORDER REVOCATION AT THE INITIATIVE OF THE COMPTROLLER-GENERAL OF CUSTOMS

The Tariff Concession Orders listed in THE TABLE below have has not been used for at least 2 years and have been revoked under Section 269SD(1A). In transit provisions apply.

The intention to revoke these orders was notified in Gazette 16/12 dated 6 April 2016.

Contact: Phone 02 6198 7289, fax 02 6275 6376 or email tarcon@border.gov.au.

THE TABLE

	of Goods including the ff Classification		Item Number e of Effect
8424.89.90	BOOTHS, COATING, ROOF TILE, whether or not including input and output conveyors Op. 01.05.08 Dec. date 11.07.08	- TC 0806256	50 03.05.16
	Revoked for 2 years non use. In transit provisions apply		
8428.39.00	SHIP UNLOADERS, CEMENT CONVEYING, trailer mounted, including ALL of the following: (a) trailer; (b) screw conveyor inlet feeder; (c) articulating boom		50 03.05.16
	Op. 29.10.10 Dec. date 24.01.11	- TC 1048396	
	Revoked for 2 years non use. In transit provisions apply		
8428.40.00	CONVEYORS, SKI CARPET, programmable logic controlled, having BOTH of the following: (a) running speed NOT greater than 0.8 metres per second; (b) uphill capacity NOT greater than 1 450 skiers per hour Op. 06.03.08 Dec. date 30.05.08	- TC 0803690	50 03.05.16
	Revoked for 2 years non use. In transit provisions apply		
8428.60.00	ROPEWAYS, PASSENGER MOVING AND/OR CARRYING, complying with the National Standard of Canada, Z98, with OR without rope or cable supports, having BOTH of the following: (a) drive and return stations; (b) ropes or cables		50 03.05.16
	Op. 22.03.05 Dec. date 10.06.05	- TC 0503522	
	Revoked for 2 years non use. In transit provisions apply		
8433.59.90	HARVESTERS, PECAN NUT Op. 20.01.04 Dec. date 13.04.04	- TC 0400854	50 03.05.16
	Revoked for 2 years non use. In transit provisions apply		
8439.99.00	PARTS, CORRUGATOR, being ANY of the following: (a) glue machine; (b) double facer; (c) rails;		50 03.05.16
	(d) wiring harness Op. 11.08.06 Dec. date 27.10.06	- TC 0613387	
	Revoked for 2 years non use. In transit provisions apply		
8441.90.10	GRIPPERS, pneumatic controlled, being parts of papermaking machine sheeters		50 0
	Op. 23.04.04 Dec. date 19.07.04	- TC 0404046	03.05.16
	Revoked for 2 years non use. In transit provisions apply		

-	of Goods including the ff Classification	Schedule 4 I Last Date	
8465.91.00	SAWS, WOOD, MULTIRIP, LOG EDGER, having ALL of the following: (a) circular saw blades diameter NOT greater than 500 mm; (b) single spindle to mount NOT less than 2 and NOT greater than 5 saw blades; (c) variable speed roller infeed and/or outfeed; (d) end dogging system		50 03.05.16
	Op. 06.04.06 Dec. date 07.07.06	- TC 0606247	
	Revoked for 2 years non use. In transit provisions apply		
8467.29.00	TOOLS, in sets, comprising BOTH of the following: (a) jigsaws; (b) sanders		50 03.05.16
		- TC 0601896	
	Revoked for 2 years non use. In transit provisions apply		
8477.59.00	COMPRESSION PLASTIC MOULDERS, FOLDING AND SLITTING LINE, comprising BOTH of the following: (a) compression moulding press and moulds; (b) folders and/or cutters		50 03.05.16
		- TC 0604622	
	Revoked for 2 years non use. In transit provisions apply		
8477.59.00	COMPRESSING AND/OR BONDING MACHINES, recycled polyurethane Op. 29.02.08 Dec. date 16.05.08	- TC 0803411	50 03.05.16
	Revoked for 2 years non use. In transit provisions apply		
8477.59.00	WEB MAKING MACHINES, DIAGNOSTIC STRIP, programmable logic controlled Op. 03.03.10 Dec. date 14.05.10	- TC 1010974	50 03.05.16
	Revoked for 2 years non use. In transit provisions apply	10 1010371	
8477.59.00	RUBBER STEEL CORD CONVEYOR BELT PRODUCTION LINE, programmable		50
0477.33.00	logic controlled, including ALL of the following: (a) curing press; (b) clamping and tensioning device; (c) creel; (d) pull roll and wind up device, with OR without framework; (e) compacting lorry, with OR without framework; (f) electrical controls		03.05.16
	Op. 29.05.12 Dec. date 20.08.12	- TC 1218352	
	Revoked for 2 years non use. In transit provisions apply		
8477.59.00	CLAMPING AND/OR STRETCHING AND/OR TENSIONING MACHINES, CONVEYOR BELT MANUFACTURING LINE		50 03.05.16
	Op. 27.07.12 Dec. date 15.10.12	- TC 1227078	
	Revoked for 2 years non use. In transit provisions apply		
8477.59.00	FOAM PLANTS, POLYURETHANE, REFRIGERATOR OR FREEZER DOOR Op. 06.05.02 Dec. date 02.08.02	- TC 0203831	50 03.05.16
	Revoked for 2 years non use. In transit provisions apply		
8477.80.00	PUNCHERS AND SPLITTERS, DIAGNOSTIC STRIP, programmable logic controlled, having ALL of the following: (a) unwinders and rewinders; (b) splice tables; (c) active web guides; (d) puncher tool die stations; (e) slitter tool die stations; (f) vacuum waste removers		50 03.05.16
	Op. 02.03.07 Dec. date 25.05.07	- TC 0703435	
	Revoked for 2 years non use. In transit provisions apply		

(Continued on next page)

Description of Goods including the Customs Tariff Classification

Schedule 4 Item Number Last Date of Effect

	(Continued from previous page)			
	 (i) half tube assembly; (j) heat sealing station; (k) unwinding and folding st (l) roller system capture da (m) foldover and sealing sta (n) gusseter; (o) handle sealer; (p) loop handle station; (q) pre heating station; (r) vacuum belt delivery sta (s) laser pointer; (t) automatic bag folding st Op. 06.06.08 	nncers; ution; ution; uation	- TC 0836495	
	Revoked for 2 years non use. I		10 0030433	
8477.80.00	CHAIN TRACK SYSTEM, POLYPROPYLE ALL of the following: (a) chain tensioners AND lubr (b) inlet edge trackers;	NE FILM EXPANDER MACHINES, having		50 03.05.16
	(c) edge coolers Op. 12.08.11	Dec. date 07.11.11	- TC 1127273	
	Revoked for 2 years non use. I	n transit provisions apply		
8477.80.00	POLYSTYRENE PLASTIC RECYCLING I following: (a) conveyors; (b) grinders; (c) feeders; (d) silo; (e) venting extruder; (f) hydraulic drive melt filt (g) strand die; (h) water bath; (i) air blowing cleaner; (j) pelletiser; (k) control cabinet			50 03.05.16
	Op. 28.11.11	Dec. date 13.02.12	- TC 1139430	
	Revoked for 2 years non use. I	n transit provisions apply		
8477.80.00	THERMOPLASTIC RECYCLING LINE, h (a) granulator; (b) pneumatic suction module; (c) extruder; (d) vacuum pump; (e) melt pressure indicator; (f) hydraulic screen changer; (g) water cooled die face cut (h) heat exchanger; (i) control cabinet; (j) pelletizer			50 03.05.16
	Op. 30.04.12	Dec. date 16.07.12	- TC 1213722	
	Revoked for 2 years non use. I	n transit provisions apply		
8477.80.00	PLASTIC BOTTLE GRINDING LINE, h (a) in feed conveyor; (b) deviator; (c) wet grinders			50 03.05.16
	Op. 14.05.12	Dec. date 23.07.12	- TC 1215735	
	Revoked for 2 years non use. I	n transit provisions apply		

	of Goods including the ff Classification	Schedule 4 Item Number Last Date of Effect
8477.80.00	PELLETISING LINE, RE-CYCLED POLYETHYLENE TEREPHTHALATE FLAKES, including ALL the following: (a) extruder; (b) venting module; (c) back flushing filter; (d) underwater pelletiser with inline crystalliser; (e) filling station with blowers; (f) pneumatic discharge conveying; (g) post crystalliser; (h) feed screws; (i) condensate separator; (j) air filter with cyclone; (k) nitrogen generator; (l) piping AND electrical controls; (m) vacuum base module Op. 15.06.12 Dec. date 15.10.12	50 03.05.16 - TC 1220492
	Revoked for 2 years non use. In transit provisions apply	
8477.80.00	PLASTIC ACTUATOR ASSEMBLY MACHINES, AEROSOL SPRAY CAN, programmable logic controlled, having a capacity NOT less than 190 units per minute Op. 18.09.12 Dec. date 10.12.12	50 03.05.16 - TC 1235721
	Revoked for 2 years non use. In transit provisions apply	
8477.80.00	PLASTICS EXTRUSION LINE, computer controlled, consisting of ALL of the following: (a) feeder hopper; (b) single screw extruder; (c) lattice basket extrusion dies; (d) vacuum calibrator tanks; (e) spray cooling tanks;	50 03.05.16
	(f) caterpillar haul off unit;(g) planetary cut off saw	
	Op. 11.06.93 Dec. date 03.04.00	- TC 0002428
	Revoked for 2 years non use. In transit provisions apply	
8477.80.00	INJECTION AND PLASTICISING MACHINES Op. 05.09.02 Dec. date 18.11.02	50 - TC 0208154 03.05.16
	Revoked for 2 years non use. In transit provisions apply	
8477.80.00	AGRICULTURAL PIPES, CORRUGATION LINE, comprising ALL of the following: (a) corrugator; (b) spray cooler and water tank; (c) perforator; (d) guillotine Op. 26.08.04 Dec. date 05.11.04	50 03.05.16 - TC 0408813
	•	10 0400013
	Revoked for 2 years non use. In transit provisions apply	
8477.80.00	PELLETISING LINES, comprising ALL of the following: (a) conveyor screw and/or injector blower; (b) pre-crystalliser; (c) extruder; (d) melt filter; (e) under-water and/or strand pelletiser Op. 30.11.04 Dec. date 11.02.05	50 03.05.16 - TC 0412877
	Revoked for 2 years non use. In transit provisions apply	
8477.90.00	PARTS OF EXTRUSION SECTION OF LINEAR LOW DENSITY POLYETHYLENE (LLDPE) SHEET CO-EXTRUSION LINE, being EITHER of the following: (a) stabiliser, consisting of frame and hardened shafts with axial-bearings; (b) screen changers	50 03.05.16
	Op. 01.01.07 Dec. date 16.11.06	- TC 0614298
	Revoked for 2 years non use. In transit provisions apply	

	of Goods including the ff Classification	Schedule 4 Item Number Last Date of Effect
8477.90.00	EXTRUSION DIES, THERMOPLASTIC, multi-layer, having ALL of the following: (a) coat hangar internal profile; (b) adjustable gap opening; (c) 500 mm to 960 mm die mouth; (d) individually heated die zones; (e) cartridge heaters; (f) sheet thickness range 1.2 mm to 3.7 mm (both inclusive) Op. 01.01.07 Dec. date 16.11.06 Revoked for 2 years non use. In transit provisions apply	50 03.05.16 - TC 0614301
8477.90.00	TOOLING, HOT RUNNER, being domestic refrigerator component dies AND/OR moulds Op. 22.10.07 Dec. date 25.01.08 Revoked for 2 years non use. In transit provisions apply	50 03.05.16 - TC 0718003
8477.90.00	PLASTIC PACKAGING POUCH MAKING MACHINE EXTENSION ASSEMBLIES, including ALL of the following: (a) hole and shape punches; (b) plastic sheet folders; (c) sealing and cooling bars; (d) sealing and cooling dies; (e) trim winders Op. 28.07.09 Dec. date 23.10.09	50 03.05.16 - TC 0927089
	Revoked for 2 years non use. In transit provisions apply	
8477.90.00	PARTS, PLASTIC INJECTION MOULDING MACHINE, being "C" frames Op. 22.05.12 Dec. date 06.08.12	50 - TC 1217046 03.05.16
8477.90.00	Revoked for 2 years non use. In transit provisions apply PARTS, CURING PRESS AND/OR PRE-PRESS, CONVEYOR BELT MANUFACTURING LINE, being ANY of the following: (a) press AND/OR pre-press frames; (b) press AND/OR pre-press tables; (c) foundation beams; (d) press bracings;	50 03.05.16
	(e) stretching device frames Op. 04.07.12 Dec. date 26.09.12	- TC 1223388
8477.90.00	•	50 03.05.16 - TC 1227075
8479.89.90	Revoked for 2 years non use. In transit provisions apply AIR HANDLING MACHINES, COMPUTER SERVER, DATA CENTRE, including ALL of the following: (a) cooling coil; (b) outside air particulate filtration system; (c) indoor room air particulate filtration system; (d) variable speed fans; (e) digital controls; (f) electrical cabinets; (g) ultrasonic humidification system; (h) capacity NOT less than 90 kW Note:	50 03.05.16
	TC 1113719 does not include packaged air conditioning system with rotary heat exchanger	- TC 1113719
	Revoked for 2 years non use. In transit provisions apply	

CLUTCHES, LAMINAL FRICTION, ROLL GRINDER Op. 04.02.08 Dec. da 8483.60.90

Dec. date 11.04.08

- TC 0802002 03.05.16

50

Revoked for 2 years non use. In transit provisions apply

CUSTOMS ACT 1901

INTENTION TO REVOKE TARIFF A CONCESSION ORDER

The Comptroller-General of Customs intends to revoke the Tariff Concession Order (TCO) for the goods described in the following TABLE in accordance with s.269SD(1AA) with effect from 11 May 2016.

On 11 May 2016, the Comptroller-General of Customs' delegate formed the belief in respect of this TCO, that if the TCO was not in force on that day, and an application for the TCO was made on that day, the Comptroller-General of Customs would not have made the TCO. The Comptroller-General of Customs would not have made this TCO because he is aware of substitutable goods being produced in Australia in the ordinary course of business.

Interested parties who might be affected by this decision are invited to provide, by close of business Wednesday 8 June 2016, a written submission concerning the proposed revocation.

Industry Assistance contact: email tarcon@border.gov.au, or telephone 02 6264 4179.

THE TABLE

Description of Goods including the Customs Tariff Classification

Schedule 4 Item Number

3923.29.00 BAGS, multilayered, plastic coated, having a reclosable pull apart seal, or a reclosable zip fastener

50

Op. 11.11.93

Dec. date 04.03.94

- TC 9312795

Stated use: Packaging of merchandise

COMMERCIAL TARIFF CONCESSION ORDERS (CTCOs) & TARIFF CONCESSION ORDERS (TCOs) NOT USED IN THE PREVIOUS 2 YEARS

The Comptroller-General of Customs is satisfied that the CTCOs and TCOs listed in the table below are no longer required because, in the 2 years preceding the day of this notice, they have not been quoted in an import declaration to secure a concessional rate of duty.

From Thursday, 09 June 2016, it is intended to take action to revoke these Orders under subsection 269SD(1A) of the Customs Act 1901. In accordance with subsection 269SG(2) of the Customs Act 1901, in transit provisions shall apply. If revoked, the expected date of effect will be 08 June 2016.

Interested parties are invited to provide, by close of business, Wednesday 08 June 2016, written reasons why an Order should NOT be revoked.

Please advise if any of the Orders listed below have been quoted on an import declaration.

If a request is made to retain an Order used for the granting of a Determination, please specify the Determination and the linked Item number to enable mapping to the Order and its scope.

Contact: Email tarcon@border.gov.au, fax 02 6198 7203 or phone 02 6275 6534.

THE TABLE

Tariff Classification	Description		Concession Number
7207.19.00	STEEL BLOOMS, ROUND, NON Op. 02.11.07	ALLOY Dec. date 30.01.08	- TC 0718813
7208.25.00	in coils, complying with	s than 32%;	G3131 (JIS
	For the purposes of this specification (c) are: (a) thickness +/- 10% (b) width +/- 1% Op. 04.04.13	Order, tolerances allowable f	
7208.27.00	coated, in coils, having (a) yield strength NOT (b) tensile strength Not (c) total elongation Not (d) in ANY of the following thickness 1 (ii) thickness 1	less than 305 MPa; OT less than 490 MPa; OT less than 21%;	kled, not
	For the purposes of this specification (d) are: (a) thickness +/- 10% (b) width +/- 1%	Order, tolerances allowable f	For
	Op. 14.03.13	Dec. date 03.06.13	- TC 1309212

Op. 23.12.13

7208.27.00 STEEL, flat rolled, iron OR non-alloy, hot rolled, pickled, not coated, in coils, complying with Japanese Industrial Standard G3113 (JIS G3113), grades SAPH400 OR SAPH440, having ALL of the following: (a) yield strength NOT less than 255 MPa; (b) tensile strength NOT less than 400 MPa; (c) total elongation NOT less than 29%; (d) in ANY of the following sizes: (i) thickness 1.40 mm and width 605 mm; (ii) thickness 1.40 mm and width 1 053 mm; (iii) thickness 1.40 mm and width 1 175 mm; (iv) thickness 1.55 mm and width 1 115 mm; (v) thickness 1.55 mm and width 1 150 mm; (vi) thickness 1.60 mm and width 610 mm; (vii) thickness 1.60 mm and width 1 027 mm; (viii) thickness 1.60 mm and width 1 090 mm; (ix) thickness 1.60 mm and width 1 130 mm; (x) thickness 1.60 mm and width 1 150 mm; (xi) thickness 1.60 mm and width 1 270 mm; (xii) thickness 1.60 mm and width 1 315 mm; (xiii) thickness 1.60 mm and width 1 340 mm; (xiv) thickness 1.60 mm and width 1 380 mm; (xv) thickness 1.60 mm and width 1 430 mm; (xvi) thickness 1.60 mm and width 1 470 mm; (xvii) thickness 1.80 mm and width 600 mm; (xviii) thickness 1.80 mm and width 1 475 mm; (xix) thickness 1.95 mm and width 1 290 mm; (xx) thickness 2.00 mm and width 1 310 mm; (xxi) thickness 2.00 mm and width 1 440 mm; (xxii) thickness 2.00 mm and width 1 480 mm; (xxiii) thickness 2.00 mm and width 1 512 mm; (xxiv) thickness 2.20 mm and width 1 330 mm For the purposes of this Order, tolerances allowable for specification (d) are: (a) thickness +/- 10% (b) width +/-1% Dec. date 03.06.13 - TC 1309209 Op. 14.03.13 7209.90.00 STEEL, flat rolled, non-alloy, cold rolled, laminated, sound and vibration damping, grade VCCX, in coils, having ALL of the following: (a) yield strength NOT greater than 240 MPa; (b) tensile strength NOT less than 270 MPa; (c) elongation NOT less than 38%; (d) thickness 1.20(0.60 mm + 0.60 mm) and width 1.080 mmFor the purposes of this Order, tolerances allowable for specification (d) are: (a) thickness +/- 10% (b) width +/-1%Op. 27.03.13 Dec. date 17.06.13 - TC 1310849 7210.49.00 STEEL, flat rolled, non-alloy, hot dipped zinc coated, in coils, having ALL of the following: (a) yield strength NOT less than 180 MPa and NOT greater than 240 MPa; (b) tensile strength NOT less than 300 MPa; (c) elongation NOT less than 33%; (d) coating mass NOT less than 60 g/m2 and NOT greater than 90 g/m2 on each side; (e) thickness 1.20 mm and width 1 020 mm $\,$ For the purposes of this Order, tolerances allowable for specification (e) are: (a) thickness +/- 10% (b) width +/- 1%

Dec. date 17.03.14

- TC 1342243

7210.49.00 STEEL, flat rolled, non-alloy, hot dipped galvannealed zinc coated, in coils, having ALL of the following: (a) yield strength NOT less than 155 MPa and NOT greater than 295 MPa; (b) tensile strength NOT less than 340 MPa; (c) total elongation NOT less than 34%; (d) total coating mass NOT less than 35 g/m2 and NOT greater than 65 g/m2 on each side; (e) thickness 0.75 mm and width 810 mm For the purposes of this Order, tolerances allowable for specification (e) are: (a) thickness +/- 10% (b) width +/-1% Op. 04.09.13 Dec. date 02.12.13 - TC 1329958 STEEL, hot-dip zinc-coated, high polymer prepainted, complying 7210.70.00 with Japan Industrial Standard G3312/CGC400-20 Z12 (JIS G3312/CGC400-20 Z12) AND European Union Directive 2002/95/EC on the Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment (RoHS), having ALL of the following: (a) one side surface colour (painted) either white or grey; (b) coating adhering to polyurethane on one side; (c) specular gloss level at 60 degrees NOT less than 60 units and NOT more than 90 units; (d) distinction of image (DOI) NOT less than 60 units; (e) zinc coating mass of z12 or less; (f) surface having ALL of the following: (i) inclusions NOT greater than 1 mm over 1 square metre and having proximity NOT less than 400 mm; (ii) dents NOT greater than 1 mm over 1 square metre and having proximity NOT less than 400 mm; (iii) leveller bite NOT greater than 20 mm (g) in ANY of the following sizes ; width 660 mm and thickness 0.45 mm width 710 mm and thickness 0.45 mm width 722 mm and thickness 0.45 mm width 883 mm and thickness 0.45 mm width 883 mm and thickness 0.5 mm width 708 mm and thickness 0.5 mm width 780 mm and thickness 0.5 mm width 780 mm and thickness 0.45 mm width 515 mm and thickness 0.5 mm width 605 mm and thickness 0.5 mm For the purposes of this Order, tolerances allowable for specification (g) are: (a) width +/or - 2 mm(b) thickness +/or - 0.03 mm Op. 17.04.09 Dec. date 15.06.09 - TC 0919901 7211.14.00 STEEL, flat bar, square OR round edge, equivalent to Australian and New Zealand Standard 3679.1.250 (AS/NZS 3679.1.250) AND Australian and New Zealand Standard 3679.1.300 (AS/NZS 3679.1.300) AND Australian and New Zealand Standard 3679 9.1.350 (NZS 3679.1.350) OR mild steel, having BOTH of the following: (a) width NOT less than 98 mm and NOT greater than 102 mm; (b) thickness NOT less than 48 mm and NOT greater than 52 mm Dec. date 19.02.10 Op. 06.10.09

```
7211.19.00
                STEEL, flat rolled, non-alloy, hot rolled, pickled, not coated,
                in coils, complying with Japanese Industrial Standard G3113 (JIS
                G3113), grade SAPH440, having ALL of the following:
                   (a) yield strength NOT less than 305 MPa;
                   (b) tensile strength NOT less than 440 MPa;
                   (c) elongation NOT less than 29%;
                   (d) in ANY of the following sizes:
                            (i) thickness 1.60 mm and width 252 mm;
                            (ii) thickness 1.60 mm and width 262 mm;
                           (iii) thickness 1.60 mm and width 357 mm;
                            (iv) thickness 1.80 mm and width 565 mm;
                             (v) thickness 2.20 mm and width 220 mm;
                            (vi) thickness 2.50 mm and width 410 mm;
                           (vii) thickness 3.20 mm and width 176 mm;
                          (viii) thickness 4.00 mm and width 288 mm;
                            (ix) thickness 4.00 mm and width 300 mm
                For the purposes of this Order, tolerances allowable for
                 specification (d) are:
                   (a) thickness +/- 10%
                   (b) width +/- 1%
                Op. 04.04.13
                                             Dec. date 24.06.13
                                                                            - TC 1311721
7211.19.00
                STEEL, flat rolled, iron OR non-alloy, hot rolled, pickled, not
                coated, in coils, having ALL of the following:
                   (a) yield strength NOT less than 305 MPa;
                   (b) tensile strength NOT less than 490 MPa;
                   (c) total elongation NOT less than 21%;
                   (d) thickness 1.90 mm and width 423 mm
                For the purposes of this Order, tolerances allowable for
                 specification (d) are:
                   (a) thickness +/- 10%
                   (b) width +/- 1%
                Op. 14.03.13
                                             Dec. date 03.06.13
                                                                            - TC 1309213
                STEEL, flat rolled, iron OR non-alloy, hot rolled, pickled, not
7211.19.00
                coated, in coils, complying with Japanese Industrial Standard
                G3113 (JIS G3113), grades SAPH400 OR SAPH440, having ALL of the
                following:
                   (a) yield strength NOT less than 255 MPa;
                   (b) tensile strength NOT less than 400 MPa;
                   (c) total elongation NOT less than 29%;
                   (d) in ANY of the following sizes:
                          (i) thickness 1.40 mm and width 585 mm;
                         (ii) thickness 1.55 mm and width 250 mm;
                        (iii) thickness 1.60 mm and width 360 mm;
                         (iv) thickness 1.60 mm and width 510 mm
                 For the purposes of this Order, tolerances allowable for
                 specification (d) are:
                   (a) thickness +/- 10%
                   (b) width +/- 1%
                                             Dec. date 03.06.13
                Op. 14.03.13
                                                                            - TC 1309210
7214.30.00
                STEEL BARS, hexagonal, free-cutting steel, across the flat NOT
                less than 33 mm and NOT greater than 65 mm \,
                Op. 20.07.11
                                             Dec. date 19.10.11
                                                                            - TC 1124117
                WIRE, bright soft annealed, dia 0.44 mm or 0.70 mm
7217.10
                Op. 01.07.96
                                             Dec. date 20.06.96
                                                                            - TC 9607750
                WIRE, steel, high carbon, oil hardened and tempered, dia NOT
7217.10
                 exceeding 0.9 mm
                                             Dec. date 21.06.96
                                                                            - TC 9607805
                Op. 01.07.96
7217.30
                WIRE, steel, aluminium clad, complying with AS 1222 Part 2
                Op. 01.07.96
                                             Dec. date 12.06.96
                                                                            - TC 9607043
7217.30
                STAPLE WIRE, liquor or copper coated
                                                                            - TC 9607154
                Op. 01.07.96
                                             Dec. date 12.06.96
7219.22.00
                PLATES, stainless steel, types 304 and 316 to ASTM A240, having a
                 thickness greater than 6mm
                Op. 21.11.94
                                             Dec. date 19.05.95
                                                                            - TC 9409118
```

```
7222.30.00
                BARS, stainless steel, duplex, composition conforming to
                 UNS S 32550, UNS S 32520 OR UR52N+
                                                                             - TC 9804061
                Op. 13.05.98
                                              Dec. date 24.07.98
7223.00.00
                DETECTABLE WARNING TAPE, polyethylene, printed, incorporating
                 stainless steel tracer wires
                                              Dec. date 26.03.12
7225.40.00
                PLATE OR SHEET, nickel alloy steel, complying with American
                 Society for Testing and Materials (ASTM) designation {\tt A553}
                Op. 09.05.08
                                              Dec. date 08.08.08
                                                                             - TC 0807304
7225.40.00
                 SHEETS, PLATES AND FLATS, high alloy steel, to specification DIN
                 90MnCrV8
                Op. 14.02.95
                                                                             - TC 9504075
                                              Dec. date 31.05.95
7225.91.00
                 STEEL, flat rolled, alloy, electrolytically plated OR zinc
                 coated, in coils, having ALL of the following:
                   (a) yield strength NOT less than 110 MPa and NOT greater than
                      160 MPa;
                   (b) tensile strength NOT less than 260 MPa;
                   (c) elongation NOT less than 42%;
                   (d) coating mass NOT less than 36 g/m2 on each side;
                   (e) thickness 0.70 mm and width 1 480 mm
                 For the purposes of this Order, tolerances allowable for
                 specification (e) are:
                   (a) thickness +/- 10%
                   (b) width +/- 1%
                 Op. 21.08.13
                                              Dec. date 18.11.13
                                                                             - TC 1328532
7225.99.00
                STEEL, flat rolled, alloy, in coils, having ALL of the following:
                   (a) hot dipped coating having BOTH of the following:
                           (i) NOT less than 85% aluminium;
                          (ii) NOT less than 5% silicon and NOT greater than 11\%
                               silicon;
                   (b) coating mass NOT less than 60 \text{ g/m2} and NOT greater than 100
                      g/m2 on each side;
                   (c) yield strength NOT less than 300 MPa;
                   (d) tensile strength NOT less than 500 MPa;
                   (e) elongation NOT less than 17%;
                   (f) in ANY of the following sizes:
                            (i) thickness 1.00 mm and width 938 mm;
                           (ii) thickness 1.20 mm and width 1 202 mm;
                          (iii) thickness 1.40 mm and width 918 mm;
                           (iv) thickness 1.40 mm and width 995 mm;
                            (v) thickness 2.00 mm and width 1 325 mm
                 For the purposes of this order, tolerances allowable for
                 specification (f) are:
                   (a) thickness +/- 10%;
                   (b) width +/- 1%
                Op. 22.05.13
                                              Dec. date 12.08.13
                                                                             - TC 1316845
7225.99.00
                 PLATES, ATMOSPHERIC PRESSURE LIQUID NATURAL GAS STORAGE TANK,
                 nickel alloy steel, complying with American Society Testing and
                Materials standard A553/A553M - 10 (ASTM A553/A553M - 10),
                having ALL of the following:
                   (a) bevelled edges NOT less than 30 degrees and NOT greater
                      than 45 degrees;
                   (b) plate thickness NOT less than 9.53\ \mathrm{mm} and NOT greater than
                       16.6 mm;
                   (c) roll radius NOT less than 30 m and NOT greater than 31 m \,
                 Op. 17.09.13
                                             Dec. date 09.12.13
                                                                      - TC 1331764
7226.92.00
                 STEEL, flat rolled, alloy, cold rolled, in coils, having ALL of
                 the following:
                   (a) yield strength NOT greater than 570 MPa;
                   (b) tensile strength NOT less than 690 MPa;
                   (c) elongation NOT less than 20%;
                   (d) thickness 1.60 mm and width 167 mm
                 For the purposes of this Order, tolerances allowable for
                 specification (d) are:
                   (a) thickness +/- 10%
                   (b) width +/- 1%
                 Op. 03.04.13
                                              Dec. date 24.06.13
                                                                            - TC 1311481
```

7227.90.10		led, complying with European S ckness NOT less than 18 mm and	
	Op. 04.02.11	Dec. date 02.05.11	- TC 1105008
7228.30.10	STEEL BARS, hexagonal, high less than 33 mm and NOT gre Op. 20.07.11	alloy steel, across the flat ater than 65 mm Dec. date 19.10.11	NOT - TC 1124118
7228.30.10	-	teel, hot rolled, having ALL o	
	(a) yield strength NOT le	ss than 500 N/mm2; ss than 0.1% and NOT greater	
	Op. 22.03.12	Dec. date 18.06.12	- TC 1209607
7228.30.10		teel, to specification DIN 34C in the range of 800-1050 N per	
	Op. 14.02.95	Dec. date 07.06.95	- TC 9504073
7228.30.10	BARS AND RODS, high alloy s weight of ALL of the follow (a) carbon 0.53%; (b) silicon 0.25%; (c) manganese 0.45%;	teel, having a chemical compos wing:	ition by
	(d) chromium 1.00%; (e) molybdenum 0.20%; (f) nickel 3.10% Op. 14.02.95	Dec. date 31.05.95	- TC 9504083
7228.30.10	-	eel, to DIN specification 1.24	
	(X210CrW12) Op. 10.04.96	-	- TC 9605601
7228.30.90	having ALL of the following	, LIQUID NATURAL GAS STORAGE T: : m elongation at maximum force	ANK,
	("Agt") NOT less than 168 degrees Celsius;	3% at cryogenic temperature m strength NOT less 575 MPa;	inus
	(c) transverse rib surfactors. 0p. 05.06.13		- TC 1318642
7228.40.10	BARS, alloy steel, round, d the following Specification	iameter NOT exceeding 500 mm,	
	<pre>(a) AISI-01; (b) AISI-B.01; (c) AISI-B.D2; (d) AISI-B.D3; (e) AISI-B.A6; (f) AISI-D.K4</pre>		
	Op. 16.06.93	Dec. date 01.10.93	- TC 9304548
8451.80.00	<pre>(a) dryers; (b) coolers;</pre>	INE, including ALL of the foll	owing:
	(c) conveyors Op. 16.02.10	Dec. date 23.04.10	- TC 1008408