



**Commonwealth
of Australia**

Gazette

No. TC 16/22, Wednesday, 15 June 2016

Published by the Commonwealth of Australia

TARIFF CONCESSIONS

CONTENTS

TCO Applications	2
TCOs Made	5
TCOs Revoked - Unused for over 2 years	7
Comptroller-General of Customs Initiated - TCOs Revoked	14

The Commonwealth of Australia Tariff Concessions Gazette (the Tariff Concessions Gazette) is free of charge on the DIBP internet site at:

<http://www.border.gov.au>

The Tariff Concessions Administration Section is located at
5 Constitution Ave Canberra City 2601

Contact numbers are listed below:

General Email Inquiries.....	tarcon@border.gov.au
General Inquiries:	(02) 6229 3567
TAPIN help desk	(02) 6275 6534
Facsimile	(02) 6198 7203

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269K(1) - APPLICATIONS MADE FOR TARIFF CONCESSION ORDERS

Applications have been lodged for Tariff Concession Orders for the goods described in the following TABLE.

Australian manufacturers who wish to contest the granting of a Tariff Concession Order for the goods described are invited to lodge a submission in writing in an approved form. Submissions must be lodged within 50 days of the date of publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

Objections to the making of TCO submission forms are available at

<http://www.border.gov.au/Forms/Documents/b444.pdf>

For guidance on the required description style, phone 02 6229 3567.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
3215.19.00 INKJET PRINTER PACKS, including BOTH of the following: (a) paper; (b) NOT less than three ink cartridges; with OR without EITHER of the following: (i) storage box; (ii) CD containing software Op. 18.05.16	50 - TC 1618494
Stated Use: For use during the inkjet printing of images	
Applicant: HP PPS AUSTRALIA PTY LTD	5%
3808.93.00 HERBICIDES, having a basis of acifluorfen present as the sodium salt Op. 13.05.16	50 - TC 1617767
Stated Use: For the selective control of certain broadleaf weeds and grasses	
Applicant: UPL AUSTRALIA LTD	5%
6907.90.00 CERAMIC SLABS, unglazed, having ALL of the following: (a) length NOT greater than 3 300 mm; (b) width NOT greater than 1 500 mm; (c) thickness NOT less than 6 mm and NOT greater than 35 mm Op. 18.05.16	50 - TC 1618493
Stated Use: For building construction and furniture industries	
Applicant: COSENTINO AUSTRALIA PTY LTD	5%

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
<p>8412.29.00 VALVE ACTUATORS, ELECTROHYDRAULIC, with OR without spring return function, including ALL of the following:</p> <ul style="list-style-type: none"> (a) proportional OR 3-position control; (b) 20 mm OR 40 mm stroke; (c) positioning force NOT less than 1 000 N and NOT greater than 2 800 N; (d) operating voltage NOT less than 24 V AC and NOT greater than 240 V AC; (e) manual adjuster AND position indicator; (f) hydraulic pump; (g) solenoid valve OR bypass valve <p>Op. 05.05.16</p> <p>Stated Use: Actuators for valves to open and close valves</p> <p>Applicant: SIEMENS LTD</p>	<p>50</p> <p>- TC 1615882</p> <p>5%</p>
<p>8421.29.00 OIL AND WATER DECANTING SYSTEM, including ALL of the following:</p> <ul style="list-style-type: none"> (a) vacuum unit having BOTH of the following: <ul style="list-style-type: none"> (i) two-stage vane type base pump; (ii) vacuum booster (b) 304 grade stainless steel separator having a rated flow rate NOT greater than 1 500 L/h; (c) valves; (d) pumps; (e) piping AND fittings <p>Op. 09.05.16</p> <p>Stated Use: For the separation of oil and water from oily water mixture produced from the flash evaporation of dehydrated lube oil</p> <p>Applicant: CLEANAWAY WASTE MANAGEMENT LTD</p>	<p>50</p> <p>- TC 1616416</p> <p>5%</p>
<p>8426.11.00 STACKER AND LIFTER, STEEL SHEET PACK, dual lift bridge, programmable logic controlled, having BOTH of the following:</p> <ul style="list-style-type: none"> (a) travel length greater than 2 800 mm; (b) lifting stroke greater than 1 800 mm <p>Op. 10.05.16</p> <p>Stated Use: Lifting and stacking at end of line as part of a continuous integrated production line which includes wrapping, strapping, labelling and stacking of the steel sheet packs</p> <p>Applicant: GEODIS WILSON AUSTRALIA PTY LTD</p>	<p>50</p> <p>- TC 1616971</p> <p>5%</p>
<p>8438.40.00 YEAST PROPAGATION PLANT, programmable logic controlled, having ALL of the following:</p> <ul style="list-style-type: none"> (a) aeration lance AND/OR hollow shaft mixer; (b) filters; (c) flask; (d) ladder; (e) level probe; (f) meters; (g) pumps; (h) tanks AND/OR vessels; (i) top plates; (j) valves <p>Op. 17.05.16</p> <p>Stated Use: For propagating yeast with the purpose of renewing the yeast supply</p> <p>Applicant: ALFA LAVAL AUSTRALIA PTY LTD</p>	<p>50</p> <p>- TC 1618115</p> <p>5%</p>

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269R(1) - TARIFF CONCESSION ORDERS MADE

Tariff Concession Orders have been made for the goods described in the following TABLE.

The operative date (Op.) and TC reference No. follow the description of goods. Local manufacturers of substitutable goods may request the revocation of TCOs at any time.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number
3808.92.00 FUNGICIDES, granular, water dispersible, active constituents being mancozeb AND metalaxyl Op. 15.03.16	50 Dec. date 09.06.16 - TC 1610321
6902.10.00 TAP-HOLES, having a basis of magnesium oxide Op. 24.02.16	50 Dec. date 09.06.16 - TC 1608260
7228.60.10 BARS OR RODS, high alloy steel, annealed AND peeled, complying with British Standard 970-3:1991 (BS 970-3:1991) Grade 655M13, having ALL of the following: (a) sulphur AND phosphorous content NOT greater than 0.01%; (b) molybdenum content NOT greater than 0.20%; (c) grain size number NOT less than 6.0, complying to American Society for Testing and Materials Standard E112-13 (ASTM E112-13); (d) American Society for Testing and Materials Standard E381-01 (ASTM E381-01), ratings NOT greater than S1, R1 OR C1; (e) German Institute of Standardisation 50 602 (DIN 50 602) K4 index NOT greater than 20 Op. 02.03.16	50 Dec. date 09.06.16 - TC 1608847
7321.19.00 STOVE SETS, portable, solid fuel, including ALL of the following: (a) chimney sections, having a flue diameter NOT greater than 62 mm; (b) spark arrestor; (c) four galvanised threaded legs; (d) mesh floor fire grate; (d) barbecue plates; (e) plate lift handle; (f) steel body, having ALL of the following: (i) NOT less than 200 mm diameter cooking opening; (ii) NOT less than 170 mm diameter feed inlet; (iii) cylindrical mid-portion AND rounded ends Op. 04.03.16	50 Dec. date 09.06.16 - TC 1609385
7419.99.00 COMPONENTS, TRAMWAY OVERHEAD CONTACT LINE, being ANY of the following: (a) hinge clevis; (b) eye clips; (c) contact wire clips; (d) double droppers; (e) droppers; (f) clamps; (g) thimbles; (h) suspension arms; (i) brackets; (j) trigger bows Op. 15.03.16	50 Dec. date 09.06.16 - TC 1610531
7612.90.00 STERILISATION CONTAINERS, MEDICAL INSTRUMENT, including ALL of the following: (a) locking mechanisms, having a tamper evident lock; (b) anodised aluminium lid; (c) paper filter; Op. 04.03.16	50 Dec. date 09.06.16 - TC 1609105

CUSTOMS ACT 1901**NOTICE PURSUANT TO SECTION 269SE(2) - TARIFF CONCESSION ORDER REVOCATION AT THE INITIATIVE OF THE COMPTROLLER-GENERAL OF CUSTOMS**

The Tariff Concession Orders listed in THE TABLE below have not been used for at least 2 years and have been revoked under Section 269SD(1A). In transit provisions apply.

The intention to revoke these orders was notified in Gazette TC16/17 dated 11 May 2016.

Contact: Phone 02 6198 7289, fax 02 6275 6376 or email tarcon@border.gov.au.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
---	---

7208.25.00 STEEL, flat rolled, non-alloy, hot rolled, pickled, not coated, in coils, complying with Japanese Industrial Standard G3131 (JIS G3131), grades SPHD OR SPHE, having ALL of the following: (a) tensile strength NOT less than 270 MPa; (b) elongation NOT less than 32%; (c) thickness 5.00 mm and width 1 282 mm	50 08.06.16
---	----------------

For the purposes of this Order, tolerances allowable for specification (c) are:

- (a) thickness +/- 10%
- (b) width +/- 1%

Op. 04.04.13

Dec. date 24.06.13

- TC 1311528

Revoked for 2 years non use. In transit provisions apply

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
<p>7209.90.00 STEEL, flat rolled, non-alloy, cold rolled, laminated, sound and vibration damping, grade VCCX, in coils, having ALL of the following:</p> <ul style="list-style-type: none"> (a) yield strength NOT greater than 240 MPa; (b) tensile strength NOT less than 270 MPa; (c) elongation NOT less than 38%; (d) thickness 1.20(0.60 mm + 0.60mm) and width 1 080 mm <p>For the purposes of this Order, tolerances allowable for specification (d) are:</p> <ul style="list-style-type: none"> (a) thickness +/- 10% (b) width +/- 1% <p>Op. 27.03.13 Dec. date 17.06.13 - TC 1310849</p> <p>Revoked for 2 years non use. In transit provisions apply</p>	50 08.06.16
<p>7210.49.00 STEEL, flat rolled, non-alloy, hot dipped galvanized zinc coated, in coils, having ALL of the following:</p> <ul style="list-style-type: none"> (a) yield strength NOT less than 155 MPa and NOT greater than 295 MPa; (b) tensile strength NOT less than 340 MPa; (c) total elongation NOT less than 34%; (d) total coating mass NOT less than 35 g/m2 and NOT greater than 65 g/m2 on each side; (e) thickness 0.75 mm and width 810 mm <p>For the purposes of this Order, tolerances allowable for specification (e) are:</p> <ul style="list-style-type: none"> (a) thickness +/- 10% (b) width +/- 1% <p>Op. 04.09.13 Dec. date 02.12.13 - TC 1329958</p> <p>Revoked for 2 years non use. In transit provisions apply</p>	50 06.06.16
<p>7210.49.00 STEEL, flat rolled, non-alloy, hot dipped zinc coated, in coils, having ALL of the following:</p> <ul style="list-style-type: none"> (a) yield strength NOT less than 180 MPa and NOT greater than 240 MPa; (b) tensile strength NOT less than 300 MPa; (c) elongation NOT less than 33%; (d) coating mass NOT less than 60 g/m2 and NOT greater than 90 g/m2 on each side; (e) thickness 1.20 mm and width 1 020 mm <p>For the purposes of this Order, tolerances allowable for specification (e) are:</p> <ul style="list-style-type: none"> (a) thickness +/- 10% (b) width +/- 1% <p>Op. 23.12.13 Dec. date 17.03.14 - TC 1342243</p> <p>Revoked for 2 years non use. In transit provisions apply</p>	50 08.06.16

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
--	---

<p>7210.70.00 STEEL, hot-dip zinc-coated, high polymer prepainted, complying with Japan Industrial Standard G3312/CGC400-20 Z12 (JIS G3312/CGC400-20 Z12) AND European Union Directive 2002/95/EC on the Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment (RoHS), having ALL of the following:</p> <ul style="list-style-type: none"> (a) one side surface colour (painted) either white or grey; (b) coating adhering to polyurethane on one side; (c) specular gloss level at 60 degrees NOT less than 60 units and NOT more than 90 units; (d) distinction of image (DOI) NOT less than 60 units; (e) zinc coating mass of z12 or less; (f) surface having ALL of the following: <ul style="list-style-type: none"> (i) inclusions NOT greater than 1 mm over 1 square metre and having proximity NOT less than 400 mm; (ii) dents NOT greater than 1 mm over 1 square metre and having proximity NOT less than 400 mm; (iii) leveller bite NOT greater than 20 mm (g) in ANY of the following sizes ; <ul style="list-style-type: none"> width 660 mm and thickness 0.45 mm; width 710 mm and thickness 0.45 mm; width 722 mm and thickness 0.45 mm; width 883 mm and thickness 0.45 mm; width 883 mm and thickness 0.5 mm; width 708 mm and thickness 0.5 mm; width 780 mm and thickness 0.5 mm; width 780 mm and thickness 0.45 mm; width 515 mm and thickness 0.5 mm; width 605 mm and thickness 0.5 mm 	<p>50 08.06.16</p>
---	------------------------

For the purposes of this Order, tolerances allowable for specification (g) are:

(a) width +/- 2 mm
 (b) thickness +/- 0.03 mm
 Op. 17.04.09 Dec. date 15.06.09 - TC 0919901

TC 0842023 revoked and reissued with narrower wording as TC 0919901 Revoked for 2 years non use. In transit provisions apply

<p>7211.14.00 STEEL, flat bar, square OR round edge, equivalent to Australian and New Zealand Standard 3679.1.250 (AS/NZS 3679.1.250) AND Australian and New Zealand Standard 3679.1.300 (AS/NZS 3679.1.300) AND Australian and New Zealand Standard 3679 9.1.350 (NZS 3679.1.350) OR mild steel, having BOTH of the following:</p> <ul style="list-style-type: none"> (a) width NOT less than 98 mm and NOT greater than 102 mm; (b) thickness NOT less than 48 mm and NOT greater than 52 mm <p>Op. 06.10.09 Dec. date 19.02.10 - TC 0937812</p>	<p>50 08.06.16</p>
--	------------------------

Revoked for 2 years non use. In transit provisions apply

<p>7211.19.00 STEEL, flat rolled, iron OR non-alloy, hot rolled, pickled, not coated, in coils, complying with Japanese Industrial Standard G3113 (JIS G3113), grades SAPH400 OR SAPH440, having ALL of the following:</p> <ul style="list-style-type: none"> (a) yield strength NOT less than 255 MPa; (b) tensile strength NOT less than 400 MPa; (c) total elongation NOT less than 29%; (d) in ANY of the following sizes: <ul style="list-style-type: none"> (i) thickness 1.40 mm and width 585 mm; (ii) thickness 1.55 mm and width 250 mm; (iii) thickness 1.60 mm and width 360 mm; (iv) thickness 1.60 mm and width 510 mm 	<p>50 08.06.16</p>
---	------------------------

For the purposes of this Order, tolerances allowable for specification (d) are:

(a) thickness +/- 10%
 (b) width +/- 1%
 Op. 14.03.13 Dec. date 03.06.13 - TC 1309210

Revoked for 2 years non use. In transit provisions apply

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
7211.19.00 STEEL, flat rolled, iron OR non-alloy, hot rolled, pickled, not coated, in coils, having ALL of the following: (a) yield strength NOT less than 305 MPa; (b) tensile strength NOT less than 490 MPa; (c) total elongation NOT less than 21%; (d) thickness 1.90 mm and width 423 mm	50 08.06.16
For the purposes of this Order, tolerances allowable for specification (d) are: (a) thickness +/- 10% (b) width +/- 1%	
Op. 14.03.13 Dec. date 03.06.13 - TC 1309213	
Revoked for 2 years non use. In transit provisions apply	
7211.19.00 STEEL, flat rolled, non-alloy, hot rolled, pickled, not coated, in coils, complying with Japanese Industrial Standard G3113 (JIS G3113), grade SAPH440, having ALL of the following: (a) yield strength NOT less than 305 MPa; (b) tensile strength NOT less than 440 MPa; (c) elongation NOT less than 29%; (d) in ANY of the following sizes: (i) thickness 1.60 mm and width 252 mm; (ii) thickness 1.60 mm and width 262 mm; (iii) thickness 1.60 mm and width 357 mm; (iv) thickness 1.80 mm and width 565 mm; (v) thickness 2.20 mm and width 220 mm; (vi) thickness 2.50 mm and width 410 mm; (vii) thickness 3.20 mm and width 176 mm; (viii) thickness 4.00 mm and width 288 mm; (ix) thickness 4.00 mm and width 300 mm	50 08.06.16
For the purposes of this Order, tolerances allowable for specification (d) are: (a) thickness +/- 10% (b) width +/- 1%	
Op. 04.04.13 Dec. date 24.06.13 - TC 1311721	
Revoked for 2 years non use. In transit provisions apply	
7214.30.00 STEEL BARS, hexagonal, free-cutting steel, across the flat NOT less than 33 mm and NOT greater than 65 mm	50 08.06.16
Op. 20.07.11 Dec. date 19.10.11 - TC 1124117	
Revoked for 2 years non use. In transit provisions apply	
7217.10 WIRE, bright soft annealed, dia 0.44 mm or 0.70 mm	50 08.06.16
Op. 01.07.96 Dec. date 20.06.96 - TC 9607750	
Revoked for 2 years non use. In transit provisions apply	
7217.10 WIRE, steel, high carbon, oil hardened and tempered, dia NOT exceeding 0.9 mm	50 08.06.16
Op. 01.07.96 Dec. date 21.06.96 - TC 9607805	
Revoked for 2 years non use. In transit provisions apply	
7217.30 WIRE, steel, aluminium clad, complying with AS 1222 Part 2	50 08.06.16
Op. 01.07.96 Dec. date 12.06.96 - TC 9607043	
Revoked for 2 years non use. In transit provisions apply	
7217.30 STAPLE WIRE, liquor or copper coated	50 08.06.16
Op. 01.07.96 Dec. date 12.06.96 - TC 9607154	
Revoked for 2 years non use. In transit provisions apply	
7222.30.00 BARS, stainless steel, duplex, composition conforming to UNS S 32550, UNS S 32520 OR UR52N+	50 08.06.16
Op. 13.05.98 Dec. date 24.07.98 - TC 9804061	
Revoked for 2 years non use. In transit provisions apply	

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
7225.40.00 PLATE OR SHEET, nickel alloy steel, complying with American Society for Testing and Materials (ASTM) designation A553 Op. 09.05.08 Dec. date 08.08.08	50 08.06.16
Revoked for 2 years non use. In transit provisions apply	
7225.99.00 STEEL, flat rolled, alloy, in coils, having ALL of the following: (a) hot dipped coating having BOTH of the following: (i) NOT less than 85% aluminium; (ii) NOT less than 5% silicon and NOT greater than 11% silicon; (b) coating mass NOT less than 60 g/m2 and NOT greater than 100 g/m2 on each side; (c) yield strength NOT less than 300 MPa; (d) tensile strength NOT less than 500 MPa; (e) elongation NOT less than 17%; (f) in ANY of the following sizes: (i) thickness 1.00 mm and width 938 mm; (ii) thickness 1.20 mm and width 1 202 mm; (iii) thickness 1.40 mm and width 918 mm; (iv) thickness 1.40 mm and width 995 mm; (v) thickness 2.00 mm and width 1 325 mm For the purposes of this order, tolerances allowable for specification (f) are: (a) thickness +/- 10%; (b) width +/- 1% Op. 22.05.13 Dec. date 12.08.13	50 08.06.16
Revoked for 2 years non use. In transit provisions apply	
7225.99.00 PLATES, ATMOSPHERIC PRESSURE LIQUID NATURAL GAS STORAGE TANK, nickel alloy steel, complying with American Society Testing and Materials standard A553/A553M - 10 (ASTM A553/A553M - 10), having ALL of the following: (a) bevelled edges NOT less than 30 degrees and NOT greater than 45 degrees; (b) plate thickness NOT less than 9.53 mm and NOT greater than 16.6 mm; (c) roll radius NOT less than 30 m and NOT greater than 31 m Op. 17.09.13 Dec. date 09.12.13	50 08.06.16
Revoked for 2 years non use. In transit provisions apply	
7226.92.00 STEEL, flat rolled, alloy, cold rolled, in coils, having ALL of the following: (a) yield strength NOT greater than 570 MPa; (b) tensile strength NOT less than 690 MPa; (c) elongation NOT less than 20%; (d) thickness 1.60 mm and width 167 mm For the purposes of this Order, tolerances allowable for specification (d) are: (a) thickness +/- 10% (b) width +/- 1% Op. 03.04.13 Dec. date 24.06.13	50 08.06.16
Revoked for 2 years non use. In transit provisions apply	
7227.90.10 COILS, alloy steel, hot rolled, complying with European Standard EN 10089:2002, having a thickness NOT less than 18 mm and NOT greater than 24 mm Op. 04.02.11 Dec. date 02.05.11	50 08.06.16
Revoked for 2 years non use. In transit provisions apply	
7228.30.10 STEEL BARS, hexagonal, high alloy steel, across the flat NOT less than 33 mm and NOT greater than 65 mm Op. 20.07.11 Dec. date 19.10.11	50 08.06.16
Revoked for 2 years non use. In transit provisions apply	

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
7228.30.10 THREADED BARS, high alloy steel, hot rolled, having ALL of the following: (a) yield strength NOT less than 500 N/mm ² ; (b) cerium content NOT less than 0.1% and NOT greater than 0.5%; (c) threaded ribs Op. 22.03.12	50 06.06.16
Dec. date 18.06.12 - TC 1209607	
Revoked for 2 years non use. In transit provisions apply	
7228.30.10 BARS AND RODS, high alloy steel, to specification DIN 34CrAlNi7, hardened and tempered within the range of 800-1050 N per sq. mm (both inclusive) Op. 14.02.95	50 08.06.16
Dec. date 07.06.95 - TC 9504073	
Revoked for 2 years non use. In transit provisions apply	
7228.30.10 BARS AND RODS, high alloy steel, having a chemical composition by weight of ALL of the following: (a) carbon 0.53%; (b) silicon 0.25%; (c) manganese 0.45%; (d) chromium 1.00%; (e) molybdenum 0.20%; (f) nickel 3.10% Op. 14.02.95	50 08.06.16
Dec. date 31.05.95 - TC 9504083	
Revoked for 2 years non use. In transit provisions apply	
7228.30.10 BARS OR RODS, high alloy steel, to DIN specification 1.2436, (X210CrW12) Op. 10.04.96	50 08.06.16
Dec. date 12.07.96 - TC 9605601	
Revoked for 2 years non use. In transit provisions apply	
7228.30.90 REINFORCING BARS, CRYOGENIC, LIQUID NATURAL GAS STORAGE TANK, having ALL of the following: (a) un-notched bar uniform elongation at maximum force ("Agt") NOT less than 3% at cryogenic temperature minus 168 degrees Celsius; (b) un-notched bar yield strength NOT less 575 MPa; (c) transverse rib surface geometry Op. 05.06.13	50 08.06.16
Dec. date 26.08.13 - TC 1318642	
Revoked for 2 years non use. In transit provisions apply	
7228.40.10 BARS, alloy steel, round, diameter NOT exceeding 500 mm, to ANY of the following Specifications: (a) AISI-01; (b) AISI-B.01; (c) AISI-B.D2; (d) AISI-B.D3; (e) AISI-B.A6; (f) AISI-D.K4 Op. 16.06.93	50 08.06.16
Dec. date 01.10.93 - TC 9304548	
Revoked for 2 years non use. In transit provisions apply	
8451.80.00 CARPET DRYING AND COOLING LINE, including ALL of the following: (a) dryers; (b) coolers; (c) conveyors Op. 16.02.10	50 08.06.16
Dec. date 23.04.10 - TC 1008408	
Revoked for 2 years non use. In transit provisions apply	

CUSTOMS ACT 1901**TARIFF CONCESSION ORDER REVOCATION AT THE INITIATIVE OF THE COMPTROLLER-GENERAL OF CUSTOMS**

The Tariff Concession Order listed in THE TABLE below has been revoked.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
3923.29.00 BAGS, multilayered, plastic coated, having a recloseable pull apart seal, or a recloseable zip fastener Op. 11.11.93 Dec. date 04.03.94	50 10.05.16 - TC 9312795
Order revoked following Comptroller-General's intention to revoke notice in Tariff Concession Gazette TC 16/17 of 11 May 2016. In transit provisions apply	