



**Commonwealth
of Australia**

Gazette

No. TC TC16/32, Wednesday, 24 August 2016
Published by the Commonwealth of Australia

TARIFF CONCESSIONS

CONTENTS

TCO Applications	2
TCO Applications Refused	7
TCOs Made	8
Local Manufacturer Initiated - TCO Revocation Requests	10
Intention to Revoke TCOs not used in over 2 years	11
Intention to Revoke due to inadequate description.....	14

The Commonwealth of Australia Tariff Concessions Gazette (the Tariff Concessions Gazette) is free of charge on the DIBP internet site at: <http://www.border.gov.au>

The Tariff Concessions Administration Section is located at
5 Constitution Ave Canberra City 2601

Contact details:

General Email Inquiries.....tarcon@border.gov.au

General Inquiries:(02) 6229 3567

TAPIN help desk(02) 6275 6534

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269K(1) - APPLICATIONS MADE FOR TARIFF CONCESSION ORDERS

Applications have been lodged for Tariff Concession Orders for the goods described in the following TABLE.

Australian manufacturers who wish to contest the granting of a Tariff Concession Order for the goods described are invited to lodge a submission in writing in an approved form. Submissions must be lodged within 50 days of the date of publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

Objections to the making of TCO submission forms are available at

<http://www.border.gov.au/Forms/Documents/b444.pdf>

For guidance on the required description style, phone (02) 6229 3567.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
3923.50.00 PLUGS, polyethylene, threaded, diameter NOT less than 20 mm, with OR without ANY of the following: (a) central recesses; (b) washers; (c) vents Op. 26.07.16	50 - TC 1637183
Stated Use: For closing and sealing containers Applicant: TRI-SURE CLOSURES AUSTRALIA PTY LTD	5%
3923.50.00 PLUG CAPS, polyethylene, circular, tamper evident having a tear-off tab Op. 27.07.16	50 - TC 1637184
Stated Use: For sealing containers Applicant: TRI-SURE CLOSURES AUSTRALIA PTY LTD	5%
3924.10.00 PRESSURE COOKERS, MICROWAVE, having ALL of the following: (a) base; (b) cover; (c) safety lock handle; (d) safety lock plug; (e) pressure regulator valves; (f) pressure indicators; (g) silicone cover gasket Op. 22.07.16	50 - TC 1636022
Stated Use: Microwave cooking of food Applicant: TUPPERWARE PRODUCTS INC	5%
5401.10.00 SEWING THREADS, polyester, core spun Op. 28.07.16	50 - TC 1637240
Stated Use: During the making of closing and topstitch seams in textiles and garments Applicant: SHANN ACCESSORIES UNIT TRUST	5%

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
<p>7208.39.00 COILS, non-alloy steel, hot rolled, complying with Australian/New Zealand Standard AS/NZS 1594:2002, Grade HA1010, having ALL of the following:</p> <ul style="list-style-type: none"> (a) thickness NOT less than 2.48 mm and NOT greater than 2.52 mm; (b) width NOT less than 1 640 mm and NOT greater than 1 680 mm; (c) weight NOT less than 6 000 kg and NOT greater than 13 000 kg; (d) chemical composition by weight of ALL of the following: <ul style="list-style-type: none"> (i) carbon content NOT less than 0.08% and NOT greater than 0.13%; (ii) silicon content NOT greater than 0.03%; (iii) manganese content NOT less than 0.3% and NOT greater than 0.6%; (iv) phosphorus content NOT greater than 0.04%; (v) sulphur content NOT greater than 0.03%; (vi) aluminium content NOT greater than 0.10%; (vii) titanium content NOT greater than 0.04% <p>Op. 21.07.16</p>	50
<p>Stated Use: During the manufacture of jackets for hot water systems</p> <p>Applicant: RHEEM AUSTRALIA PTY LTD</p>	- TC 1635932 5%
<p>7326.90.90 FITTINGS, WALL PANEL, being ANY of the following:</p> <ul style="list-style-type: none"> (a) fixing connector mechanism, horizontal tube to vertical tube; (b) tube spacers with OR without brackets; (c) anti-vibration clips; (d) angle corner reinforcement brackets; (e) connectors, tube to sanitary fitting; (f) floor AND wall brackets; (g) plates <p>Op. 25.07.16</p>	50
<p>Stated Use: For assembly of wall panel to which sanitary fittings are inserted and fixed to</p> <p>Applicant: INWALL PTY LTD</p>	- TC 1636577 5%

8428.90.00	<p>TILT TRAY SORTING MACHINES, PARCEL AND/OR ENVELOPE, programmable logic controlled, including ALL of the following:</p> <ul style="list-style-type: none"> (a) linear motor driven carriages having one OR more tilting trays; (b) tilting trays with OR without ANY of the following: <ul style="list-style-type: none"> (i) rotation; (ii) retractable sidewalls; (iii) leading AND/OR trailing edges, (c) sorter frames having guide rails with OR without ANY of the following: <ul style="list-style-type: none"> (i) sidewalls; (ii) mechanical brakes, (d) induction stations with OR without ANY of the following: <ul style="list-style-type: none"> (i) weighing scales; (ii) bar code readers, (e) discharge rails; (f) photocells; (g) tray tippers AND/OR re-setters; (h) proximity switches; (i) computer human machine interface (HMI) with OR without software <p>with OR without discharge chutes AND/OR safety covers AND/OR access covers Op. 21.07.16</p> <p>Stated Use: Automated sorting and distribution of flat envelopes and small parcels</p> <p>Applicant: BEUMER GROUP AUSTRALIA PTY LTD</p>	50	- TC 1635934
8428.90.00	<p>BULK MATERIAL CONVEYOR LOADER, programmable logic controlled, whether OR not assembled, including ALL of the following:</p> <ul style="list-style-type: none"> (a) width NOT less than 2.8 metres; (b) double carriage wheels; (c) tandem drive; (d) rail-mountable rake OR shovel; (e) automatic lowering mechanism <p>Op. 25.07.16</p> <p>Stated Use: Manage the recovery of material that has been delivered into a bunker by a truck, loader of overhead delivery</p> <p>Applicant: BORG MANUFACTURING PTY LTD</p>	50	- TC 1636575
8428.90.00	<p>TRANSPORTERS, DISABLED PASSENGER, self-propelled, including ALL of the following:</p> <ul style="list-style-type: none"> (a) hydraulic scissor lift; (b) stretcher AND wheelchair access; (c) diesel engine; (d) tilting platform with side guards; (e) passenger cabin <p>Op. 26.07.16</p> <p>Stated Use: Motorised transport of disabled passengers to and from aircraft and passenger terminals</p> <p>Applicant: CARBRIDGE PTY LTD</p>	50	- TC 1636867

8428.90.00	<p>TRAY CONVEYOR SYSTEM, programmable logic controlled, including ALL of the following:</p> <ul style="list-style-type: none"> (a) tray destackers; (b) tray stackers; (c) tray stack loaders; (d) tray tilters AND/OR dewaterers; (e) tray inverters; (f) conveyors; (g) control panels; (h) shuttles; (i) robots; (j) tray accumulator <p>Op. 27.07.16</p> <p>Stated Use: Transport and handle pet food in cooking and processing plant</p> <p>Applicant: MARS AUSTRALIA PTY LTD</p>	<p>50</p> <p>- TC 1636870</p> <p>5%</p>
8464.90.00	<p>CONCRETE FINISHERS, having ALL of the following:</p> <ul style="list-style-type: none"> (a) gear motor; (b) adjustable transverse chassis; (c) adjustable bridge; (d) track <p>Op. 21.07.16</p> <p>Stated Use: Smoothing and finishing of freshly poured and compacted concrete on the pallet</p> <p>Applicant: CONCRETE PRECAST SYSTEMS PTY LTD</p>	<p>50</p> <p>- TC 1635423</p> <p>5%</p>
8474.80.00	<p>CONCRETE SPREADERS, having electromotive driven worms, with OR without ALL of the following:</p> <ul style="list-style-type: none"> (a) central lubrication unit; (b) bridge; (c) bucket weigher; (d) tracks <p>Op. 21.07.16</p> <p>Stated Use: Placing of concrete in pallet, concrete is discharged out of bucket by casting worms</p> <p>Applicant: CONCRETE PRECAST SYSTEMS PTY LTD</p>	<p>50</p> <p>- TC 1635422</p> <p>5%</p>

8479.90.00	PARTS, MECHANICAL SCREW PRESS, EDIBLE OIL EXTRACTION, being ANY of the following: (a) cage frames; (b) cage end rings; (c) choke ring clamps; (d) centre sleeves; (e) gib bars; (f) key bars; (g) knife bars; (h) lining bars; (i) thin lining bars; (j) spacers; (k) feed inlets; (l) main shafts; (m) pressure pieces; (n) shims; (o) shoe frame bars; (p) wedging stripes; (q) feed worms; (r) pressure worms; (s) distance worms; (t) distance pieces; (u) mixer pieces; (v) cake cutter Op. 25.07.16	- TC 1636301	50
	Stated Use: To replace worn out components of the a mechanical screw press machine for the product of edible oil extraction Applicant: RIVERINA OILS & BIO ENERGY PTY LTD		5%
8480.71.00	MOULDS, PLASTIC BOTTLE CAP, compression type Op. 13.07.16	- TC 1633880	50
	Stated Use: In manufacture of plastic bottle caps Applicant: ASAHI BEVERAGES AUSTRALIA PTY LTD		5%
8481.80.90	GATE AND/OR PLUG VALVES, LAUNDER, manual Op. 21.07.16	- TC 1635629	50
	Stated Use: To open launder circuits in gold absorption circuits Applicant: BLACKHAM RESOURCES LTD		5%

CUSTOMS ACT 1901**NOTICE PURSUANT TO SECTION 269R(1) - APPLICATIONS FOR TARIFF CONCESSION ORDERS REFUSED**

Applications for Tariff Concession Orders for the goods described in the following TABLE have been refused.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number
<p>3918.10.00 COVERINGS, FLOOR, IMITATION WOOD, polyvinyl chloride, multilayered, having ALL of the following:</p> <ul style="list-style-type: none"> (a) thickness NOT less than 2 mm and NOT greater than 4.2 mm; (b) length NOT less than 1 200 mm and NOT greater than 1 230 mm; (c) width NOT less than 150 mm and NOT greater than 230 mm <p>Op. 09.03.16 Reason for refusal: Substitutable goods produced in Australia in the ordinary course of business by Al Rubber Pty Ltd, Yatala, Qld and Armstrong Flooring Pty Ltd, Braeside, Vic</p>	50
<p>8705.90.00 TRUCKS, incorporating a mounted concrete pump, having BOTH of the following:</p> <ul style="list-style-type: none"> (a) truck having BOTH of the following: <ul style="list-style-type: none"> (i) wheelbase NOT greater than 4 500 mm; (ii) engine power rating NOT less than 324 kW, (b) concrete pump having ALL of the following: <ul style="list-style-type: none"> (i) pump stroke distance NOT less than 2 100 mm; (ii) maximum pressure capacity NOT less than 220 bar; (iii) maximum output capacity NOT less than 106 m³/h; (iv) concrete receiving hopper NOT less than 880 litre waterline capacity <p>Op. 25.02.16 Reason for refusal: Substitutable goods produced in Australia in the ordinary course of business by Transcrete Pty Ltd, Thornleigh, NSW</p>	50

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269R(1) - TARIFF CONCESSION ORDERS MADE

Tariff Concession Orders have been made for the goods described in the following TABLE.

The operative date (Op.) and TC reference No. follow the description of goods. Local manufacturers of substitutable goods may request the revocation of TCOs at any time.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect General Duty Rate
3808.92.00 FUNGICIDES, including active ingredients of azoxystrobin AND/OR cyproconazole Op. 25.05.16	50 Dec. date 22.08.16 - TC 1618970
7309.00.00 TANKS, STORAGE, stainless steel, unassembled, having BOTH of the following: (a) panel lengths NOT less than 2 m; (b) NOT less than 8 panels for each tank, with OR without ANY of the following: (i) tank covers; (ii) internal guide rails; (iii) steel reinforced floor panels; (vi) mounting plates AND support poles; (v) steel panels with manholes AND manhole covers; (vi) valves; (vii) steel OR polyvinyl chloride(PVC) pipes Op. 26.05.16	50 Dec. date 22.08.16 - TC 1618988
7326.90.90 FITTINGS, SAFETY HARNESS, steel, being ANY of the following: (a) connection adaptors; (b) O-rings; (c) quick release rings Op. 31.05.16	50 Dec. date 22.08.16 - TC 1619552
8419.40.00 WASTE OIL DISTILLING SYSTEM, including ALL of the following: (a) pumps; (b) evaporator; (c) condenser; (d) heat exchanger Op. 25.05.16	50 Dec. date 22.08.16 - TC 1618971
8419.81.90 FRYING PAN SYSTEM, FOOD PROCESSING, electric heating, programmable logic controlled, with OR without agitator AND/OR taps AND/OR bin, whether OR not assembled, including ALL of the following: (a) electro-mechanical tilting; (b) insulated cover; (c) discharge spout; (d) control console; (e) pan capacity NOT less than 115 litres and NOT greater than 250 litres Op. 23.05.16	50 Dec. date 22.08.16 - TC 1618646
8419.89.90 BIODEGRADABLE WASTE PASTEURISATION PLANT, unassembled, including ALL of the following: (a) stainless steel tanks with covers; (b) insulation; (c) electronic scales; (d) agitator; (e) piping; (f) compressor; (g) heat exchanger; (h) pumps; (i) ventilator; (j) axial cooler Op. 26.05.16	50 Dec. date 22.08.16 - TC 1618999

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number Last Date of Effect General Duty Rate
8421.39.00	GAS FLOW CONTROL, CONDITIONING AND FILTERING SYSTEM, including ALL of the following: (a) gas control valves; (b) gas flow meters; (c) gas flow transmitters; (d) differential pressure transmitters; (e) pressure transmitters; (f) duplex filter, consisting of BOTH of the following: (i) pipes; (ii) manifolds, (g) primary Vent controller; (h) junction box; (i) emergency stop push button; (j) gas seals AND vents; (k) gas filters; (l) restriction pipe orifice; (m) isolation valves; (n) nitrogen supply module, with OR without a gas heater Op. 25.05.16	50 Dec. date 22.08.16 - TC 1618878
8422.30.90	GENOTYPING ANALYSIS MACHINES, being ANY of the following: (a) heat plate sealer; (b) laser sealing welder; (c) liquid handler Op. 26.05.16	50 Dec. date 22.08.16 - TC 1619348
8479.89.90	PRESSES, BRIQUETTING Op. 24.05.16	50 Dec. date 22.08.16 - TC 1618838
8479.89.90	WIRELINE DATA LOGGING MODULES, OIL AND/OR GAS WELL, whether OR not assembled, including ALL of the following: (a) power pack; (b) winch; (c) instrument cabin, incorporating instrumentation; (d) motors; (e) pumps; (f) tanks; (g) oil cooler; (h) generator; (i) electronic controls; (j) lights; (k) filters; (l) air conditioners; (m) transmission; (n) brakes; (o) cylinders Op. 30.05.16	50 Dec. date 22.08.16 - TC 1619356
8537.10.90	ORDER PICKING CONTROL STATION, horizontal, having BOTH of the following: (a) adjustable work platform; (b) pick-to-light system based touch screen monitor Op. 26.05.16	50 Dec. date 22.08.16 - TC 1618994

NOTIFICATION OF AN AUSTRALIAN INDUSTRY REVOCATION REQUEST - SECTION 269SC(1A) CUSTOMS ACT

An application has have been lodged for revocation of the Tariff Concession Order set out in the following TABLE.

The Lodgement Request Date shown in the table below is the intended revocation date for the Tariff Concession Order which will take effect should the application for revocation be successful.

Importations not covered by in transit provisions may be subject to post action as any decision to revoke an order is backdated to the date of request for revocation.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Lodgement Request Date
5705.00.90 CARPET FLOOR TILES, having ALL of the following: (a) NOT less than 70% goat hair fibre; (b) NOT less than 30% nylon fibre; (c) continuous corrugations of carded fibres; (d) bonded with 100% natural latex; (e) polyester felt backing; (f) size NOT greater than 500 mm on ANY side Op. 06.05.16	50 11.08.16
Dec. date 27.07.16	- TC 1616227

COMMERCIAL TARIFF CONCESSION ORDERS (CTCOs) & TARIFF CONCESSION ORDERS (TCOs) NOT USED IN THE PREVIOUS 2 YEARS

The Comptroller-General of Customs is satisfied that the CTCOs and TCOs listed in the table below are no longer required because, in the 2 years preceding the day of this notice, they have not been quoted in an import declaration to secure a concessional rate of duty.

From Thursday, 22 September 2016, it is intended to take action to revoke these Orders under subsection 269SD (1A) of the Customs Act 1901. In accordance with subsection 269SG (2) of the Customs Act 1901, in transit provisions shall apply. If revoked, the expected date of effect will be 21 September 2016.

Interested parties are invited to provide, by close of business, Wednesday 21 September 2016, written reasons why an Order should NOT be revoked.

Please advise if any of the Orders listed below have been quoted on an import declaration.

If a request is made to retain an Order used for the granting of a Determination, please specify the Determination and the linked Item number to enable mapping to the Order and its scope.

Contact: Email tarcon@border.gov.au, or phone 02 6229 3567.

THE TABLE

Tariff Classification	Description	Concession Number
2903.72.00	DICHLOROTRIFLUOROETHANE, (HCFC-123) Op. 01.01.12 Dec. date 22.11.11	- TC 1127099
3204.17	C.I. PIGMENT RED 48:2, C.I. constitution No. 15865:2 but NOT including preparations based thereon Op. 03.10.91 Dec. date 05.12.91	- TC 9103717
3204.17.00	PIGMENT RED 146 (Monoazo pigment of the Naphtol AS series), but NOT including preparations based thereon Op. 14.11.94 Dec. date 13.03.95	- TC 9408920
3204.17.00	PIGMENTS, but NOT including preparations based thereon, being ANY of the following: (a) pigment yellow 113; (b) pigment yellow 191:1 Op. 13.09.95 Dec. date 18.12.95	- TC 9510545
3702.43.90	FILM, POSITIVE, unexposed, having the following structure: (a) protective layer of polyolefin; (b) ultraviolet light sensitive photopolymer centre layer; (c) polyester backing foil Op. 01.01.07 Dec. date 06.11.06	- TC 0614038
3702.43.90	FILM, coated polyester, being EITHER of the following: (a) red laser sensitive; OR (b) helium neon sensitive Op. 01.01.07 Dec. date 06.11.06	- TC 0614040
4006.90.00	HOSES, DREDGING, flexible, reinforced rubber, wear resistant, having ALL of the following: (a) working pressure 25 bar; (b) burst pressure 75 bar; (c) bending radius NOT less than 4 000 mm and NOT greater than 5 000 mm; (d) steel flanges Op. 18.12.07 Dec. date 22.04.08	- TC 0803875
4008.21.90	ELECTROSTATIC DISSIPATIVE STRIPS, having ALL of the following: (a) twin layer; (b) non conductive; (c) surface coloured; (d) heat resistant Op. 23.11.92 Dec. date 05.03.93	- TC 9210207

4016.99.00	PARTS, DUMPER BODY REAR TRAY, being ANY of the following: (a) canopy liners; (b) front and side liners; (c) wear mats; (d) adjustable duck tail; (e) undermat; (f) bars	Op. 22.06.12	Dec. date 12.09.12	- TC 1221673
4202.92.90	BAGS OR SACKS, outer surface non-woven plastic material, including ALL of the following: (a) sealed seams; (b) roll down top; (c) release buckles; (d) length NOT greater than 75 cm; (e) weight NOT greater than 100 g	Op. 24.06.11	Dec. date 12.09.11	- TC 1120774
4412.39.00	DOOR SKINS, plywood, agathis, having ALL of the following: (a) thickness NOT greater than 3.6 mm; (b) width NOT less than 500 mm and NOT greater than 1 335 mm; (c) length NOT less than 2 000 mm and not greater than 3 050 mm	Op. 05.05.08	Dec. date 25.07.08	- TC 0806482
4413.00	LAMINATED COMPRESSED WOOD made from beech veneers and resin, the whole being densified at high temperatures and pressure and having the following electrical properties:			
	PROPERTY	UNITS	VALUES typical minimum	TEST METHOD
	insulation resistance (platen finish) after immersion in water	megohms	10 3	BS2782/232C
	electric strength at 90 degrees C	kV	30 -	BS2782/221A
	Normal to laminations (12.7 mm)			
	along laminations (25.4 mm)	kV	30 24	BS2782/221G
	loss tangent at 50 Hz 20 degrees C	-	0.05 -	BS2782/240A
	tracking index (varnished)	V	280 -	IEC112
Op. 22.05.91			Dec. date 12.08.92	- TC 9206257
4802.57.90	PRINTING PAPER, uncoated, in sheets one side exceeding 36 cm and the other side exceeding 15 cm, having ALL the following: (a) weight NOT less than 42 gsm and NOT greater than 47 gsm; (b) containing less than 10% mechanical pulp; (c) opacity NOT less than 85%; (d) CIE whiteness NOT less than 100%	Op. 15.06.11	Dec. date 17.10.11	- TC 1119245
4804.29.00	PAPER, SACK KRAFT, bleached, having BOTH of the following: (a) weight NOT less than 70 gsm and NOT greater than 80 gsm; (b) tensile strength NOT less than 6.5 kN/m in machine direction	Op. 03.04.09	Dec. date 29.06.09	- TC 0911338
4811.41.90	TAPE, coated paper, electrical, produced on a base paper conforming to International Standard IEC 554	Op. 01.01.02	Dec. date 03.01.02	- TC 0106173
4811.51.00	PAPERBOARD, KRAFT, bleached, unprinted, in rolls, having ALL of the following: (a) polyethylene coating on one side with a weight NOT greater than 19 g/sq m; (b) polyethylene coating on the other side with a weight NOT greater than 37 g/sq m; (c) total weight NOT less than 440 g/sq m; (d) width NOT less than 66 cm	Op. 10.06.08	Dec. date 15.08.08	- TC 0812031

4811.59.90	POLYSTYRENE FOAM BOARDS, covered on both sides with acid free uncoated conservation paper Op. 01.01.02	Dec. date 09.01.02	- TC 0107659																		
4811.90.90	PAPER SHEETS, one side painted Op. 10.11.11	Dec. date 30.01.12	- TC 1137570																		
4811.90	PAPER AND PAPERBOARD, cloth lined Op. 15.05.84	Dec. date 15.05.84	- TC 8439194																		
4819.40.00	BAGS, MICROWAVE, POPPING CORN Op. 02.10.02	Dec. date 20.12.02	- TC 0209068																		
4821.10.00	BADGES, cardboard, novelty, with metal securing pin Op. 28.10.09	Dec. date 15.01.10	- TC 0942073																		
4823.90.90	CURTAIN PANELS, paper, with bamboo strips Op. 08.07.08	Dec. date 26.09.08	- TC 0816603																		
5205.26.00	YARN, cotton, combed, ring spun Op. 28.04.09	Dec. date 17.07.09	- TC 0913958																		
7307.99	PLUGS, pipe, incorporating an oil resistant synthetic rubber seal capable of sealing pipes having an ID of 49 mm or greater but NOT exceeding 356 mm at pressures of 48 MPa or less Op. 28.02.84	Dec. date 28.02.84	- TC 8341450																		
7307.99	UNIONS, hammer, being four lug wing nut type with replaceable rubber seal, having ANY of the following nominal connecting pipe sizes on slipfit female pipe end and in Schedule 80 butt weld, male component weld end: <table border="0" style="margin-left: 40px;"> <thead> <tr> <th style="text-align: left;">Nominal connecting pipe size (female end)</th> <th style="text-align: left;">Nominal size pipe (weld end)</th> </tr> </thead> <tbody> <tr> <td>Outside Dia</td> <td>Outside Dia</td> </tr> <tr> <td>(a) 114.3 mm</td> <td>152.4 mm;</td> </tr> <tr> <td>(b) 168.28 mm</td> <td>203.2 mm;</td> </tr> <tr> <td>(c) 219.08 mm</td> <td>254.0 mm;</td> </tr> <tr> <td>(d) 273.05 mm</td> <td>304.8 mm;</td> </tr> <tr> <td>(e) 323.85 mm</td> <td>355.6 mm;</td> </tr> <tr> <td>(f) 355.6 mm</td> <td>406.4 mm;</td> </tr> <tr> <td>(g) 406.4 mm</td> <td>457.2 mm</td> </tr> </tbody> </table>	Nominal connecting pipe size (female end)	Nominal size pipe (weld end)	Outside Dia	Outside Dia	(a) 114.3 mm	152.4 mm;	(b) 168.28 mm	203.2 mm;	(c) 219.08 mm	254.0 mm;	(d) 273.05 mm	304.8 mm;	(e) 323.85 mm	355.6 mm;	(f) 355.6 mm	406.4 mm;	(g) 406.4 mm	457.2 mm	Dec. date 27.08.87	- TC 8733860
Nominal connecting pipe size (female end)	Nominal size pipe (weld end)																				
Outside Dia	Outside Dia																				
(a) 114.3 mm	152.4 mm;																				
(b) 168.28 mm	203.2 mm;																				
(c) 219.08 mm	254.0 mm;																				
(d) 273.05 mm	304.8 mm;																				
(e) 323.85 mm	355.6 mm;																				
(f) 355.6 mm	406.4 mm;																				
(g) 406.4 mm	457.2 mm																				
7318.16	PIERCE NUTS Op. 06.03.84	Dec. date 06.03.84	- TC 8342028																		
7320.20	SPRINGS, die, silicon chromium steel, to Specification JIS B 5012, being helical springs made from wire of rectangular cross-section with rounded corners Op. 13.03.87	Dec. date 08.07.88	- TC 8733048																		
7320.90	SPRINGS, compressor, arched leaf valve type Op. 06.03.84	Dec. date 06.03.84	- TC 8341318																		
8401.40.00	RADIATORS, MOLYBDENUM Op. 21.08.06	Dec. date 10.11.06	- TC 0613897																		
8454.90.00	PARTS, STEEL LADLE INJECTION SYSTEM, being ALL of the following: <ul style="list-style-type: none"> (a) vibratory feeders; (b) shut off gates; (c) chutes; (d) feed hoods; (e) hoppers; (f) elevator guards; (g) elevator belts; (h) discharge plates; (i) tray feeders; (j) discharge hoods; (k) tubular feeders; (l) inlet hoods; (m) seals; (n) rod gates; (o) support frames; (p) loadcell packs; (q) loadcell mounting pads; (r) spacers 	Dec. date 18.07.11	- TC 1113596																		

CUSTOMS ACT 1901**INTENTION TO REVOKE TARIFF CONCESSION ORDERS**

The Comptroller-General of Customs intends to revoke the Tariff Concession Order (TCO) for the goods described in the following TABLE in accordance with s.269SD(1AA) with effect from 24 August 2016.

On 24 August 2016, the Comptroller-General of Customs' delegate formed the belief in respect of this TCO, that if the TCO was not in force on that day, and an application for the TCO was made on that day, the Comptroller-General of Customs would not have made it. The Comptroller-General of Customs would not have made this TCO because he believes that the wording does not give a full description of the goods the subject of the TCO.

Interested parties who might be affected by this decision are invited to provide, by close of business 21 September 2016, a written submission concerning the proposed revocation.

Tariff Concessions Administration contact: email tarcon@border.gov.au, or telephone 02 6229 3559.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number
---------------------------------------------------------------------	------------------------

9305.99.00 PARTS AND ACCESSORIES, paintball games	50
Op. 01.01.02	- TC 0109406
Stated use: Assembly of paintball guns with locally manufactured components	