

Commonwealth of Australia

Gazette

No. TC16/40, Wednesday, 19 October 2016 Published by the Commonwealth of Australia

TARIFF CONCESSIONS

CONTENTS

TCO Applications	2
TCO Application Refused	6
TCOs Made	7
Local Manufacturer Initiated - TCO Revocation Requests	10
Comptroller-General of Customs Initiated - Intentions to Revoke Cancelle	ed 10
TCOs Revoked - Unused for over 2 years	11

The Commonwealth of Australia Tariff Concessions Gazette (the Tariff Concessions Gazette) is free of charge on the DIBP internet site at: <u>http://www.border.gov.au</u>

Cat. No. ISSN 0813-8389 ©Commonwealth of Australia, 2016

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269K(1) - APPLICATIONS MADE FOR TARIFF CONCESSION ORDERS

Applications have been lodged for Tariff Concession Orders for the goods described in the following TABLE.

Australian manufacturers who wish to contest the granting of a Tariff Concession Order for the goods described are invited to lodge a submission in writing in an approved form. Submissions must be lodged within 50 days of the date of publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

Objections to the making of TCO submission forms are available at

http://www.border.gov.au/Forms/Documents/b444.pdf

For guidance on the required description style, phone 02 6229 3567.

IHL IABLL	THE	TABLI	Ξ
-----------	-----	-------	---

Description of Goods including the Customs Tariff Classification			Schedule 4 Item Number General Duty Rate	
3808.92.00	FUNGICIDES, having a basis of mandipropamid Op. 20.09.16	- TC	1653454	50
	Stated Use: Treatment of downy mildew in grapes and vegetable crops			
	Applicant: SYNGENTA AUSTRALIA PTY LTD			5%
3808.93.00	PLANT GROWTH REGULATORS, having a basis of trinexapac-ethyl Op. 19.09.16	- TC	1653515	50
	Stated Use: Increase yields in high potential cereal crops			
	Applicant: SYNGENTA AUSTRALIA PTY LTD			5%
4016.99.00	AIR SPRINGS, SUSPENSION, ON-ROAD TRUCK Op. 16.09.16	– TC	1653187	50
	Stated Use: A pneumatic suspension device for rear axle truck suspension and used in place of conventional steel springs			
	Applicant: SCANIA AUSTRALIA PTY LTD			5%
8307.10.00	<pre>UMBILICALS, flexible, hydraulic AND/OR chemical injection, with OR without fittings AND/OR reel, having ALL of the following: (a) inner steel carcass; (b) plastic inner tube AND outer sheathing;</pre>			50
	(c) textile fibre reinforcement Op. 16.09.16	- TC	1653191	
	Stated Use: Hydraulic control and chemical injection for subsea equipment			
	Applicant: WOODSIDE ENERGY LTD			5%

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Numb General Duty Rate	
8419.89.90	RETORTS, FOODSTUFF STERILIZATION Op. 23.09.16	- TC 1654339	50
	Stated Use: For sterilizing pet food		
	Applicant: MARS AUSTRALIA PTY LTD		5%
8422.30.90	<pre>BAG FORMING AND FILLING AND SEALING PACKAGING LINE, including ALL of the following: (a) packing hoppers; (b) input AND output belt conveyors; (c) film reel brackets; (d) forming AND opening AND sealing machine having ALL of the following: (i) vibration lances; (ii) welding jaws; (iii) opening device with vacuum pump; (iv) cutting mechanism, (e) weighers; (f) bag length detection markers; (g) bag flatteners; (h) control cabinet AND operator terminal (c) (c) (c) (c) (c) (c) (c) (c) (c) (c)</pre>	- TC 1651721	50
	Op. 14.09.16 Stated Use: Machinery for forming, filling, closing and sealing cement bags	- IC 1651/21	
	Applicant: SUNSTATE CEMENT LTD		5%
8423.30.00	<pre>HOPPER SCALES, programmable logic controlled, having BOTH of the following: (a) maximum throughput NOT greater than 108 t/h; (b) weigher, incorporating three stabilised transducers Op. 16.09.16</pre>	- TC 1652294	50
	Stated Use: For steady, low vibration weighing in malt plants		
	Applicant: COOPERS BREWERY LTD		5%
8428.33.00	<pre>CONVEYORS, BELT, mobile, programmable logic controlled, unassembled, having ALL of the following: (a) conveyor length NOT less than 1.5 metres; (b) maximum operating speed NOT greater than 10.5 metres per minute; (c) steel belt</pre>		50
	Op. 20.09.16	- TC 1653456	
	Stated Use: For the movement of materials such as scrap aluminium		
	Applicant: G JAMES AUSTRALIA PTY LTD		5%
8428.90.00	TILTERS, EXTRUSION DIE, electric powered Op. 20.09.16	- TC 1653194	50
	Stated Use: For the tilting and alignment of extrusion dies		
	Applicant: G JAMES AUSTRALIA PTY LTD		5%

	of Goods including the ff Classification	Schedule 4 Item Num General Duty Rat
8431.39.00	<pre>PARTS, LONGWALL MONORAIL, being ANY of the following: (a) chain assemblies, including ALL of the following: (i) hanging bracket; (ii) chain; (iii) master link, (b) articulated rail sections, length NOT greater than 2 004 mm; (c) curved rails; (d) curved rail adaptors; (e) breakpoint connection modules; (f) pneumatic shunt drives AND/OR rail mules; (g) push/pull module, with OR without frame; (h) rigid cable trays; (i) assemblies, hanging frame, including BOTH of the following: (i) frame; (ii) suspension, (j) spreader beams; (k) transport sleds; (l) assemblies, rail installation platform, including BOTH of the following: (i) platform; (ii) rail end stop mechanism, (m) rail transport pods; (n) tool pods; (o) push arms; (p) trolleys, being ANY of the following: (i) rigid AND/OR inbye; (ii) flexible; } }</pre>	50
	(iii) auxiliary	
	Op. 16.09.16	- TC 1653188
	Stated Use: As parts of a longwall monorail cabling handling system during underground coal mining	5%
	Applicant: MOOLARBEN COAL OPERATIONS PTY LTD	2%
8474.31.00	<pre>CEMENT MIXING AND PUMPING MACHINERY, OIL AND/OR GAS WELL, skid mounted, whether OR not assembled, including ALL of the following: (a) NOT less than two AC Motors; (b) NOT less than two transmissions; (c) NOT less than two triplex pumps; (d) cement slurry dual mixing system having ALL of the following: (i) NOT less than two mixing tubs; (ii) averaging tank; (iii) averaging tank; (iv) NOT less than two surge tanks; (iv) NOT less than two centrifugal pumps, (e) discharge manifold; (f) NOT less than two displacement tanks; (g) control systems having BOTH of the following: (i) data acquisition; (ii) data monitoring, (h) densitometer; (i) choke valve</pre>	50
	(1) choke valve Op. 19.09.16	- TC 1653193
	Stated Use: Mixing and pumping of cement in offshore oil and gas well operations	
	Applicant, SCHIIMPERCER ANGTRAITA RTY ITD	58

Applicant: SCHLUMBERGER AUSTRALIA PTY LTD

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Numbe General Duty Rate	
8479.82.00	<pre>PLASTIC MATERIAL MIXING PLANT, including ALL of the following: (a) debagging stations; (b) pneumatic transporter and weigher; (c) weighing tank; (d) heating AND cooling mixers; (e) valves; (f) filters Op. 21.09.16</pre>	- TC 1653791	50
	Stated Use: For mixing plastic raw materials to manufacture products such as PVC resin		
	Applicant: AFS SYSTEMS PTY LTD		5%
8480.60.00	<pre>MAGNET SHUTTERING SYSTEM, CONCRETE PRE CAST AUTOMATION PLANT, programmable logic controlled, including ALL of the following: (a) welded chamfer; (b) magnet connection AND shuttering controls; (c) fixed shuttering; (d) shuttering height adjuster Op. 08.09.16</pre>	- TC 1649621	50
	-	- 10 1049021	
	Stated Use: To form moulds for concrete pre cast panels		
	Applicant: CONCRETE PRECAST SYSTEMS		5%
3480.60.00	MOULDS, CASTING TABLES AND/OR BEDS, PRE-CAST CONCRETE, with OR without EITHER of the following: (a) outer longitudinal U-beams; (b) fixed shuttering, with OR without extensions		50
	Op. 16.09.16	- TC 1653183	
	Stated Use: For the forming of pre-cast concrete panels		
	Applicant: CONCRETE PRECAST SYSTEMS		5%
8480.71.00	<pre>MOULDS, LABELLING, multiple cavities, steel grade H11 to specification material number DIN 1.2343, having ALL of the following: (a) mould product width NOT less than 0.40 mm and NOT greater than 0.70 mm with in-mould labels; (b) ejection AND bottom AND back plate; (c) centring strips; (d) cavity AND ejection AND location ring; (e) sprue bush</pre>		50
	Op. 16.09.16	- TC 1652859	
	Stated Use: Moulds are used with injection moulding machines in manufacturing thin walled products such as cups and lids with labels		
	Applicant: THE PARRINGTON GROUP PTY LTD		5%
8708.99.99	PARTS, TRUCKS HAVING A GROSS VEHICLE WEIGHT GREATER THAN 3.5 TONNES, being hydraulic retarders Op. 16.09.16	- TC 1653185	50
	Stated Use: To slow heavy vehicles or help to maintain a steady speed during downhill travel		
	Applicant: SCANIA AUSTRALIA PTY LTD		
			5%

Schedule 4 Item Number

CUSTOMS ACT 1901

NOTICE PURSUANT TO SECTION 269R(1) - APPLICATION FOR TARIFF CONCESSION ORDERS REFUSED

The application for the Tariff Concession Order for the goods described in the following TABLE has been refused.

THE TABLE

Description of Goods including the Customs Tariff Classification

9406.00.00 PREFABRICATED BUILDINGS, complying with the Commonwealth of 50 Australia, Australian Defence Standard DEF(AUST)9009A Dated 08 July 2009, including ALL of the following: (a) built in deep fryers; (b) built in cabinets; (c) built in ovens; (d) built in refrigerators; (e) built in water heaters; (f) built in ventilation hoods; (g) built in diesel powered electric generator AND/OR AC power socket; (h) built in hot plates; (i) built in stabilization building corner legs; (j) built in electric power control boxes; (k) built in fire suppression sprayers; (1) built in bratt pan; (m) built in grills, with OR without ANY of the following: (i) built in sinks; (ii) built in dishwashers; (iii) built in water pumps; (iv) built in urns; (v) built in kettles; (vi) built in food mixers - TC 1614117 Op. 18.04.16 Reason for refusal: Substitutable goods produced in Australia in the ordinary course of business by Ausco Modular Pty Ltd, Wacol, Qld

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269R(1) - TARIFF CONCESSION ORDERS MADE

Tariff Concession Orders have been made for the goods described in the following TABLE.

The operative date (Op.) and TC reference No. follow the description of goods. Local manufacturers of substitutable goods may request the revocation of TCOs at any time.

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number

3402.90.00	ADDITIVES, CLEANING PREPARATION, including ALL of the following: (a) ethanol; (b) water;		50
	 (c) surfactants being ANY of the following: (i) cocoyl methyl glucamide; (ii) capryloyl/caproyl methyl glucamide; (iii) myristoyl methyl glucamide; 		
	<pre>(iv) lauroyl methyl glucamide; (v) caproyl methyl glucamide</pre>		
	Op. 20.07.16 Dec. date 17.10.16	- TC 1635419	
3917.40.00	FITTINGS, TUBE OR PIPE, polyphenylsulfone, with OR without embedded aluminium ring		50
	Op. 23.05.16 Dec. date 17.10.16	- TC 1618627	
3920.62.00	<pre>FILM, polyethylene terephthalate (PET), biaxially oriented, having ALL of the following: (a) one surface acrylic coated; (b) one surface corona treated; (c) thickness NOT less than 7 microns</pre>		50
		- TC 1633877	
3924.10.00	<pre>PRESSURE COOKERS, MICROWAVE, having ALL of the following: (a) base; (b) cover; (c) safety lock handle; (d) safety lock plug; (e) pressure regulator valves; (f) pressure indicators; (g) silicone cover gasket Description of the 17 10 16 </pre>	TO 100000	50
	Op. 22.07.16 Dec. date 17.10.16	- TC 1636022	
4412.32.00	PANELS, PLYWOOD, having ALL of the following:(a) Russian birch wood layers;(b) panel thickness NOT less than 5.5 mm and NOT greater than 7.0 mm;		50
	(c) panel size NOT greater than 1 530 mm x 1 225 mm,		
	with OR without aspen wood layers Op. 23.06.16 Dec. date 17.10.16	- TC 1620891	
5401.10.00	SEWING THREADS, polyester, core spun Op. 28.07.16 Dec. date 17.10.16	- TC 1637240	50
7208.39.00	 COILS, non-alloy steel, hot rolled, complying with Australian/New Zealand Standard AS/NZS 1594:2002 Grade HA1010, having ALL of the following: (a) thickness NOT less than 2.48 mm and NOT greater than 2.52 mm; (b) width NOT less than 1 640 mm and NOT greater than 1 680 mm; (c) weight NOT less than 6 000 kg and NOT greater than 13 000 kg; (d) chemical composition by weight of ALL of the following: (i) carbon content NOT less than 0.08% and NOT greater 		50
	<pre>than 0.13%; (ii) silicon content NOT greater than 0.03%;</pre>		
	(Continued on next page)		

	of Goods including the If Classification		Schedule 4	Item Number
	(Continued from previous page)			
	 (iii) manganese content NOT le greater than 0.6%; (iv) phosphorus content NOT grea (v) sulphur content NOT grea (vi) aluminium content NOT gre (vii) titanium content NOT gre Op. 21.07.16 	greater than 0.04%; ater than 0.03%; reater than 0.10%; eater than 0.04%	- TC 1635932	
3421.29.00	<pre>FILTER MODULES, being EITHER of the (a) stacked round cellulose sheet polypropylene OR polyamide co (b) pleated polypropylene filter polypropylene casing</pre>	s AND separators AND pres; construction AND	TO 1624116	50
	Op. 14.07.16 De	ec. date 17.10.16	- TC 1634116	
8428.90.00	1	the following: having one OR more tilting ANY of the following: g edges, ls with OR without ANY of the thout ANY of the following: c; ace (HMI) with OR without D/OR safety covers AND/OR ec. date 17.10.16	- TC 1635934	50
8428.90.00	<pre>TRANSPORTERS, DISABLED PASSENGER, se of the following: (a) hydraulic scissor lift; (b) stretcher AND wheelchair access (c) diesel engine; (d) tilting platform with side gua (e) passenger cabin Op. 26.07.16 De</pre>	ss;	- TC 1636867	50
8428.90.00	<pre>TRAY CONVEYOR SYSTEM, programmable l including ALL of the following: (a) tray destackers; (b) tray stackers;</pre>	ogic controlled,		50
	<pre>(c) tray stack loaders; (d) tray tilters AND/OR dewaterers (e) tray inverters; (f) conveyors; (g) control panels; (h) shuttles; (i) robots; (j) tray accumulator Op. 27.07.16</pre>		- TC 1636870	
3464.90.00	<pre>(d) tray tilters AND/OR dewaterers (e) tray inverters; (f) conveyors; (g) control panels; (h) shuttles; (i) robots; (j) tray accumulator</pre>	ec. date 17.10.16 ne following:	- TC 1636870	50

	of Goods including the ff Classification		Schedule 4	Item Number
8474.10.00	<pre>SCREENS, INTERSTAGE, MINERAL PRO of the following: (a) motor; (b) gear drive; (c) gearbox mounting plate; (d) volute; (e) main drive shaft; (f) grating; (g) pump</pre>	CESSING SEPARATION, having ALL		50
	Op. 20.07.16	Dec. date 17.10.16	- TC 1635421	
8474.80.00	<pre>CONCRETE SPREADERS, having elect without ALL of the following: (a) central lubrication unit; (b) bridge; (c) bucket weigher; (d) tracks</pre>	romotive driven worms, with OR		50
	Op. 21.07.16	Dec. date 17.10.16	- TC 1635422	
8479.90.00	<pre>PARTS, MECHANICAL SCREW PRESS, E of the following: (a) cage frames; (b) cage end rings; (c) choke ring clamps; (d) centre sleeves; (e) gib bars; (f) key bars; (g) knife bars; (h) lining bars; (i) thin lining bars; (i) thin lining bars; (j) spacers; (k) feed inlets; (l) main shafts; (m) pressure pieces; (n) shims; (o) shoe frame bars; (p) wedging stripes; (q) feed worms; (s) distance worms; (t) distance pieces; (u) mixer pieces; (v) cake cutter Op. 25.07.16</pre>		- TC 1636301	50
8480.71.00	MOULDS, PLASTIC BOTTLE CAP, comp Op. 13.07.16	ression type Dec. date 17.10.16	- TC 1633880	50
8481.80.90	GATE AND/OR PLUG VALVES, LAUNDER Op. 21.07.16	, manual Dec. date 17.10.16	- TC 1635629	50

Schedule 4 Item Number

NOTIFICATION OF AN AUSTRALIAN INDUSTRY REVOCATION REQUEST - SECTION 269SC(1A) CUSTOMS ACT

Applications have been lodged for revocation of the Tariff Concession Orders set out in the following TABLE.

The Lodgement Request Date shown in the table below is the intended revocation date for the Tariff Concession Order which will take effect should the application for revocation be successful.

Importations not covered by in transit provisions may be subject to post action as any decision to revoke an order is backdated to the date of request for revocation.

THE TABLE

Description of Goods including the Customs Tariff Classification			Item Number Request Date	
4008.11.00	FLOORING AND/OR UNDERLAY, AT Op. 15.10.08	THLETICS AND SPORTS Dec. date 14.01.09	- TC 0835681	50 07.10.16
8508.60.00	VACUUM CLEANERS, DUCTED Op. 01.01.07	Dec. date 16.11.06	- TC 0614306	50 12.10.16

CUSTOMS ACT 1901

CANCELLATION OF THE INTENTIONS TO REVOKE

The intentions to revoke the Tariff Concession Orders for goods described in the following TABLE have been cancelled.

THE TABLE

Description of Goods including the Customs Tariff Classification

4911.99.00	DECORATIONS, CAKE, screen printed with food colours mixed with icing sugar, on edible wafer sheets			50
	Op. 25.09.98	Dec. date 04.12.98	- TC 9808687	
5907.00.00	, 1	ated on one side with adhesive, i width and NOT less than 300 metr		50
	Op. 17.03.98	Dec. date 05.06.98	- TC 9802297	

CUSTOMS ACT 1901

NOTICE PURSUANT TO SECTION 269SE(2) - TARIFF CONCESSION ORDER REVOCATION AT THE INITIATIVE OF THE COMPTROLLER-GENERAL OF CUSTOMS

The Tariff Concession Orders listed in THE TABLE below have not been used for at least 2 years and have been revoked under Section 269SD(1A). In transit provisions apply.

The intention to revoke these orders was notified in Gazette TC 16/33 dated 31 August 2016.

Contact: Phone 02 6275 6475 or email tarcon@border.gov.au.

THE TABLE

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Numbe Last Date of Effect		
2715.00.00	<pre>petroleum distillates AND not of the following: (a) flash point of NOT less. NOT greater than 200 dd (b) density at 15 degrees (0.9550 g/CM3 and NOT gr conforming to Australia (ASTM D4052); (c) viscosity at 100 degree 52.50 mm2/s and NOT gr conforming to Australia (ASTM D445) Op. 18.09.12</pre>	Celsius NOT less than reater than 0.9950 g/CM3 an Standard Test Method D4052 es Celsius NOT less than eater than 62.50 mm2/s an Standard Test Method D445 Dec. date 17.12.12	- TC 1235667	50 27.09.16
	Revoked for 2 years non use.	In transit provisions apply		
2915.39.90	OXO-HEPTYL ACETATE Op. 04.03.93		- TC 9308643	50 27.09.16
	Revoked for 2 years non use.	In transit provisions apply		
3006.40.00	PUTTY, SKELETAL, comprising 1 (a) tri-calcium phosphate ((b) carboxymethylcellulose Op. 18.04.06	(cmc)	- TC 0606995	50 27.09.16
	Revoked for 2 years non use.	In transit provisions apply		
3204.17.00	PIGMENT RED 22, C.I. No. 123 including preparations based Op. 05.03.93		- TC 9308663	50 27.09.16
	Revoked for 2 years non use.	In transit provisions apply		
3204.17.00	based on pigments listed in ' the following characteristic (a) a dry powder or granu	lar form; cle coating in ANY of the following se; n esters;		50 27.09.16
	Pigment	C.I./Cons No.		
	Brown 22 Red 184	10407 12487		
		21100		
	Yellow 17	21105		
	Yellow 83 Op. 23.05.94	21108 Dec. date 02.09.94	- TC 9404819	

	of Goods including the ff Classification			Schedule 4 Item Number Last Date of Effect	
3208.90.00	ENAMELS, MAGNET WIRE COATING, being polyamide imide in solution Op. 14.08.97 Dec. date 24.10.97	- TC	9707093	50 27.09.16	
	Revoked for 2 years non use. In transit provisions apply				
3604.90.00	SIGNALS, MARINE SOUND Op. 13.03.98 Dec. date 29.05.98	- TC	9802289	50 27.09.16	
	Revoked for 2 years non use. In transit provisions apply				
3703.90.00	PAPER, PHOTOTYPESETTING, presented in EITHER of the following ways: (a) on a core; OR (b) in a cassette			50 27.09.16	
	Op. 27.05.97 Dec. date 08.08.97	- TC	9704701		
	Revoked for 2 years non use. In transit provisions apply				
4420.10.00	ORNAMENTS, WOOD, MARQUETRY, embossed, unstained Op. 12.04.06 Dec. date 07.07.06	- TC	0606869	50 27.09.16	
	Revoked for 2 years non use. In transit provisions apply				
4420.90.00	RACK, timber, compact disc, spring loaded Op. 14.05.93 Dec. date 20.08.93	- TC	9304871	50 27.09.16	
	Revoked for 2 years non use. In transit provisions apply				
4802.55.90	CARTRIDGES, ARTISTS', having ALL of the following: (a) cotton fibre content of NOT less than 25%; (b) gelatine sized; (c) deckle edged			50 27.09.16	
	Op. 01.01.02 Dec. date 03.01.02	- TC	0106170		
	Revoked for 2 years non use. In transit provisions apply				
4810.31.00	 KRAFT PAPER, silicone base, bleached, clay coated on one side, having ALL of the following: (a) weighing NOT less than 85 g/sq m and NOT greater than 90 g/sq m; (b) Bendtsen International Standards Organisation ISO 8791/2 roughness on coated side NOT exceeding 30 ml/min; (c) reel width NOT less than 1 000 mm and NOT greater than 1 525 mm Op. 07.01.08 Dec. date 28.03.08 	- TC	0800278	50 27.09.16	
	Revoked for 2 years non use. In transit provisions apply				
4810.31.00	 KRAFT PAPER, silicone base, bleached, clay coated on both sides, having ALL of the following: (a) weight NOT less than 124 g/sq m and NOT greater than 128 g/sq m; (b) Bendtsen International Standards Organisation ISO 8791/2 roughness on coated sides NOT exceeding 110 ml/min; (c) reel width NOT less than 1 000 mm and NOT greater than 1 525 mm 			50 27.09.16	
	Op. 07.01.08 Dec. date 28.03.08	- TC	0800279		
	Revoked for 2 years non use. In transit provisions apply				
5108.20.00	YARN, twisted, consisting of ALL of the following: (a) two core yarns, each a blend of carded wool and nylon; (b) a loop yarn of 100% combed, worsted spun mohair: and (c) a binder yarn being a blend of carded wool and nylon Op. 16.06.95 Dec. date 11.10.95	– TC	9508276	50 27.09.16	
	Revoked for 2 years non use. In transit provisions apply				
5205.24.00	YARN, single ply, ring spun, waxed, NOT less than 95% cotton but NOT greater than 5% cashmere, tex NOT greater than 15 Op. 13.10.05 Dec. date 03.01.06	- TC	0514154	50 27.09.16	
	Revoked for 2 years non use. In transit provisions apply				

13 TCOs Revoked - Unused for over 2 years

Description of Goods including the Customs Tariff Classification			Schedule 4 Item Number Last Date of Effect	
5205.46.00	YARN, combed cotton, 2 ply, ring spun, waxed, decitex NOT less than 106.38 but less than 125 Op. 13.10.05 Dec. date 03.01.06	- TC	0514157	50 27.09.16
	Revoked for 2 years non use. In transit provisions apply			
5402.62.00	YARN, polyester multifilament, 30/2 English cotton count (ECC), ring spun, semi-dull, having a tensile strength of 14.8 N			50 27.09.16
	For the purposes of this Order, tolerances of + OR - 5% are allowable for the tensile strength specification Op. 30.10.06 Dec. date 19.01.07	– TC	0614917	
	Revoked for 2 years non use. In transit provisions apply			
5407.82.00	<pre>FABRIC, dyed, 50% polyester, 50% cotton, having ALL of the following: (a) thread count NOT less than 76 x 64 picks and NOT greater than 110 x 90 picks; (b) yarn gauge not less than 16/16 and NOT greater than</pre>			50 27.09.16
	40/40; (c) width NOT less than 240 cms and NOT greater than 285 cms Op. 13.11.07 Dec. date 29.01.08	- TC	0719130	
	Revoked for 2 years non use. In transit provisions apply			
5407.84.00	 FABRIC, printed, 50% polyester, 50% cotton, having ALL of the following: (a) thread count NOT less than 76 x 64 picks and NOT greater than 110 x 90 picks; (b) yarn gauge NOT less than 16/16 and NOT greater than 40/40; (c) width NOT less than 240 cms and NOT greater than 285 cms Op. 09.11.07 Dec. date 30.01.08 	- 10	0719070	50 27.09.16
	Revoked for 2 years non use. In transit provisions apply	10	0,100,0	
5510.11.00	YARN, single ply, filament viscose, decitex NOT less than 84 and NOT greater than 167	- TC	0513453	50 27.09.16
	Revoked for 2 years non use. In transit provisions apply			
5510.11.00	YARN, single ply, ring spun, waxed, NOT less than 85% modal but NOT greater than 15% angora, tex NOT greater than 20 Op. 13.10.05 Dec. date 03.01.06	- TC	0514130	50 27.09.16
	Revoked for 2 years non use. In transit provisions apply			
5510.30.00	than 50% modal		0515340	50 27.09.16
	Revoked for 2 years non use. In transit provisions apply			
5602.10.00	 NEEDLE FELT, comprising polyimide fibre, scrim supported, having ALL of the following: (a) weight NOT less than 450 g/m2 and NOT greater than 800 g/m2; (b) thickness NOT less than 1.5 mm under 20 g/cm2 pressure and NOT greater than 2.1 mm under 20 g/cm2 pressure; (c) air permeability NOT less than 100 L/dm3/dm2/min at 20 mm water gauge and NOT greater than 250 L/dm3/dm2/min at 20 			50 27.09.16
	<pre>mm water gauge; (d) continuous operating temperature NOT greater than 180 degrees C with less than 35 percent moisture; (e) polytetrafluoroethylene (PTFE) emulsion finish Op. 06.09.10 Dec. date 29.11.10</pre>	- TC	1041006	

Revoked for 2 years non use. In transit provisions apply

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number Last Date of Effect	
5603.12.00	FABRIC, bi-component polypropylene and/or random copolymer fibre, non woven, printed or unprinted, thermal calendar bonded, maximum bonded area NOT greater than 40% Op. 06.10.05 Dec. date 03.01.06	- TC 0513534	50 27.09.16
	Revoked for 2 years non use. In transit provisions apply		
5603.12.00	 TAPE, POLYESTER, having ALL of the following: (a) weight NOT less than 25 g/m2 and NOT greater than 65 g/m2; (b) thickness NOT less than 0.040 mm and NOT greater than 0.135 mm; (c) density NOT less than 0.40 g/cm3 and NOT greater than 0.80 g/cm3 Op. 05.06.06 Dec. date 25.08.06 	- TC 0609980	50 27.09.16
	*	- 10 0609980	
	Revoked for 2 years non use. In transit provisions apply		
5607.49.00	<pre>LIFELINES, UNDERGROUND MINE, consisting of ALL of the following: (a) polypropylene rope having the following characteristics: (i) 6 mm diameter; (ii) 18 mm circumference; (iii) 560 kg minimum tensile strength; (iv) 3 strand; (v) resistant to rotting; (vi) 90 m minimum length; (b) directional indicators, being reflective cones fitted to the rope at regular intervals and having the following characteristics: (i) abrasion resistant flexible PVC; (ii) flame resistant; (iii) dielectric grade formula being an average value of</pre>	- TC 9610296	50 27.09.16
	Revoked for 2 years non use. In transit provisions apply		
5903.10.90	 FABRICS, KNITTED, having BOTH of the following: (a) width NOT less than 200 cm; (b) polyester base and cotton outer Op. 29.08.05 Dec. date 11.11.05 	- TC 0510933	50 27.09.16
	Revoked for 2 years non use. In transit provisions apply		
5910.00.00	<pre>GARNITURE TAPE, CIGARETTE MANUFACTURING MACHINE, woven, having BOTH of the following: (a) joined or having fastenings for joining the ends; (b) width NOT exceeding 50 mm</pre>		50 27.09.16
	Op. 15.06.98 Dec. date 11.09.98	- TC 9805128	
	Revoked for 2 years non use. In transit provisions apply		