

Gazette

No. TC16/48, Wednesday, 14 December 2016 Published by the Commonwealth of Australia **TARIFF CONCESSIONS**

CONTENTS

TCO Applications	2
TCO Application Refused	
TCOs Made	6
Local Manufacturer Initiated - TCO Revocation Requests	8
Local Manufacturer Initiated - TCOs Revoked	9
Comptroller-General of Customs Initiated - TCOs Revoked - Inadequate Description	12

The Commonwealth of Australia Tariff Concessions Gazette (the Tariff Concessions Gazette) is free of charge on the DIBP internet site at: http://www.border.gov.au

Please Note: The last Tariff Concession Gazette for the year will be published on 21 December 2016.

The first Tariff Concession Gazette for the New Year will be published on 10 January 2017. This will be a Special Gazette detailing tariff concession orders (TCOs) that will have tariff changes as a result of HS 2017 Tariff Harmonisation concordance. This will affect about 350 TCOs that will have a change of tariff classification and TCO number with effect from 1 January 2017. Note, affected TCOs will be revoked with last date of effect being 31 December 2016. In transit provisions do not apply.

The next regular Tariff Concession Gazette will be published on 11 January 2017.

The Tariff Concessions Administration Section is located at 5 Constitution Ave Canberra City 2601

Contact details:
General Email Inquiries: tarcon@border.gov.au
General Inquiries: (02) 6229 3567
TAPIN help desk: (02) 6275 6534
Facsimile: (02) 6223 8180

Cat. No. ISSN 0813-8389 ©Commonwealth of Australia, 2016

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269K(1) - APPLICATIONS MADE FOR TARIFF CONCESSION ORDERS

Applications have been lodged for Tariff Concession Orders for the goods described in the following TABLE.

Australian manufacturers who wish to contest the granting of a Tariff Concession Order for the goods described are invited to lodge a submission in writing in an approved form. Submissions must be lodged within 50 days of the date of publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

Objections to the making of TCO submission forms are available at

http://www.border.gov.au/Forms/Documents/b444.pdf

Contact: Email tarcon@border.gov.au

	of Goods including the ff Classification	Schedule 4 Item N General Duty R	
8418.99.00	CONDENSERS, REFRIGERATION, air cooled, having ALL of the following: (a) heat exchanger coils; (b) axial fans; (c) electronic fan speed controllers Op. 17.11.16	- TC 1670401	0
	Stated Use: Used in high pressure commercial refrigerators to transfer heat from the refrigerant to the ambient air		
	Applicant: A.J. BAKER & SONS PTY LTD	5%	8
8419.81.90	COOKERS, SUGAR SYRUP, including holding tank Op. 15.11.16	- TC 1669908	0
	Stated Use: Cooking sugar syrup		
	Applicant: MONDELEZ AUSTRALIA PTY LTD	5%	용
8426.11.00	BRIDGE CRANE, overhead travelling, programmable logic controlled, dual axis, rail mounted, incorporating a log clamping OR gripping unit Op. 09.11.16	50 - TC 1667233	0
	Stated Use: For the movement of aluminium logs		
	Applicant: G JAMES AUSTRALIA PTY LTD	5%	%
8428.90.00	LOADING TABLES, programmable logic controlled, having ALL of the following: (a) chain conveyor; (b) AC Motors; (c) frequency converters; (d) hydraulically operated stops	50	0
	Op. 08.11.16	- TC 1667054	
	Stated Use: For the movement of aluminium logs		
	Applicant: G JAMES AUSTRALIA PTY LTD	5%	%

	of Goods including the ff Classification	Schedule 4 Item Number General Duty Rate
8428.90.00	BAG REMOVING AND CAN END DISPENSING SYSTEM, consisting of ALL the following: (a) bag cutter; (b) can end feeder; (c) hopper; (d) suction pump; (e) bag remover Op. 18.11.16	- TC 1670457
	Stated Use: For opening bags containing can ends. The can ends are then dispensed to other machines for the manufacturing of metal cans	
	Applicant: VISY INDUSTRIES AUSTRALIA PTY LTD	5%
8474.90.00	PARTS, CEMENT RAW MATERIAL GRINDING MILL, being crushing roller securing pressure AND tension steel frames Op. 14.11.16	50 - TC 1668774
	Stated Use: For securing rods that are attached to rollers that are used to crush raw materials for manufacturing cement	
	Applicant: BORAL CEMENT LTD	5%
8479.82.00	MIXERS, programmable logic controlled, including ALL of the following: (a) hoppers; (b) pumps; (c) stainless steel mixing shaft head	50
	Op. 17.11.16	- TC 1670409
	Stated Use: To mix materials such as the ingredients for the manufacture of adhesives	
	Applicant: APT ASIA PACIFIC PTY LTD	5%
8481.80.90	<pre>TAPS, BENCH TOP, including ALL of the following: (a) tap; (b) spout;</pre>	50
	(c) water filter connector, with OR without LED (light-emitting diode) filter change indicator	
	Op. 17.11.16	- TC 1670416
	Stated Use: For dispensing filtered water	5%
	Applicant: PURETEC PTY LTD	
8504.21.00	CURRENT TRANSFORMERS, having a maximum system voltage rating NOT less than 72 kV and NOT greater than 421 kV Op. 16.11.16	50 - TC 1670085
	Stated Use: To provide standardised usable levels of current in power monitoring, measuring and protection of electrical applications	
	Applicant: E.P.C. INTERNATIONAL PTY LTD	5%

	of Goods including the ff Classification	Schedule 4 Item Number General Duty Rate
8507.60.00	BATTERY ENERGY STORAGE SYSTEM, OFF-GRID OR ON-GRID, including ALL of the following: (a) lithium-ion batteries; (b) programmable logic controller; (c) insulation monitoring relay; (d) manual control panel; (e) NOT greater than two rack mounted DC-AC inverter systems, having ALL of the following: (i) nominal rating NOT less than 60 kW and NOT greater 2 800 kW; (ii) rating NOT less than 50 kVA and NOT greater than 3 000 kva; (iii) current NOT less than 84 A and NOT greater than 4 800 A; (iv) nominal AC coupling voltage NOT greater than 480 VAC; (v) frequency NOT less than 50 Hz and NOT greater than 60 Hz Op. 07.11.16 Stated Use: For maintaining domestic and industrial electrical power supply during outages in the main electricity grid	- TC 1666760
	Applicant: ABB AUSTRALIA PTY LTD	5%
8544.20.00	CABLES, DOWNHOLE LOGGING, OIL AND/OR GAS WELL, wound on motorised spooler, including ALL of the following: (a) motorised spooler, with OR without spooler arms, including ALL of the following: (i) metal frame; (ii) air drain valve; (iii) air filter; (iv) pressure gauges; (v) water separator; (vi) slip ring collector, (b) jacket; (c) armour wire; (d) voltage rating NOT less than 650 V and NOT greater than 750 V; (e) breaking strength NOT less than 25 kN and NOT greater than 30 kN Op. 15.11.16	- TC 1669902
	Stated Use: For wireline logging applications in oil and/or gas wells	
	Applicant: SCHLUMBERGER AUSTRALIA PTY LTD	5%
8607.21.00	RAILWAY CAR BRAKING SYSTEM, consisting of BOTH of the following: (a) brake beams; (b) brake cylinders, with OR without ANY of the following: (i) hand brake connectors; (ii) brake shoes; (iii) brake shoe distance adjusters Op. 11.11.16	- TC 1668647
	Stated Use:	
	As brakes on railway cars	
	Applicant: WABTEC AUSTRALIA PTY LTD	5%

5	TCO	Applications	s and
	TCO	Application	Refused

Commonwealth of Australia Gazette No TC16/48, Wednesday, 14 Dec 2016

Description of Goods including the Schedule 4 Item Number Customs Tariff Classification General Duty Rate 8716.80.00 WHEELCHAIRS, WAREHOUSE STORAGE GRID TRACK, manually operated, 50 including ALL of the following: (a) multi-directional wheels; (b) grid guide lever; (c) chair incorporating a safety belt; (d) fixed AND/OR raiseable wheels - TC 1670090 Op. 16.11.16 Stated Use: For the maintenance of warehouse storage systems and associated robotic carts Applicant: BASTIAN AUSTRALIA PTY LTD 5%

CUSTOMS ACT 1901

NOTICE PURSUANT TO SECTION 269R(1) - APPLICATION FOR TARIFF CONCESSION ORDERS REFUSED

The application for the Tariff Concession Order for the goods described in the following TABLE has been refused.

Contact: Email tarcon@border.gov.au

-	of Goods including the ff Classification	Schedule	4 Item Number
8479.89.90	WATER DIFFUSERS, FINE BUBBLE PRODUCING, floor mountable, including ALL of the following: (a) polyvinyl chloride(PVC) AND/OR stainless steel body; (b) perforated polyurethane membrane; (c) top OR side air connector Op. 08.07.16 Reason for refusal: Substitutable goods produced in Australia in the ordinary course of business by Aquatec Maxcon Pty Ltd, Ipswich, Qld	- TC 1632688	50

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269R(1) - TARIFF CONCESSION ORDERS MADE

Tariff Concession Orders have been made for the goods described in the following TABLE.

The operative date (Op.) and TC reference No. follow the description of goods. Local manufacturers of substitutable goods may request the revocation of TCOs at any time.

Contact: Email tarcon@border.gov.au

	of Goods including the ff Classification		Schedule	4 Item Number
3808.92.00	FUNGICIDES, having a basis of mandiprop. 20.09.16	-	- TC 1653454	50
3808.93.00	PLANT GROWTH REGULATORS, having a bas Op. 19.09.16 Dec		- TC 1653515	50
3926.90.90	CASINGS, CONTROL AND SIGNALLING STATI- incorporating BOTH of the following: (a) control AND signalling unit ape. (b) cable entry apertures Op. 01.09.16	rtures;	- TC 1647771	50
4016.99.00	AIR SPRINGS, SUSPENSION, ON-ROAD TRUC Op. 16.09.16 Dec		- TC 1653187	50
8307.10.00	UMBILICALS, flexible, hydraulic AND/O OR without fittings AND/OR reel, havi (a) inner steel carcass; (b) plastic inner tube AND outer sh (c) textile fibre reinforcement Op. 16.09.16	ng ALL of the following:	- TC 1653191	50
8422.30.90	BAG FORMING AND FILLING AND SEALING P. ALL of the following: (a) packing hoppers; (b) input AND output belt conveyors (c) film reel brackets; (d) forming AND opening AND sealing following: (i) vibration lances; (ii) welding jaws; (iii) opening device with vacuum (iv) cutting mechanism, (e) weighers; (f) bag length detection markers; (g) bag flatteners; (h) control cabinet AND operator tellop. 14.09.16	; machine having ALL of the m pump; rminal	- TC 1651721	50
8423.30.00	HOPPER SCALES, programmable logic confollowing: (a) maximum throughput NOT greater (b) weigher, incorporating three st Op. 16.09.16	than 108 t/h; abilised transducers	- TC 1652294	50
8428.33.00	CONVEYORS, BELT, mobile, programmable unassembled, having ALL of the follow (a) conveyor length NOT less than 1 (b) maximum operating speed NOT greminute; (c) steel belt Op. 20.09.16	ing: .5 metres; ater than 10.5 metres per	- TC 1653456	50

Description of Goods including the Customs Tariff Classification

Schedule 4 Item Number

3428.90.00	TILTERS, EXTRUSION DIE, electric p Op. 20.09.16	powered Dec. date 12.12.16	- TC 1653194	50
474.31.00	CEMENT MIXING AND PUMPING MACHINES mounted, whether OR not assembled, following:			50
	(a) NOT less than two AC Motors	;		
	(b) NOT less than two transmiss:	•		
	(c) NOT less than two triplex portion (d) cement slurry dual mixing sy			
	following:	goesii naving nii oi one		
	(i) NOT less than two mix	xing tubs;		
	<pre>(ii) averaging tank; (iii) NOT less than two sux</pre>	rge tanks:		
	(iv) NOT less than two cer	· ·		
	(e) discharge manifold;			
	(f) NOT less than two displacements (g) control systems having BOTH			
	(i) data acquisition;			
	(ii) data monitoring,			
	<pre>(h) densitometer; (i) choke valve</pre>			
	Op. 19.09.16	Dec. date 12.12.16	- TC 1653193	
479.82.00	PLASTIC MATERIAL MIXING PLANT, inc	cluding ALL of the following:		50
	(a) debagging stations;	-		
	(b) pneumatic transporter and we	eigher;		
	<pre>(c) weighing tank; (d) heating AND cooling mixers;</pre>			
	(e) valves;			
	(f) filters	Dec. date 12.12.16	TQ 1652701	
	Op. 21.09.16	Dec. date 12.12.16	- 10 1653/91	
480.60.00	MAGNET SHUTTERING SYSTEM, CONCRETE	The state of the s		50
	programmable logic controlled, inc (a) welded chamfer;	cluding ALL of the following:		
	(b) magnet connection AND shutte	ering controls;		
	(c) fixed shuttering;			
	(d) shuttering height adjuster Op. 08.09.16	Dec. date 12.12.16	- TC 1649621	
	-			
480.60.00	MOULDS, CASTING TABLES AND/OR BEDS without EITHER of the following:	S, PRE-CAST CONCRETE, with OR		50
	(a) outer longitudinal U-beams;			
	(b) fixed shuttering, with OR w			
	Op. 16.09.16	Dec. date 12.12.16	- TC 1653183	
480.71.00	MOULDS, LABELLING, multiple cavit			50
	specification material number DIN of the following:	1.2343, having ALL		
	(a) mould product width NOT less	s than 0.40 mm and NOT greater		
	than 0.70 mm with in-mould	labels;		
	(b) ejection AND bottom AND back	<pre>c plate;</pre>		
	<pre>(c) centering strips; (d) cavity AND ejection AND local</pre>	ation ring;		
	(e) sprue bush	-		
	Op. 16.09.16	Dec. date 12.12.16	- TC 1652859	
708.99.99	PARTS, TRUCKS HAVING A GROSS VEHIC			50
	TONNES, being hydraulic retarders		TO 1652105	
	Op. 16.09.16	Dec. date 12.12.16	- TC 1653185	

NOTIFICATION OF AN AUSTRALIAN INDUSTRY REVOCATION REQUEST - SECTION 269SC(1A) CUSTOMS ACT

An application has been lodged for revocation of the Tariff Concession Order set out in the following TABLE.

The Lodgement Request Date shown in the table below is the intended revocation date for the Tariff Concession Order which will take effect should the application for revocation be successful.

Importations not covered by in-transit provisions may be subject to post action as any decision to revoke an order is backdated to the date of request for revocation.

Contact: Email tarcon@border.gov.au

Description of Goods including the Customs Tariff Classification			Item Number Request Date	
3923.30.00	PREFORMS, BOTTLE, polyethylene tere ALL of the following: (a) inner neck diameter NOT less greater than 46.15 mm; (b) neck outer diameter NOT less greater than 55.40 mm; (c) neck thread diameter NOT less greater than 55.45 mm	than 45.85 mm and NOT than 55.00 mm and NOT		50 06.12.16
	Op. 31.08.16	Dec. date 28.11.16	- TC 1647286	

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269SE(1) - AUSTRALIAN INDUSTRY INITIATED - TARIFF CONCESSION ORDERS REVOKED

The Tariff Concession Orders for the goods described in the following TABLE have been revoked.

Contact: Email tarcon@border.gov.au

THE TABLE

Description of Goods including the Schedule 4 Item Number Customs Tariff Classification Last Date of Effect 7210.49.00 STEEL, flat rolled, non-alloy, hot dipped galvannealed 50 27.11.16 zinc coated, in coils, having ALL of the following: (a) yield strength NOT greater than 250 MPa; (b) tensile strength NOT less than 270 MPa; (c) elongation NOT less than 36%; (d) coating mass on each side NOT less than 30 $\ensuremath{\text{g/m2}}$ and NOT greater than 70 g/m2; (e) in ANY of the following sizes: (i) thickness 0.65 mm and width 1 640 mm; (ii) thickness 1.00 mm and width 1 588 mm; (iii) thickness 1.15 mm and width 1 628 mm; (iv) thickness 2.20 mm and width 910 mm For the purposes of this Order, tolerances allowable for specification (e) are: (a) thickness +/- 10% (b) width +/-1% Dec. date 17.06.13 - TC 1310746 Op. 27.03.13 Substitutable goods produced in Australia in the ordinary course of business by Bluescope Steel, Port Kembla, NSW. In transit provisions apply 7210.49.00 STEEL, flat rolled, non-alloy, hot dipped galvannealed zinc 50 coated, in coils, having ALL of the following: 27.11.16 (a) yield strength NOT greater than 250 MPa; (b) tensile strength NOT less than 270 MPa; (c) elongation NOT less than 36%; (d) coating mass on each side NOT less than 30 $\ensuremath{\text{g/m2}}$ and NOT greater than 70 g/m2; (e) in ANY of the following sizes: (i) thickness 0.75 mm and width 890 mm; (ii) thickness 0.75 mm and width 970 mm; (iii) thickness 0.75 mm and width 1 450 mm; (iv) thickness 0.76 mm and width 1 220 mm; (v) thickness 0.95 mm and width 820 mm; (vi) thickness 1.15 mm and width 740 mm; (vii) thickness 1.20 mm and width 955 mm For the purposes of this Order, tolerances allowable for specification (e) are: (a) thickness +/- 10% (b) width +/- 1% - TC 1312163 Op. 09.04.13 Dec. date 24.06.13 Substitutable goods produced in Australia in the ordinary course of business by Bluescope Steel, Port Kembla, NSW. In transit provisions apply

Description of Goods including the Schedule 4 Item Number Customs Tariff Classification Last Date of Effect 7211.19.00 STEEL, flat rolled, non-alloy, hot rolled, pickled, not coated, 50 in coils, complying with Japanese Industrial Standard G3131 (JIS 27.11.16 G3131), grades SPHD OR SPHE, having ALL of the following: (a) tensile strength NOT less than 270 MPa; (b) elongation NOT less than 32%; (c) in ANY of the following sizes: (i) thickness 1.60 mm and width 300 mm; (ii) thickness 1.60 mm and width 455 mm; (iii) thickness 1.90 mm and width 432 mm; (iv) thickness 2.00 mm and width 530 mm; (v) thickness 2.20 mm and width 233 mm; (vi) thickness $3.00\ \mathrm{mm}$ and width $370\ \mathrm{mm}$ For the purposes of this Order, tolerances allowable for specification (c) are: (a) thickness +/- 10% (b) width +/-1% Op. 04.04.13 Dec. date 24.06.13 - TC 1311529 Substitutable goods produced in Australia in the ordinary course of business by Bluescope Steel, Port Kembla, NSW. In transit provisions apply 7211.23.00 STEEL, flat rolled, non-alloy, cold rolled, not coated, 50 in coils, having ALL of the following: 27.11.16 (a) yield strength NOT greater than 250 MPa; (b) tensile strength NOT less than 250 MPa; (c) elongation NOT less than 35%; (d) in ANY of the following sizes: (i) thickness 0.70 mm and width 490 mm; (ii) thickness 0.75 mm and width 310 mm; (iii) thickness 0.80 mm and width 485 mm; (iv) thickness 1.00 mm and width 410 mm; (v) thickness 1.15 mm and width 360 mm; (vi) thickness 1.15 mm and width 405 mm; (vii) thickness 1.15 mm and width 466 mm; (viii) thickness 1.55 mm and width 570 mm; (ix) thickness 1.60 mm and width 310 mm For the purposes of this Order, tolerances allowable for specification (d) are: (a) thickness +/- 10% (b) width +/- 1% Op. 09.04.13 - TC 1312161 Dec. date 24.06.13

Substitutable goods produced in Australia in the ordinary course of business by Bluescope Steel, Port Kembla, NSW. In transit provisions apply

Description of Goods including the Customs Tariff Classification

Schedule 4 Item Number Last Date of Effect

7225.50.00 STEEL, flat rolled, alloy, cold rolled, in coils, having ALL of the following:

50 27.11.16

- (a) yield strength NOT greater than 570 MPa;
- (b) tensile strength NOT less than 690 MPa;
- (c) elongation NOT less than 20%;
- (d) in ANY of the following sizes:
 - (i) thickness 1.15 mm and width 600 mm;
 - (ii) thickness 1.15 mm and width 720 mm;
 - (iii) thickness 1.20 mm and width 1 080 mm;
 - (iv) thickness 1.45 mm and width 1 340 mm; (v) thickness 1.55 mm and width 678 mm;
 - (vi) thickness 1.60 mm and width 1 012 mm

- (a) thickness +/- 10%
- (b) width +/- 1%
- Op. 03.04.13

Dec. date 24.06.13

- TC 1311482

Substitutable goods produced in Australia in the ordinary course of business by Bluescope Steel, Port Kembla, NSW. In transit provisions apply

CUSTOMS ACT 1901

NOTICE PURSUANT TO SECTION 269SE(2) - TARIFF CONCESSION ORDER REVOCATION AT THE INITIATIVE OF IMMIGRATION & BORDER PROTECTION

The Tariff Concession Order listed in THE TABLE below has been revoked.

Contact: Email tarcon@border.gov.au

Description of Goods including the Customs Tariff Classification			4 Item Number te of Effect	
3808.92.00	FUNGICIDES, being imidaz	ole, isothiazole and alkylamide based		50 01.11.16
	Op. 01.01.07	Dec. date 02.11.06	- TC 0614073	
	3	mptroller-General's intention to revok	e	