

Commonwealth of Australia

Gazette

No. TC17/02, Wednesday, 11 January 2017 Published by the Commonwealth of Australia

TARIFF CONCESSIONS

CONTENTS

TCO Applications	2
TCO Application Reworded	11
Local Manufacturer Initiated - TCOs Revoked	12
TCOs Revoked and Re-Issued - Classification Change	13
TCOs Revoked and Re-Issued - Transcription Error	13
Comptroller-General of Customs Review of TCO Application Results	14
Section 273 Determination Made	15

The next Tariff Concession Gazette will be published on 12 January 2017

The Commonwealth of Australia Tariff Concessions Gazette (the Tariff Concessions Gazette) is free of charge on the DIBP internet site at: <u>http://www.border.gov.au</u>

The Tariff Concessions Administration Section is located at 5 Constitution Ave Canberra City 2601

Contact details:	
General Email Inquiries:	tarcon@border.gov.au
General Inquiries:	
TAPIN help desk:	
Facsimile:	

Cat. No. ISSN 0813-8389 ©Commonwealth of Australia, 2017

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269K(1) - APPLICATIONS MADE FOR TARIFF CONCESSION ORDERS

Applications have been lodged for Tariff Concession Orders for the goods described in the following TABLE.

Australian manufacturers who wish to contest the granting of a Tariff Concession Order for the goods described are invited to lodge a submission in writing in an approved form. Submissions must be lodged within 50 days of the date of publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

Objections to the making of TCO submission forms are available at

http://www.border.gov.au/Forms/Documents/b444.pdf

Contact: Email tarcon@border.gov.au

		Schedule 4 Item Num General Duty Rat	
3506.91.90	TAPE, double sided, acrylic adhesive, polyethylene laminated kraft paper liner Op. 01.01.17	50 - TC 1677620	
	Stated Use: Fastening to various objects		
	Applicant: SEKISUI PILON PTY LTD	5%	
3808.93.00	HERBICIDES, having an active ingredient of mesosulfuron-methyl Op. 13.12.16	50 - TC 1678407	
	Stated Use: For post-emergent control of five major grass weeds		
	Applicant: BAYER CROPSCIENCE PTY LTD	5%	
7304.39.00	<pre>DRILL TUBES, seamless, circular cross section, having BOTH of the following: (a) outside diameter (OD) NOT greater than 180 mm; (b) grouting holes Op. 05.12.16</pre>	50 - TC 1675649	
	Stated Use: Casing tubes which are drilled through the overburden as an umbrella and filled with grouting, which then escapes through the holes in the casing		
	Applicant: HARD METAL INDUSTRIES PTY LTD	5%	

-	of Goods including the ff Classification	Schedule 4 Item Number General Duty Rate
7305.31.00	<pre>PIPES, circular cross-section, submerged arc-welded, having ALL of the following: (a) press-formed, hot vacuum rolled nickel clad carbon steel plate; (b) steel plate grade complying with American Society for Testing and Material Standards ASTM A516 Grade 70 (ASTM A516 Grade 70); (c) nickel-lined with nickel cladding NOT less than 2.00 mm and NOT greater than 4 mm thickness; (d) wall thickness NOT less than 9.5 mm and NOT greater than 35.0 mm Op. 17.11.16 Stated Use: Removal of corrosive and highly toxic liquids in alumina refineries Applieded DED UNDERCOMPTENT </pre>	50 - TC 1670092
	Applicant: RTR HANDELSGESELLSCHAFT	5%
7306.30.00	 PIPES, circular cross-section, submerged arc-welded, having ALL of the following: (a) press-formed, hot vacuum rolled nickel clad carbon steel plate; (b) steel plate grade complying with American Society for Testing and Material Standards ASTM A516 Grade 70 (ASTM A516 Grade 70); (c) nickel-lined with nickel cladding NOT less than 2.00 mm and NOT greater than 5.00 mm thickness; (d) wall thickness NOT less than 9.5 mm and NOT greater than 35.0 mm 	50
	Op. 17.11.16	- TC 1670091
	Stated Use: Removal of corrosive and highly toxic liquids in alumina refineries	
	Applicant: RTR HANDELSGESELLSCHAFT	5%
7309.00.00	<pre>SILOS, PRE-CAST CONCRETE PLANT, telescopic, bolted modules, steel, programmable logic controlled, including ALL of the following: (a) capacity NOT less than 65 000 litres; (b) aeration system, having a solenoid valve; (c) roof mounted pressure safety valves; (d) shut down valves; (e) level indication; (f) anti overfill protectors, having alarms AND/OR lights; (g) filters AND/OR dust collectors, roof mounted Op. 09.12.16</pre>	50 - тс 1677211
	Stated Use: For the storage cement in concrete batching plants	
	Applicant: BORAL CEMENT LTD	5%
8309.90.00	CAPS, DRUM OR BARREL, mild steel, forged, having BOTH of the following: (a) cap flange diameter NOT greater than 70 mm; (b) zinc plate AND/OR yellow chromate passivated plating Op. 28.11.16	50 - TC 1673257
	Stated Use: To prevent paint entering the inside of drums or barrels, while they are being painted	
	Applicant: TRI-SURE CLOSURES AUSTRALIA PTY LTD	5%

-	of Goods including the ff Classification		Item Number Duty Rate
8414.30.00	COMPRESSORS, REFRIGERATION, hermetically sealed Op. 01.12.16	- TC 1674697	50
	Stated Use: Refrigerant compressors		
	Applicant: SKOPE INDUSTRIES LTD		5%
8419.89.90	<pre>COOLING SYSTEM, ALUMINIUM EXTRUSION, programmable logic controlled, unassembled, having ALL of the following: (a) centrifugal fans; (b) nozzles; (c) frequency converter Op. 02.12.16</pre>	- TC 1675085	50
	Stated Use: For the cooling of manufactured extrusions		
	Applicant: G JAMES AUSTRALIA PTY LTD		5%
8419.90.00	PARTS, AMMONIA SYNTHESIS CONVERTER, being catalyst cartridges, consisting of ALL of the following: (a) insulated outer vessel; (b) multiple catalyst baskets; (c) internal piping;		50
	(d) heat exchanger Op. 12.12.16	- TC 1677618	
	Stated Use: For converting and synthesising gases into ammonia, within ammonia plant converter vessels		
	Applicant: ORICA AUSTRALIA PTY LTD		5%
8421.39.90	<pre>GAS SCRUBBER SKID, COMPRESSOR SUCTION AND DISCHARGE, with OR without stairs, including ALL of the following: (a) first stage suction scrubber; (b) second stage discharge scrubber; (c) second stage discharge scrubber; (d) third stage suction scrubber; (e) third stage discharge scrubber; (f) structural steel frame; (g) valves; (h) connecting pipes</pre>		50
	Op. 01.01.17	- TC 1677601	
	Stated Use: Remove liquid and solid impurities from natural gas		
	Applicant: SANTOS LTD		5%
8422.19.00	DISHWASHING MACHINES, having a height NOT less than 1 450 mm Op. 28.11.16	- TC 1673421	50
	Stated Use: For commercial washing of dishes, tableware and kitchenware		
	Applicant: TOM STODDART PTY LTD		5%
8425.49.00	<pre>SCREW JACKS, BALL OR MACHINE, worm gearbox operation, being EITHER of the following AND/OR combinations of the following: (a) rotating nut; (b) translating, with OR without the following; (i) anti-backlash;</pre>		50
	(ii) anti-rotation Op. 12.12.16	- TC 1677615	
	Stated Use: For mining, agriculture, marine, subsea, medical, military, manufacturing, transport and energy sectors		
	Applicant: PARTOUT PTY LTD		5%

5	TCO	Applications
---	-----	--------------

	of Goods including the ff Classification	Schedule 4 I General D	
8428.33.00	BELT CONVEYORS, WASTE BALING AND WRAPPING LINE Op. 02.12.16	- TC 1675089	50
	Stated Use: Convey out wrapped and bailed waste as part of a line		
	Applicant: NORTHERN ADELAIDE WASTE MANAGEMENT AUTHORITY		5%
8428.33.00	 BELT CONVEYORS, GREEN MALT, having ALL of the following: (a) belt width NOT greater than 800 mm; (b) mass flow rate NOT greater than 140 t/h; (c) volume flow rate NOT greater than 292 m3/h; (d) length NOT greater than 27 m; (e) belt speed NOT greater than 2.0 m/sec Op. 14.12.16 	- TC 1678598	50
	Stated Use: Horizontal or inclined use to transport green malt		
	Applicant: COOPERS BREWERY LTD		5%
8428.39.00	<pre>COMPOST HANDLING LINE, hydraulic AND/OR electrically-powered, including ALL of the following: (a) hoppers; (b) conveyors; (c) weighers; (d) scraper chains; (e) motors; (f) gearboxes</pre>		50
	Op. 29.11.16	- TC 1673821	
	Stated Use: For transferring mushroom compost into pasteurisation tunnels		
	Applicant: BRIDGEWATER COMPOST PTY LTD		5%
8428.39.00	<pre>CONVEYING MACHINE, ORGANIC MATTER, self-propelled, including ALL of the following: (a) elevator, having ALL of the following: (i) length NOT greater than 8.3 m; (ii) width NOT greater than 4.6 m; (iii) planetary gearbox rated at 7.5 kW; (iv) scraper chains; (v) scraper bars; (vi) steel frame; (b) kick back drum; (c) auger; (d) swivel belt conveyor, having ALL of the following: (i) belt length not more than 7 m;</pre>		50
	 (ii) belt width not more than 1.1 m; (iii) hydraulic cylinders; (iv) electric motor; (v) belt pulley; (e) planetary wheel drives, diameter 1.1m x 400mm; (f) steering wheels, diameter 580mm x 240mm; (g) electric control box Op. 29.11.16 	- TC 1673818	5%
	Stated Use: Transferring mushroom compost into conditioning bunkers.		
	Applicant: BRIDGEWATER COMPOST PTY LTD		

8428.39.00 TROUGH CHAIN CONVEYOR ASSEMBLIES, consisting of ALL of the 50 following: (a) driving station, including ALL of the following: (i) frame; (ii) geared motor; (iii) shaft; (iv) drive sprocket wheel, (b) tensioning station, including ALL of the following: (i) frame; (ii) bearing unit; (iii) reversing wheel, (c) troughs; (d) cleaner and/or washing units Op. 30.11.16 - TC 1674244 Stated Use: For taking green malt out of germinating vessels Applicant: COOPERS BREWERY LTD 5% 8428.39.00 ACCUMULATION AND CONVEYOR SYSTEM, LINEN, programmable logic 50 controlled, with OR without radio frequency readers AND/OR antennae, having ALL of the following: (a) free standing units; (b) transport conveyors; (c) buffer conveyors; (d) powered curves; (e) lift conveyors; (f) roller conveyors; (g) packaging unit front stack centre positioning; (h) pushers; (i) communication terminal Op. 05.12.16 - TC 1675648 Stated Use: Smart conveyor system used for commercial laundry applications Applicant: JENSEN LAUNDRY SYSTEMS AUSTRALIA PTY LTD 5% 8428.90.00 BOARD STACKING LINE, programmable logic controlled, having ALL 50 of the following: (a) chain AND roller conveyors; (b) board pack rotator; (c) pack stacker; (d) pallet feeder Op. 28.11.16 - TC 1673264 Stated Use: For stacking insulation boards Applicant: KINGSPAN INSULATION PTY LTD 5% 8428.90.00 POSITIONING SYSTEM, programmable logic controlled, unassembled, 50 having BOTH of the following: (a) stops; (b) pneumatic cylinders - TC 1675084 Op. 02.12.16 Stated Use: Positioning of aluminium extrusions Applicant: G JAMES AUSTRALIA PTY LTD 5% 8428.90.00 PACKET CONVEYOR AND SORTING SYSTEMS, programmable logic 50 controlled, including ALL of the following: (a) hinged trays, maximum opening angle NOT less than 90 degrees; (b) friction driven wheels; (c) chute, with OR without photocells Op. 14.12.16 - TC 1678595 Stated Use: For the conveyance and sorting of parcels, envelopes and packages in warehouses Applicant: VANDERLANDE INDUSTRIES BV 5%

_

c c s t	<pre>PARTS, GRAIN TROUGH CONVEYOR, being plate link chain having ALL of the following: (a) pitch NOT less than 150 mm; (b) inside chain width NOT less than 30 mm; (c) chain width NOT less than 480 mm Op. 07.12.16 Stated Use: The chain is incorporated in the trough conveying system for taking green malt out of the germinating vessels</pre>	- TC 1676038	50
s I t	- Stated Use: The chain is incorporated in the trough conveying system for	10 10/0050	
<u>P</u>			
	Applicant: COOPERS BREWERY LTD		5%
t	CHEESE AND CURD MANUFACTURING LINE, programmable logic controlled, electric AND/OR pneumatic powered, including ALL of the following: (a) tanks; (b) milk pumps; (c) coagulation vats; (d) conveyors; (e) light sensors; (f) transfer platforms; (g) vat tilter; (h) milk infeeder; (i) doser; (j) curd cutters; (k) agitators; (l) curd filler AND/OR shape former Op. 05.12.16	- TC 1675090	50
	Stated Use: For the processing of matured milk to manufacture curd		
P	Applicant: LACTALIS JINDI PTY LTD		5%
f	<pre>MIXERS, programmable logic controlled, including ALL of the following: (a) mixing chamber volume capacity NOT less than 1 000 L; (b) mixer motor; (c) heating AND cooling jacket; (d) agitator; (e) vacuum pump; (f) bin elevator; (g) discharge pump Op. 30.11.16</pre>	- TC 1674249	50
F	Stated Use: For homogeneous mixing of high volumes of cheese with other components		
P	Applicant: BALLANTYNE PTY LTD		5%
	<pre>BOWLS, STEEPING VESSEL, BARLEY MALT, having ALL of the following: (a) sieve cone angle; (b) flanged outlet; (c) access ports; (d) pipe connections Op. 14.12.16</pre>	- TC 1678601	50
S	Sp. 14.12.10 Stated Use: Bowls fitted to the cone of steeping vessels in a malting plant	10 10/0001	
	Applicant: COOPERS BREWERY LTD		5%

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number General Duty Rate	
8474.20.00	<pre>CRUSHERS, IMPACT, track-mounted, self-propelled, diesel and hydraulic powered, containing ALL of the following: (a) length NOT greater than 20 m; (b) width NOT greater than 3.2 m; (c) height NOT greater than 3.85 m; (d) weight NOT greater than 80 000 kg; (e) chutes; (f) conveyor belts; (g) hoppers; (h) screens Op. 30.11.16</pre>	- TC 1674237	50
	Stated Use: For the reduction of rock or ore size by impact		5%
	Applicant: SCREENMASTERS AUSTRALIA PTY LTD		24
8474.20.00	<pre>CRUSHERS, JAW, track-mounted, self-propelled, diesel and hydraulic powered, containing ALL of the following: (a) length NOT greater than 18 m; (b) width NOT greater than 3.1.m; (c) height NOT greater than 4.2 m; (d) weight NOT greater than 80 000 kg; (e) chutes; (f) conveyor belts; (g) hoppers Op. 30.11.16</pre>	- TC 1674242	50
	Stated Use:		
	For the reduction of rock or ore size by compression		
	Applicant: SCREENMASTERS AUSTRALIA PTY LTD		5%
8479.89.90	<pre>SUCTION CUP ANCHOR SYSTEM, vacuum, consisting of ALL of the following: (a) vacuum control module; (b) suction anchors; (c) hoses AND adapters; (d) gas bottles; (e) energy absorber; (f) tensioners AND turn buckles; (g) shuttles; (h) ropes AND cables; (i) harnesses Op. 25.11.16</pre>	- TC 1673249	50
	Stated Use:		
	To safely secure maintenance staff working at heights such as aircraft wings		
	Applicant: LATCHWAYS AUSTRALIA PTY LTD		5%
8479.89.90	<pre>DUAL PIG PIPELINE CLEANING SYSTEM, including ALL of the following: (a) pig control detectors; (b) two-way switch; (c) two pig launching station; (d) two pig receiving station; (e) piston valves; (f) ball valves; (g) seat valves; (h) pipeline AND fittings; (i) pipeline diameter NOT less than 65 mm and NOT greater than 110 mm; (j) rinsing station</pre>		50
	Op. 05.12.16	- TC 1675099	
	Stated Use: Maintenance tool for pipeline where pigs are introduced into the line via a pig trap, which includes a launcher and receiver		
	Applicant: DULUXGROUP (AUSTRALIA) PTY LTD		5%

-	of Goods including the ff Classification	Schedule 4 Item Numbe General Duty Rate
8479.89.90	DOSING UNITS, programmable logic controlled, including BOTH of the following: (a) mixing tank; (b) storage tank Op. 07.12.16	50 - TC 1676425
	Stated Use: For feeding polyether, polyester and polyols into a mixers	
	Applicant: APT ASIA PACIFIC PTY LTD	5%
8479.89.90	BURR AND/OR DUST REMOVAL MACHINE, TABLET AND/OR CAPSULE, METAL DETECTING Op. 15.12.16	50 - TC 1679206
	Stated Use: The removal of rough edges or burrs from pressed medicinal tablets and the detection of metal contaminant or filings from the press process	
	Applicant: INTEGRIA HEALTHCARE AUSTRALIA PTY LTD	5%
8514.40.00	<pre>INDUCTION HEATERS, TUBE AND/OR PIPE, AC powered, having ALL of the following: (a) frequency converter, having BOTH of the following: (i) frequency range NOT less than 5 kHz and NOT greater than 20 kHz; (ii) efficiency NOT less than 93%, (b) heating station; (c) induction coils; (d) water cooling unit; (e) input power NOT greater than 1 000 kVA;</pre>	50
	<pre>(f) displacement power factor NOT less than 95% Op. 02.12.16 Stated Use: Heat tube and pipe before painting in tube and pipe making lines</pre>	- TC 1674791
	Applicant: PROTUBE ASIA PTY LTD	5%
8544.49.20	<pre>CABLES, POWER AND/OR ELECTRICAL DATA AND/OR COMMUNICATION, having ALL of the following: (a) uncoated copper cores AND/OR tinned copper cores; (b) plastic insulation; (c) plastic AND/OR rubber jackets; (d) maximum operating temperature between minus 40 degrees C and 105 degrees C; (e) voltage capacity NOT less than 125 V and NOT greater than 1 000 V with OR without ANY of the following: (i) foil covers; (ii) tape covers;</pre>	50
	(iii) braided screen covers Op. 25.11.16	- TC 1673243
	Stated Use: For supplying data, power and signal transmissions for control, audio and communications instrumentation in machine tool applications, food processing, pulp and paper processing, mining industries, pharmaceutical, wastewater treatment and automotive sectors	
	Applicant: DKSH AUSTRALIA PTY LTD	5%

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Numbe General Duty Rate	
8544.60.90	<pre>CABLES, POWER AND CONTROL, having ALL of the following: (a) copper AND/OR tinned copper cores; (b) plastic OR rubber insulation; (c) plastic OR rubber jackets; (d) maximum operating temperature between minus 40 degrees C and 110 degrees C; (e) voltage capacity NOT less than 1.1 kV and NOT greater than 33 kV with OR without ANY of the following: (i) polyester tape covers; (ii) tinned copper covers; (iii) rubber covers; (iv) polyamide screen covers</pre>		50
	Op. 25.11.16	- TC 1673240	
	Stated Use: To supply power and control for either above or below ground mining		
	Applicant: DKSH AUSTRALIA PTY LTD		5%
9405.10.00	LAMPS, LED, having ALL of the following: (a) power supply; (b) driver; (c) aluminium housing Op. 28.11.16	- тс 1673253	50
	Stated Use: For lighting purposes such as the illumination of poultry houses		
	Applicant: MCLEAN FARMS		5%
9405.10.00	 LAMPS, LED TUBES, dimmable, having BOTH of the following: (a) voltage NOT greater than 50 V DC; (b) lengths of 1 130 mm OR 1 380 mm OR 1 800 mm OR 2 340 mm with tolerances of +/- 10% Op. 28.11.16 	- TC 1673256	50
	Stated Use: For lighting purposes such as the illumination of poultry houses		
	Applicant: MCLEAN FARMS		5%

CUSTOMS ACT 1901

NOTICE PURSUANT TO SECTION 269L(4B)(b) - PROPOSAL TO AMEND DESCRIPTION OF GOODS FOLLOWING AN OBJECTION SUBMISSION

Amended description has been proposed for the Tariff Concession Order application shown in the following TABLE.

Australian manufacturers who consider that there are reasons why the Tariff Concession Order as proposed to be amended should not be made are invited to lodge a submission. Submissions must be lodged no later than 14 days after the publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

Contact: Email <u>tarcon@border.gov.au</u>

THE TABLE

Description of Goods including the Customs Tariff Classification

Schedule 4 Item Number

8504.22.00	ELECTRICAL POWER TRANSFORMATION AND CONVERSION MACHINES, including ALL of the following: (a) converter transformers; (b) voltage frequency converter; (c) cooling unit; (d) heat exchanger; (e) prefabricated building enclosure;		50
	 (f) uninterruptible power supply module; (g) switchgear; (h) motor control centre; (i) variable speed drives; (j) control panel; (k) power handling capacity exceeding 7 000 kVA but NOT exceeding 10 000 kVA 		
	Op. 02.09.16 Stated Use: To transform and convert electrical power for use in compressor motors	- TC 1648402	

Applicant: SANTOS LIMITED

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269SE(1) - AUSTRALIAN INDUSTRY INITIATED - TARIFF CONCESSION ORDERS REVOKED

The Tariff Concession Orders for the goods described in the following TABLE have been revoked.

Contact: Email tarcon@border.gov.au

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number Last Date of Effect		
3923.30.00	<pre>PREFORMS, BOTTLE, polyethylene terep ALL of the following: (a) inner neck diameter NOT less t greater than 46.15 mm; (b) neck outer diameter NOT less t greater than 55.40 mm; (c) neck thread diameter NOT less greater than 55.45 mm Op. 31.08.16</pre>	than 45.85 mm and NOT than 55.00 mm and NOT than 55.05 mm and NOT	- TC 1647286	50 05.12.16
	Substitutable goods produced in Aust course of business by Visy Plastics, provisions apply			
8309.90.00	CLOSURES, COMPOSITE CAN END, hermeti diameter NOT less than 80mm Op. 14.04.15		- TC 1519042	50 06.11.16
	Substitutable goods produced in Aust course of business by Marpac Pty Ltd transit provisions apply			
8309.90.00	CLOSURES, COMPOSITE CAN END, compris following: (a) outer ring; (b) aluminium foil membrane; (c) plug; (d) diameter NOT less than 80mm Op. 14.04.15	-	- TC 1519043	50 06.11.16
	Substitutable goods produced in Aust course of business by Marpac Pty Ltd transit provisions apply	ralia in the ordinary	- 10 1010043	

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269SE(2)

TARIFF CONCESSION ORDER REVOKED AND A NEW TARIFF CONCESSION ORDER MADE IN ACCORDANCE WITH 269SD(2) OF THE CUSTOMS ACT.

A Tariff Concession Order for the goods described in the following TABLE has been revoked and a new Tariff Concession Order made in respect of the goods described below.

The operative date (Op.), decision date (Dec. date) and TC reference number follow the description of goods.

Contact: Email tarcon@border.gov.au

THE TABLE

-	escription of Goods including the ustoms Tariff Classification		Schedule 4 Item Number Last Date of Effect	
TCO REVOKED				
8424.81.00	SPRINKLERS, IRRIGATION EQUIPMENT Op. 08.10.03	Dec. date 03.03.04	- TC 0401501	50 31.12.16
	HS2017 - Order Revoked - See TC16	679311 Keyed to 8424.82.00		
TCO REISSUED				
8424.82.00	SPRINKLERS, IRRIGATION EQUIPMENT Op. 01.01.17	Dec. date 16.12.16	- TC 1679311	50

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269SE(1)

TARIFF CONCESSION ORDERS REVOKED AND A NEW TARIFF CONCESSION ORDER MADE IN ACCORDANCE WITH 269SD(3) OF THE CUSTOMS ACT.

A Tariff Concession Order for the goods described in the following TABLE has been revoked and a new Tariff Concession Order made in respect of the goods described below.

The operative date (Op.), decision date (Dec. date) and TC reference number follow the description of goods.

Contact: Email tarcon@border.gov.au

-	cription of Goods including the toms Tariff Classification		Schedule 4 Item Number Last Date of Effect	
TCO REVOKED				
8421.39.90	RESPIRATORY FILTERS, AIR, WELDIN Op. 01.01.17 Correction of TCO number from 16	Dec. date 20.12.16	- TC 16 79916	50 31.12.16
TCO REISSUED				
8421.39.90	RESPIRATORY FILTERS, AIR, WELDIN Op. 01.01.17	NG, activated carbon Dec. date 04.01.17	- TC 1679916	50

REFUSE

CUSTOMS ACT 1901 - RESULT OF REQUEST FOR REVIEW OF AN APPLICATION DECISION

The Comptroller-General of Customs internal review result made on the Tariff Concession Order application for goods described in the following TABLE has been finalised:

Contact: Email tarcon@border.gov.au

Description of Goods including the	Schedule 4 Item Number Review
Customs Tariff Classification	Last Date of Effect Decision

3920.20.00	FILM, PRINTING, polypropylene, multi-layered, having		50
	shrinkage in the machine direction NOT less than 10% and		
	NOT greater than 19%		
	Op. 02.03.16	- TC 1608743	
	Comptroller-General of Customs Decision : Refusal to make TCO affirmed	e	

NOTICE OF DETERMINATIONS MADE UNDER PART XVI OF THE CUSTOMS ACT 1901

Under subsection 273B(2) of the Customs Act 1901, notice is hereby given of the making of the determination applying to goods of a kind specified in the table below.

In the table:

(i) the first column specifies the kind of goods to which the determination applies, any conditions specified in the determination, the commencement and cessation dates of the determination and the Determination reference number;

(ii) the second column specifies the item in Schedule 4 to the Customs Tariff Act 1995 that applies to the specified goods.

(iii) 'AD' indicates the determination was made by AusIndustry;

Contact: Email tarcon@border.gov.au

THE TABLE

Description of Goods Dates of Effect	Schedule 4 Item Number
Fibre Grade Mono Ethylene Glycol for use in the manufacture of LNG	46
for the Chevron Gorgon Project on Barrow Island. Total quantity to not exceed 28,237 tonnes.	

not exceed 28,237 tonnes. 23.03.15 to 22.03.17

- AD 01004268