



# Gazette

**No. TC TC17/37, Wednesday, 30 August 2017** Published by the Commonwealth of Australia

## TARIFF CONCESSIONS

# CONTENTS

About Border Watch	2
TCO Applications	3
TCO Applications Reworded	7
TCO Applications Refused	8
TCOs Made	9
Comptroller-General of Customs Initiated - Intention to Revoke Cancelled1	0
TCOs Revoked - Unused for over 2 years1	1

The Commonwealth of Australia Tariff Concessions Gazette (the Tariff Concessions Gazette) is free of charge on the DIBP internet site at:

http://www.border.gov.au/Busi/domestic-manufacturers-and-importers

Cat. No. ISSN 0813-8389 ©Commonwealth of Australia, 2017



## **Report revenue evasion – Tariff Concession Orders**

If you have information about duty evasion related to Tariff Concession Orders (TCO), you can report your concerns to Border Watch at <a href="https://www.border.gov.au/borderwatch">https://www.border.gov.au/borderwatch</a>

Try to provide as much detail as you can so we are able to fully assess the information provided. Examples of concern might include:

- Goods that claim a TCO but do not match the TCO description;
- Goods that claim a TCO but do not match the TCO classification;
- Incorrect information provided to the Comptroller-General on an application related to a Tariff Concession Order;
- Undervaluation of goods claiming a TCO;
- Incorrect volumes of goods claiming a TCO.

If you are aware of duty evasion in other programmes administered by the Australian Border Force, you can also report your concerns.

### You know your environment. If it doesn't seem right, report it.

Call Border Watch at freecall **1800 06 1800** or report online at If you're outside Australia or using a satellite phone call +61 2 6245 1325.

You can choose to remain anonymous and all information is treated confidentially.

You can call 24 hours a day, seven days a week.



#### CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269K(1) - APPLICATIONS MADE FOR TARIFF CONCESSION ORDERS

Applications have been lodged for Tariff Concession Orders for the goods described in the following TABLE.

Australian manufacturers who wish to contest the granting of a Tariff Concession Order for the goods described are invited to lodge a submission in writing in an approved form. Submissions must be lodged within 50 days of the date of publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

Objections to the making of TCO submission forms are available at

http://www.border.gov.au/Forms/Documents/b444.pdf

Contact: Email tarcon@border.gov.au

#### THE TABLE

	of Goods including the ff Classification	Schedule 4 Item Number General Duty Rate
3903.90.00	COPOLYMERS, MODIFIED STYRENE ACRYLIC RESIN, having non-volatile materials content NOT less than 97% Op. 31.07.17	50 - TC 1781176
	Stated Use: For pigment dispersion, printing ink, and overprint varnish applications	
	Applicant: BASF AUSTRALIA LTD	5%
8418.50.00	<ul> <li>CHILLERS, RETAIL DISPLAY, including ALL of the following:</li> <li>(a) operating temperature NOT less than minus 22 degrees Celsius and NOT greater than 8 degrees Celsius;</li> <li>(b) product display glass doors;</li> <li>(c) volume capacity greater than 250 L</li> <li>Op. 10.07.17</li> </ul>	- TC 1774221
	Stated Use: For displaying refrigerated goods in supermarkets	
	Applicant: ARTISAN FOOD EQUIPMENT PTY LTD	5%
8428.90.00	<pre>PLASTIC BOTTLE PREFORM AND/OR CLOSURE HANDLING SYSTEM, BOTTLING LINE, programmable logic controlled, consisting of ALL the following: (a) closure re-insert unit; (b) conveyors; (c) hoppers; (d) dumpers; (e) control panels</pre>	50
	Op. 27.07.17	- TC 1780582
	Stated Use: As part of plastic bottle manufacturing, filling and packaging line	
	Applicant: NU PURE BEVERAGES	5%

-	of Goods including the ff Classification	Schedule 4 General	Item Numbe Duty Rate
438.50.00	<pre>MEAT PROCESSING LINE, programmable logic controlled, including All of the following:   (a) grinder;   (b) mixing AND grinding machines incorporating a screw         conveyor;   (c) inspection platforms</pre>		50
	Op. 01.08.17 Stated Use:	- TC 1782193	
	To process meat by grinding and mixing		
	Applicant: MAREL AUSTRALIA PTY LTD		5%
474.10.00	SCREENS, VIBRATING LINEAR MOTION, EARTH AND/OR MINERAL ORE Op. 03.08.17	- TC 1783197	50
	Stated Use: For screening and sorting by size materials such as diatomaceous earth or mineral ores		
	Applicant: AGRIPOWER AUSTRALIA LTD		5%
479.89.90	<pre>RELEASERS, TOOL STRING, OIL AND/OR GAS WELL, with OR without fishing neck adapters, including ALL of the following: (a) DC motor; (b) sliding sleeves; (c) switch; (d) valve; (e) release nut; (f) release lugs</pre>		50
	Op. 03.08.17 Stated Use: To separate and release tool strings in oil and gas wells when they become stuck	- TC 1783195	
	Applicant: SCHLUMBERGER AUSTRALIA PTY LTD		5%
481.80.90	<ul> <li>VALVES, PRESSURE INDEPENDENT CONTROL, including ALL of the following: <ul> <li>(a) integrated pressure differential controller;</li> <li>(b) volumetric flow NOT less than 0.03 m3/h and NOT greater than 195 m3/h;</li> <li>(c) maximum allowable differential pressure NOT less than 600 kPa;</li> <li>(d) radial adjustment of maximum flow setting;</li> <li>(e) two integrated pressure testing ports;</li> <li>(f) valve stroke between NOT less than 2.5 mm and NOT greater than 45 mm</li> </ul> </li> </ul>		50
	Op. 27.07.17	- TC 1780586	
	Stated Use: As a control valve in heating, ventilating and air conditioning systems		
	Applicant: SIEMENS LTD		5%
481.80.90	VALVES, WATER SOFTENER SYSTEM, with OR without timer AND/OR controller, having a continuous flow rate NOT greater than 30.0 m/3 per hour		50
	Op. 28.07.17	- TC 1781166	
	Stated Use: Control valves for water softener systems		
	Applicant: WATERWAYS PRODUCTS (AUST.) PTY LTD		5%

-	of Goods including the ff Classification		Item Number . Duty Rate
8536.50.99	<pre>SWITCHES, ELECTRICAL CIRCUIT, IN-LINE, with OR without jumpers, including BOTH of the following: (a) contact resistance NOT less than 10 milliohms; (b) levers OR slides OR buttons Op. 26.07.17 Stated Use:</pre>	- TC 1780157	50
	Stated Use: During the operation of electrical circuitry, such as hand-held tools and computers		
	Applicant: RS COMPONENTS PTY LTD		5%
8536.50.99	SWITCHES, ELECTRICAL KEYBOARD, ON/OFF CONTROL Op. 27.07.17	- TC 1780578	50
	Stated Use: For controlling power in electrical keyboards		
	Applicant: RS COMPONENTS PTY LTD		5%
8537.10.90	JOYSTICKS AND/OR PADDLE CONTROLLERS, electric powered Op. 26.07.17	- TC 1780163	50
	Stated Use: For controlling electrical machines, such as cutters and conveyors		
	Applicant: RS COMPONENTS PTY LTD		5%
8537.10.90	<pre>CONTROLLERS, ELECTRIC CIRCUIT, being EITHER of the following:   (a) trackerball switches;   (b) hand grip switches, including ANY of the following:         (i) buttons;         (ii) levers;         (iii) keypads</pre>		50
	Op. 27.07.17	- TC 1780577	
	Stated Use: For controlling industrial, construction and agricultural equipment, such as cutters and conveyors		
	Applicant: RS COMPONENTS PTY LTD		5%

-	of Goods including the ff Classification		e 4 Item Number eral Duty Rate
8543.30.90	ELECTROLYSIS MACHINE, with or without ventilation tubing Op. 31.07.17	- TC 1781169	50
	Stated Use: Sodium hypochlorite solution production		
	Applicant: GRUNDFOS PUMPS PTY LTD		5%
8544.60.90	<ul> <li>CABLES, POWER, stranded, including ALL of the following: <ul> <li>(a) voltage rating NOT less than 1.5 kV DC and NOT greater than 1.8 kV DC;</li> <li>(b) aluminium OR copper conductor, having a cross-section NOT less than 95 square mm and NOT greater than 500 square mm;</li> <li>(c) maximum continuous working temperature NOT greater than 121 degrees Celsius;</li> <li>(d) compliance with Australian/New Zealand Standard AS/NZS 5000.1.2005;</li> <li>(e) electron beam cross-linked polyethylene OR electron beam cross-linked polyolefin OR halogen polyolefin layer;</li> <li>(f) polyvinyl chloride OR polyolefin jacket</li> </ul> </li> </ul>		50
	Op. 03.08.17 Stated Use:	- TC 1783200	
	For conducting electricity at renewable energy installations		
	Applicant: ECONOMICAL ENGINEERING SERVICES AUSTRALIA PTY LTD		5%
8544.60.90	<ul> <li>CABLES, POWER, stranded, including ALL of the following: <ul> <li>(a) voltage rating NOT less than 1.5 kV DC and NOT greater than 1.8 kV DC;</li> <li>(b) aluminium OR copper conductor, having a cross-section NOT less than 95 square mm and NOT greater than 500 square mm;</li> <li>(c) maximum continuous working temperature NOT greater than 121 degrees Celsius;</li> <li>(d) compliance with Australian/New Zealand Standard AS/NZS 5000.1.2005;</li> <li>(e) electron beam cross-linked polyethylene OR electron beam cross-linked polyolefin OR halogen polyolefin layer;</li> <li>(f) polyvinyl chloride AND/OR polyolefin AND/OR high density polyethylene jacket;</li> </ul> </li> </ul>		50
	Op. 03.08.17	- TC 1783201	
	Stated Use: For conducting electricity at renewable energy installations		
	Applicant: ECONOMICAL ENGINEERING SERVICES AUSTRALIA PTY LTD		5%
9508.90.00	<pre>PLAYGROUND EQUIPMENT, AQUATIC, having ALL of the following:   (a) platform;   (b) stairs;   (c) slides;   (d) water bucket AND cage;   (e) rotating wheel;   (f) water spray AND shower;   (g) roof;   (h) animal characters;   (f) water have been been been been been been been be</pre>		50
	(f) umbrella Op. 03.08.17	- TC 1781172	
	Stated Use: Water slides and play equipment		
	Applicant: BEACHSIDE HOLIDAY PARK		5%

## NOTICE PURSUANT TO SECTION 2691(4B)(b) - PROPOSAL TO AMEND DESCRIPTION OF GOODS FOLLOWING AN OBJECTION SUBMISSION

Amended description has been proposed for the Tariff Concession Order application shown in the following TABLE.

Australian manufacturers who consider that there are reasons why the Tariff Concession Order as proposed to be amended should not be made are invited to lodge a submission. Submissions must be lodged no later than 14 days after the publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

Contact: Email tarcon@border.gov.au

#### THE TABLE

-	of Goods including the ff Classification	Schedule 4 Item Number
8479.89.90	CUTTING MACHINES, MEDICINE BLISTER PACK SHEET, programmable logic controlled, including BOTH of the following: (a) feeders; (b) cutting press AND dies Op. 09.05.17 Stated Use: To cut medical pill blister pack sheets into individual doses	50 - TC 1747765
	Applicant: METROTUBE AUSTRALIA PTY LTD	

#### NOTICE PURSUANT TO SECTION 269R(1) - APPLICATIONS FOR TARIFF CONCESSION ORDERS REFUSED

Applications for Tariff Concession Orders for the goods described in the following TABLE have been refused.

Contact: Email tarcon@border.gov.au

THE TABLE

Description of Goods including the Schedule 4 Item Number Customs Tariff Classification 8705.90.00 TRUCKS, VACUUM SUCTION CLEANING, having ALL of the following: 50 (a) tank volume capacity NOT less than 3.5 m3 and NOT greater than 4.5 m3; (b) NOT less than 4 wheels; (c) tank, incorporating BOTH of the following: (i) moveable partition; (ii) hydraulic arm, (d) water jetting hose; (e) suction hose; (f) length NOT greater than 7 m; (g) height NOT greater than 3.1 m; (h) weight NOT greater than 12 500 kg; (i) minimum turning circle diameter NOT greater than 13.5 m - TC 1735221 Op. 31.03.17 Reason for refusal: Substitutable goods produced in Australia in the ordinary course of business by Spoutvac Industries Pty Ltd, Bendigo East, Vic 50 8705.90.00 TRUCKS, VACUUM SUCTION CLEANING, having ALL of the following: (a) tank volume capacity NOT less than 6.5 m3 and NOT greater than 14.5 m3; (b) NOT less than 6 wheels; (c) tank, incorporating a moveable partition; (d) water jetting hose; (e) suction hose - TC 1735223 Op. 31.03.17 Reason for refusal: Substitutable goods produced in Australia in the ordinary course of business by Spoutvac Industries Pty Ltd, Bendigo East, Vic 8705.90.00 TRUCKS, VACUUM SUCTION CLEANING, having ALL of the following: 50 (a) tank volume capacity NOT less than 11.5 m3 and NOT greater than 14.5 m3; (b) NOT less than 8 wheels; (c) tank, incorporating a moveable partition; (d) NOT less than 7 cyclone filters; (e) water jetting hose; (f) suction hose Op. 31.03.17 - TC 1735224 Reason for refusal: Substitutable goods produced in Australia in the ordinary course of business by Spoutvac Industries Pty Ltd, Bendigo East, Vic

#### CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269R(1) - TARIFF CONCESSION ORDERS MADE

Tariff Concession Order has been made for the goods described in the following TABLE.

The operative date (Op.) and TC reference No. follow the description of goods. Local manufacturers of substitutable goods may request the revocation of TCOs at any time.

THE TABLE

Description of Goods including the Customs Tariff Classification

Schedule 4 Item Number

50

8428.39.00 SCREW CONVEYORS, WOOD CHIP, with OR without hoppers Op. 19.04.17 Dec. date 28.08.17

- TC 1741636

#### CANCELLATION OF THE INTENTION TO REVOKE

The Request for revocation of the Tariff Concession Order for goods described in the following TABLE has been cancelled.

THE TABLE

Description of Goods including the Customs Tariff Classification

8484.90.90 STRIPS, SEALING, AIR COMPRESSOR TURBINE BLADES Op. 05.06.06

50

Schedule 4 Item Number

Dec. date 18.08.06

- TC 0609970

#### NOTICE PURSUANT TO SECTION 269SE(2) - TARIFF CONCESSION ORDER REVOCATION AT THE INITIATIVE OF THE COMPTROLLER-GENERAL OF CUSTOMS

The Tariff Concession Orders listed in THE TABLE below have has not been used for at least 2 years and have been revoked under Section 269SD(1A). In transit provisions apply.

The intention to revoke these orders was notified in Gazette TC 17/31 dated 19 July 2017.

Contact: Email <u>tarcon@border.gov.au</u>.

#### THE TABLE

2918.99.00       PARA-ETHOXY ETHYL BENZOATE Op. 01.01.07       50         2 Years non use. In transit provisions apply       2 Years non use. In transit provisions apply         3808.91.90       EAR TAGS, INSECTICIDE, plastic, having ALL of the following: (a) 10% by weight of s-cyano (3-phenoxyphenyl) methyl (+/-)       50         (a) 10% by weight of s-cyano (3-phenoxyphenyl) methyl (+/-)       15.08.17         (a) 10% by weight of plastic, having ALL of the following: (b) 20% by weight of piperonyl butoxide, technical minimum 80% (butylcarbityl) (6-propylpiperonyl) ether and maximum 20% related compounds;       50         (c) 70% by weight of inert ingredients Op. 01.01.07       Dec. date 07.11.06       - TC 0614049         2 Years non use. In transit provisions apply       3816.00.00       MIXES, RAMMING, CARBON, having BOTH of the following:       50	-	f Goods including the f Classification		2	Schedule 4 I Last Date	
3808.91.90 EAR TAGS, INSECTICIDE, plastic, having ALL of the following: 50 (a) 10% by weight of s-cyano (3-phenoxyphenyl) methyl (+/-) 15.08.17 cis/trans 3-(2,2-dichloroethenyl)-2,2 dimethylcyclopropane-carboxylate; (b) 20% by weight of piperonyl butoxide, technical minimum 80% (butylcarbityl) (6-propylpiperonyl) ether and maximum 20% related compounds; (c) 70% by weight of inert ingredients Op. 01.01.07 Dec. date 07.11.06 - TC 0614049 2 Years non use. In transit provisions apply	2918.99.00		. date 06.11.06	- TC 0	614015	
<ul> <li>(a) 10% by weight of s-cyano (3-phenoxyphenyl) methyl (+/-) 15.08.17 cis/trans 3-(2,2-dichloroethenyl)-2,2 dimethylcyclopropane-carboxylate;</li> <li>(b) 20% by weight of piperonyl butoxide, technical minimum 80% (butylcarbityl) (6-propylpiperonyl) ether and maximum 20% related compounds;</li> <li>(c) 70% by weight of inert ingredients</li> <li>Op. 01.01.07 Dec. date 07.11.06 - TC 0614049</li> <li>2 Years non use. In transit provisions apply</li> </ul>		2 Years non use. In transit provisions	apply			
	3808.91.90	<ul> <li>(a) 10% by weight of s-cyano (3-phenometry) cis/trans 3-(2,2-dichloroethenyl) dimethylcyclopropane-carboxylate;</li> <li>(b) 20% by weight of piperonyl butoxis (butylcarbityl) (6-propylpiperony related compounds;</li> <li>(c) 70% by weight of inert ingredient</li> </ul>	oxyphenyl) methyl (+/-) )-2,2 ; ide, technical minimum 80% yl) ether and maximum 20% ts	- TC 0	614049	
3816.00.00 MIXES, RAMMING, CARBON, having BOTH of the following: 50		2 Years non use. In transit provisions	apply			
(a) graphite content NOT less than 75%;15.08.17(b) coal tar content NOT less than 15%0p. 18.12.06Dec. date 09.03.07- TC 0619997	3816.00.00	(a) graphite content NOT less than 75 (b) coal tar content NOT less than 15	5%; 5%	- TC 0	619997	
2 Years non use. In transit provisions apply		2 Years non use. In transit provisions	apply			
3903.90.00         SOLUTIONS, SODALITE SCALE INHIBITOR, styrene polymer         50           Op. 20.11.06         Dec. date 09.02.07         - TC 0618627         15.08.17	3903.90.00			- TC 0	618627	
2 Years non use. In transit provisions apply		2 Years non use. In transit provisions	apply			
6902.20.00 BRICKS AND/OR SHAPES, REFRACTORY, FIRED, INSULATING, BLAST 50 FURNACE HOT BLAST OR BUSTLE MAIN, having ALL of the following: 15.08.17 (a) alumina (Al2O3) content NOT less than 43%; (b) silica (SiO2) content NOT less than 43%; (c) ferrous oxide (Fe2O3) NOT greater 1.4%; (d) bulk density NOT greater than 1.0 g/cm3; (e) ceramic bond Op. 12.12.06 Dec. date 09.03.07 - TC 0619682	6902.20.00	<pre>FURNACE HOT BLAST OR BUSTLE MAIN, havir (a) alumina (Al2O3) content NOT less (b) silica (SiO2) content NOT less th (c) ferrous oxide (Fe2O3) NOT greater (d) bulk density NOT greater than 1.0 (e) ceramic bond</pre>	ng ALL of the following: than 43%; han 43%; r 1.4%; 0 g/cm3;	- TC 0	619682	
2 Years non use. In transit provisions apply		2 Years non use. In transit provisions	apply			
<pre>6902.90.00 BRICKS AND/OR SHAPES, REFRACTORY, BLAST FURNACE, having ALL of the following: (a) graphite content NOT less than 15%; (b) anthracite content NOT less than 70%; (c) apparent porosity NOT less than 15% but NOT greater than 25%; (d) cold crushing strength NOT less than 20 MPa but NOT greater than 45 MPa; (e) modulus of rupture NOT less than 7 MPa but NOT greater than 15 MPa; (f) bulk density NOT less than 1.0% but NOT greater than 2.5% Op. 18.12.06</pre>	6902.90.00	<pre>the following:   (a) graphite content NOT less than 15   (b) anthracite content NOT less than   (c) apparent porosity NOT less than 15     than 25%;   (d) cold crushing strength NOT less the     greater than 45 MPa;   (e) modulus of rupture NOT less than     than 15 MPa;   (f) bulk density NOT less than 1.0% k</pre>	5%; 70%; 15% but NOT greater than 20 MPa but NOT . 7 MPa but NOT greater but NOT greater than 2.5%	- TC 0	619971	
2 Years non use. In transit provisions apply		-		10 0	<u>,,,,,,,</u>	

-	of Goods including the ff Classification		e Item Number e of Effect
8413.81.10	<pre>STIRRERS, SIDE CHANNEL, MELTING AND CASTING FURNACE, comprising BOTH of the following: (a) liquid metal pumps; (b) inductor cooling primary circuits Op. 04.08.06 Dec. date 20.10.06</pre>	- TC 0613058	50 15.08.17
	2 Years non use. In transit provisions apply		
8414.80.20	BLOWERS, ROTARY, LIME KILN Op. 01.06.06 Dec. date 25.08.06	- TC 0610311	50 15.08.17
	2 Years non use. In transit provisions apply		
8418.69.00	CHILLERS, X-RAY THICKNESS GAUGE Op. 26.07.06 Dec. date 13.10.06	- TC 0612478	50 15.08.17
	2 Years non use. In transit provisions apply		
8419.81.90	LINES, COOKING, POULTRY MEAT, comprising ALL of the following: (a) breaders; (b) applicators; (c) mixers; (d) fryer; (e) oven; (f) spiral freezer Op. 14.12.06 Dec. date 09.03.07	- TC 0619718	50 15.08.17
	2 Years non use. In transit provisions apply		
8419.89.90	DEHUMIDIFIERS, PHARMACEUTICAL ENCAPSULATION LINE Op. 23.11.06 Dec. date 02.03.07	- TC 0618826	50 15.08.17
	2 Years non use. In transit provisions apply		
8438.20.00	COLD STAMPERS, comprising ALL of the following: (a) exchangeable die sets; (b) cooling systems; (c) drives; (d) drip trays; (e) air conditioning systems Op. 01.12.06 Dec. date 02.03.07	- TC 0619262	50 15.08.17
	2 Years non use. In transit provisions apply		
8438.80.00	<pre>BLENDERS AND CARBONATORS, SOFT DRINK, programmable logic controlled, comprising ALL of the following: (a) water and syrup/concentrate blenders; (b) brix density sensors; (c) flow meters; (d) integrated worker adde carbonation injector pagelog</pre>		50 15.08.17
	<pre>(d) integrated vortex edge carbonation injector nozzles Op. 18.12.06 Dec. date 09.03.07</pre>	- TC 0619783	
	2 Years non use. In transit provisions apply		
8479.89.90	<pre>SYSTEMS, SOIL DENSIFICATION AND REINFORCEMENT, comprising ALL of the following: (a) vibroflots; (b) hydraulic power packs; (c) water jetting pumps</pre>		50 15.08.17
		- TC 0618693	
	2 Years non use. In transit provisions apply		

-	of Goods including the If Classification			Item Numbe e of Effect
3479.89.90	PARTS, SYNCHROTRON BEAMLINE, being mir Op. 20.12.06 Dec	ror manipulators . date 16.03.07	- TC 0620001	50 15.08.17
	2 Years non use. In transit provisions	apply		
3484.20.00	<pre>PARTS, BLAST FURNACE HOT BLAST VALVE, (a) mechanical seals; (b) stuffing boxes; (c) seal rings</pre>	being ANY of the following:		50 15.08.17
		. date 02.03.07	- TC 0618985	
	2 Years non use. In transit provisions	s apply		
3484.90.90	PARTS, ROLL END COUPLING, being ANY of (a) swivel rod seals; (b) piston seals; (c) axial face seals Op. 09.06.06 Dec	-	- TC 0610076	50 15.08.17
	2 Years non use. In transit provisions		10 0010070	
3501.52.00	MOTORS, SWITCHED RELUCTANCE, having AI (a) direct drives; (b) variable speed; (c) three phase; (d) torque NOT less than 28 N.m and N	L of the following:		50 15.08.17
	32 N.m Op. 08.06.06 Dec	. date 25.08.06	- TC 0609750	
	2 Years non use. In transit provisions	apply		
9508.90.00	<pre>PARTS, HALF PIPE RIDE, being ANY of th (a) accelerators and/or decelerators (b) passenger trains; (c) brackets; (d) brakes; (e) cleats; (f) columns; (g) controllers; (h) frames; (i) plates; (j) supports; (k) towers; (l) tracks; (m) weldments</pre>	-		50 15.08.17
		. date 02.03.07	- TC 0619400	

2 Years non use. In transit provisions apply