



Commonwealth
of Australia

Gazette

No. TC17/47, Wednesday, 8 November 2017
Published by the Commonwealth of Australia

TARIFF CONCESSIONS

CONTENTS

TCO Applications	2
TCO Application Reworded.....	6
TCO Applications Refused.....	8
TCOs Made.....	9
Intention to Revoke TCOs not used in over 2 years.....	11
TCOs Revoked - Unused for over 2 years	13
TCO Revoked and Re-Issued – Transcription Error	16

The Commonwealth of Australia Tariff Concessions Gazette
(the Tariff Concessions Gazette) is free of charge on the DIBP
internet site at:

<http://www.border.gov.au/Busi/domestic-manufacturers-and-importers>

The Tariff Concessions Administration Section is located at
5 Constitution Ave Canberra City 2601

Contact details:

General Email Inquiries:.....tarcon@border.gov.au
General Inquiries:(02) 6229 3567
TAPIN help desk:(02) 6275 6534
Facsimile:(02) 6223 8180

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269K(1) - APPLICATIONS MADE FOR TARIFF CONCESSION ORDERS

Applications have been lodged for Tariff Concession Orders for the goods described in the following TABLE.

Australian manufacturers who wish to contest the granting of a Tariff Concession Order for the goods described are invited to lodge a submission in writing in an approved form. Submissions must be lodged within 50 days of the date of publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

Objections to the making of TCO submission forms are available at

<http://www.border.gov.au/Forms/Documents/b444.pdf>

Contact: Email tarcon@border.gov.au

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
3916.90.00 PANELS, polycarbonate, translucent OR opaque, with OR without panel connectors, having ALL of the following: (a) width NOT greater than 1 100 mm; (b) cellular air pocket structure; (c) cold bending minimum radius NOT less than 2.5 m and NOT greater than 5.0 m; (d) impact resistance complying with Australian Standard AS 1562-3-2006, Australian Standard AS 4040.4-2006 AND Australian Standard/New Zealand Standard AS/NZS 4040.5:1996 Op. 18.10.17	50 - TC 17110282
Stated Use: For constructing building walls and ceilings Applicant: DAN PAL AUSTRALIA PTY LTD	5%
3920.61.00 SHEETS, polycarbonate, translucent, having ALL of the following: (a) width NOT greater than 600 mm; (b) cold bending minimum radius NOT less than 2.5 m and NOT greater than 5.0 m; (c) impact resistance complying with Australian Standard AS 1562-3-2006, Australian Standard AS 4040.4-2006 AND Australian Standard/New Zealand Standard AS/NZS 4040.5:1996 Op. 20.10.17	50 - TC 17111700
Stated Use: For constructing building walls and ceilings Applicant: DAN PAL AUSTRALIA PTY LTD	5%
4009.21.90 HOSES, flexible, including BOTH of the following: (a) inner rubber hose tubing; (b) braided stainless steel outer cover Op. 20.10.17	50 - TC 17111764
Stated Use: Provide a conduit between gas supply and usage Applicant: BROMIC PTY LTD	5%

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
<p>8419.89.90 ANIMAL FEED STEAM MOISTURISING AND BACTERIA REDUCING MACHINES, programmable logic controlled, including ALL of the following:</p> <ul style="list-style-type: none"> (a) mixer AND feed chute; (b) conveying paddles; (c) temperature sensors; (d) steam AND liquid outlets; (e) maximum throughput capacity NOT less than 40 t per hour <p>Op. 09.10.17</p> <p>Stated Use: For steam moisturising and reducing bacteria in animal feed material that is to be used for producing animal food pellets</p> <p>Applicant: AHRENS GROUP PTY LTD</p>	<p>50</p> <p>- TC 17106316</p> <p>5%</p>
<p>8421.39.90 DESULPHURISATION PLANT, including ALL of the following:</p> <ul style="list-style-type: none"> (a) pump; (b) check valve; (c) level sensor <p>Op. 18.10.17</p> <p>Stated Use: Removal of hydrogen sulphide gas from biogas</p> <p>Applicant: EVO INDUSTRIES</p>	<p>50</p> <p>- TC 17110285</p> <p>5%</p>
<p>8426.11.00 BRIDGE CRANES, OVERHEAD TRAVELLING, programmable logic controlled, including BOTH of the following:</p> <ul style="list-style-type: none"> (a) telescopic self-centring reel handling clamp; (b) guided load lifter <p>Op. 10.10.17</p> <p>Stated Use: For the lifting and transferring goods such as reels with rolls of plastic film</p> <p>Applicant: TAGHLEEF INDUSTRIES PTY LTD</p>	<p>50</p> <p>- TC 17106324</p> <p>5%</p>
<p>8428.90.00 REEL HANDLING AND TRANSFERRING MACHINES, being ANY of the following:</p> <ul style="list-style-type: none"> (a) shaft inserters with reel holding stands; (b) rotating tables with conveyor elevators; (c) shuttles with rails <p>Op. 10.10.17</p> <p>Stated Use: For the handling and transfer of reels with goods such as rolls of plastic film</p> <p>Applicant: TAGHLEEF INDUSTRIES PTY LTD</p>	<p>50</p> <p>- TC 17106320</p> <p>5%</p>
<p>8428.90.00 LIFTING AND HANDLING MACHINES, STORAGE AND RETRIEVAL, programmable logic controlled, including BOTH of the following:</p> <ul style="list-style-type: none"> (a) conveyors; (b) lift platforms <p>Op. 20.10.17</p> <p>Stated Use: Storage and retrieval of containerised goods over multiple levels of storage racks</p> <p>Applicant: DEMATIC PTY LTD</p>	<p>50</p> <p>- TC 17111772</p> <p>5%</p>

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
<p>8438.80.00 ANIMAL FEED PELLETTISING MACHINES, including ALL of the following:</p> <ul style="list-style-type: none"> (a) maximum throughput capacity NOT less than 40 t per hour; (b) feed flow controller; (c) motor having a power capacity NOT less than 470 kW; (d) motor water cooler; (e) motor AND bearings lubricator; (f) control connection box; (g) variable speed pellet dies; (h) feed heater <p>Op. 10.10.17</p> <p>Stated Use: For manufacturing animal feed pellets</p> <p>Applicant: AHRENS GROUP PTY LTD</p>	<p>50</p> <p>- TC 17106318</p> <p>5%</p>
<p>8479.10.00 TRUCKS, SWEEPER, including ALL of the following:</p> <ul style="list-style-type: none"> (a) waster hopper having a volume capacity NOT greater than 2 cubic metres; (b) suction turbines; (c) brushes having a diameter NOT less than 700 mm; (d) control panel; (e) gross vehicle weight NOT greater than 3.5 tonnes <p>Op. 16.10.17</p> <p>Stated Use: For cleaning pedestrian areas, streets and warehouses where larger sweepers cannot access</p> <p>Applicant: GARWOOD INTERNATIONAL PTY LTD</p>	<p>50</p> <p>- TC 17109310</p> <p>5%</p>
<p>8483.40.90 DRIVE UNITS, including ALL of the following:</p> <ul style="list-style-type: none"> (a) helical gear; (b) triple reduction; (c) horizontal AND/OR right angle AND/OR parallel shaft <p>Op. 17.10.17</p> <p>Stated Use: Drive mechanism for heavy duty materials handling machinery</p> <p>Applicant: SUMITOMO (SHI) HANSEN AUSTRALIA PTY LTD</p>	<p>50</p> <p>- TC 17109830</p> <p>5%</p>
<p>8537.10.90 CRANE CONTROLLERS, enclosed, programmable logic controlled, including ALL of the following:</p> <ul style="list-style-type: none"> (a) DC/AC converter; (b) DC/DC converter; (c) hoist AND/OR braking system frequency inverter; (d) long travel frequency inverter; (e) cross travel frequency inverter; (f) braking resistors; (g) engineering workstation with computers; (h) wireless access points; (i) air conditioner <p>Op. 17.10.17</p> <p>Stated Use: Automated control of an overhead crane for carrying steel slabs</p> <p>Applicant: BLUESCOPE STEEL (AIS) PTY LTD</p>	<p>50</p> <p>- TC 17109838</p> <p>5%</p>

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
<p>8716.39.00 TRAILERS, CONCRETE PANEL TRANSPORTING, including ALL of the following: (a) NOT less than 3 axles; (b) concrete panel loader AND unloader; (c) trailer width NOT greater than 2 500 mm; (d) load restraint hydraulic clamps Op. 12.09.17</p> <p>Stated Use: For transporting concrete panels</p> <p>Applicant: DUNBAR CONSULTING SERVICES</p>	<p>50</p> <p>- TC 1797691</p> <p>5%</p>
<p>8901.10.10 CATAMARANS, submersible, including ALL of the following: (a) passenger AND crew capacity NOT greater than 30; (b) diesel AND/OR electric powered; (c) length NOT greater than 21 metres Op. 18.10.17</p> <p>Stated Use: Transporting passengers and performing dives</p> <p>Applicant: DOWNUNDER SUBMARINES PTY LTD</p>	<p>50</p> <p>- TC 17110294</p> <p>5%</p>
<p>9305.91.00 PARTS, TURRET CANNON SYSTEM, MILITARY HELICOPTER, being ANY of the following: (a) recoil mechanism; (b) firing AND/OR elevation stops, whether OR not assembled; (c) ammunition chutes; (d) ammunition boxes; (e) suspension springs; (f) electrical connector receptacles; (g) brackets AND/OR support plates; (h) ammunition feeder guides; (i) ammunition feeders, whether OR not assembled; (j) breeches; (k) power supply boxes, each having NOT less than one connector; (l) cannon armament computers; (m) firing contacts; (n) shell OR cartridge ejectors; (o) access covers; (p) barrels Op. 13.10.17</p> <p>Stated Use: As parts, during the construction and repair of cannon turrets in attack helicopters</p> <p>Applicant: AIRBUS AUSTRALIA PACIFIC LTD</p>	<p>50</p> <p>- TC 17108007</p> <p>5%</p>

CUSTOMS ACT 1901

NOTICE PURSUANT TO SECTION 2691(4B)(b) - PROPOSAL TO AMEND DESCRIPTION OF GOODS FOLLOWING AN OBJECTION
SUBMISSION

Amended description has been proposed for the Tariff Concession Order application shown in the following TABLE.

Australian manufacturers who consider that there are reasons why the Tariff Concession Order as proposed to be amended should not be made are invited to lodge a submission. Submissions must be lodged no later than 14 days after the publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number
8479.89.90 DIVER CONTROL AND SUPPORT SYSTEM, having ALL of the following: <ul style="list-style-type: none"> (a) electrical AND/OR gas umbilicals; (b) hydraulic power units; (c) safety equipment, being ALL of the following: <ul style="list-style-type: none"> (i) breathing cylinders AND masks; (ii) gas tester; (iii) life jackets; (iv) resuscitator; (v) dive harness; (vi) fire extinguishers; (vii) dive cylinder; (viii) stretcher; (ix) oxygen analyser, (d) compressors; (e) filters; (f) air receiver tanks; (g) workshop tools, being ALL of the following: <ul style="list-style-type: none"> (i) sockets; (ii) drill; (iii) screw drivers; (iv) wire brush; (v) tape measures; (vi) wrenches; (vii) hammers; (viii) pliers; (ix) spanners; (x) saws; (xi) hot air gun, (h) diver communications, being ALL of the following: <ul style="list-style-type: none"> (i) phones; (ii) radios; (iii) headphones; (iv) video cameras; (v) monitors; (vi) video receivers; (vii) speakers; (viii) microphones, (i) gas control panels; (j) decompression chamber, having window pressure capacity complying with American Society of Mechanical Engineers standard ASME PVHO-1-2012; 	50

(Continued on next page)

Description of Goods including the
Customs Tariff Classification

Schedule 4 Item Number

(Continued from previous page)

- (k) clump weight;
- (l) dive baskets;
- (m) hydraulic launch AND recovery frames, including BOTH of
the following:
 - (i) winches;
 - (ii) guides

Op. 07.07.17

- TC 1773881

Stated Use:

To maintain life support for divers by monitoring and
controlling the dive gas and communications from the surface to
reduce the risks associated with deep sea diving

Applicant: DOF SUBSEA AUSTRALIA PTY LTD

CUSTOMS ACT 1901**NOTICE PURSUANT TO SECTION 269R(1) - APPLICATIONS FOR TARIFF CONCESSION ORDERS REFUSED**

The application for the Tariff Concession Order for the goods described in the following TABLE has have been refused.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number
3923.21.00 LINERS, linear low-density polyethylene (LLDPE), having four seals AND/OR panels Op. 07.06.17 Reason for refusal: Substitutable goods produced in Australia in the ordinary course of business by Andrew Kohn Pty Ltd, Dingley, Vic	50 - TC 1760238

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269R(1) - TARIFF CONCESSION ORDERS MADE

Tariff Concession Orders have been made for the goods described in the following TABLE.

The operative date (Op.) and TC reference No. follow the description of goods. Local manufacturers of substitutable goods may request the revocation of TCOs at any time.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect General Duty Rate
5607.41.00 TWINE, polypropylene content greater than 85%, including BOTH of the following: (a) thickness NOT less than 500 tex and NOT greater than 12 000 tex; (b) spool length NOT less than 300 metres and NOT greater than 7 000 metres Op. 04.08.17 Dec. date 31.10.17 - TC 1783487	50
6306.22.00 TENT CANVASES, complying with Australian Standard AS 1530.3-1989, table 3.1 spread of flame index NOT greater than 6 AND table 3.3 smoke developed index NOT greater than 5 Op. 16.08.17 Dec. date 06.11.17 - TC 1787659	50
7323.93.00 COOKWARE, STAINLESS STEEL, being ANY of the following: (a) cooking pans AND/OR pots; (b) baking pans AND/OR pots; (c) deep fryer baskets; (d) pasta pan AND/OR pot inserts; (e) braisers; (f) ramekins; (g) Dutch ovens, with OR without ANY of the following: (i) aluminium cores; (ii) copper bases; (iii) non-stick coatings; (iv) lids; (v) silicone handles Op. 15.08.17 Dec. date 06.11.17 - TC 1787177	50
8481.10.00 REGULATORS, NATURAL GAS, having BOTH of the following: (a) flow capacity NOT greater than 80 MJ/hr; (b) inlet pressure NOT greater than 10 Kpa Op. 04.08.17 Dec. date 31.10.17 - TC 1783515	50
8544.60.90 CABLES, POWER, stranded, including ALL of the following: (a) voltage rating NOT less than 1.5 kV DC and NOT greater than 1.8 kV DC; (b) aluminium OR copper conductor, having a cross-section NOT less than 95 square mm and NOT greater than 500 square mm; (c) maximum continuous working temperature NOT greater than 121 degrees Celsius; (d) compliance with Australian Standard/New Zealand Standard AS/NZS 5000.1.2005; (e) electron beam cross-linked polyethylene OR electron beam cross-linked polyolefin OR halogen polyolefin layer; (f) polyvinyl chloride OR polyolefin jacket Op. 03.08.17 Dec. date 01.11.17 - TC 1783200	50

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect General Duty Rate
8544.60.90 CABLES, POWER, stranded, including ALL of the following: (a) voltage rating NOT less than 1.5 kV DC and NOT greater than 1.8 kV DC; (b) aluminium OR copper conductor, having a cross-section NOT less than 95 square mm and NOT greater than 500 square mm; (c) maximum continuous working temperature NOT greater than 121 degrees Celsius; (d) compliance with Australian Standard/New Zealand Standard AS/NZS 5000.1.2005; (e) electron beam cross-linked polyethylene OR electron beam cross-linked polyolefin OR halogen polyolefin layer; (f) polyvinyl chloride AND/OR polyolefin AND/OR high density polyethylene jacket; (g) nylon jacket Op. 03.08.17 Dec. date 01.11.17 - TC 1783201	50
8544.60.90 CABLES, POWER, stranded, including ALL of the following: (a) voltage rating NOT less than 1.5 kV DC and NOT greater than 1.8 kV DC; (b) aluminium OR copper conductor, having a cross-section NOT less than 2.5 square mm and NOT greater than 300 square mm; (c) maximum continuous working temperature NOT greater than 121 degrees Celsius; (d) compliance with Australian Standard/New Zealand Standard AS/NZS 5000.1.2005; (e) electron beam cross-linked polyethylene OR electron beam cross-linked polyolefin OR halogen polyolefin layer; (f) polyvinyl chloride OR electron beam cross-linked polyolefin jacket Op. 03.08.17 Dec. date 01.11.17 - TC 1783203	50
8544.60.90 CABLES, POWER, stranded, including ALL of the following: (a) voltage rating NOT less than 1.5 kV DC and NOT greater than 1.8 kV DC; (b) aluminium OR copper conductor, having a cross-section NOT less than 2.5 square mm and NOT greater than 300 square mm; (c) maximum continuous working temperature NOT greater than 121 degrees Celsius; (d) compliance with Australian Standard/New Zealand Standard AS/NZS 5000.1.2005; (e) electron beam cross-linked polyethylene OR electron beam cross-linked polyolefin OR halogen polyolefin layer; (f) polyvinyl chloride OR electron beam cross-linked polyolefin jacket; (g) nylon OR polyvinyl chloride OR high density polyethylene jacket Op. 03.08.17 Dec. date 01.11.17 - TC 1783207	50
9402.90.00 OPERATING TABLES, SURGICAL Op. 16.08.17 Dec. date 06.11.17 - TC 1787180	50

COMMERCIAL TARIFF CONCESSION ORDERS (CTCOs) & TARIFF CONCESSION ORDERS (TCOs) NOT USED IN THE PREVIOUS 2 YEARS

The Comptroller-General of Customs is satisfied that the CTCOs and TCOs listed in the table below are no longer required because, in the 2 years preceding the day of this notice, they have not been quoted in an import declaration to secure a concessional rate of duty.

From Thursday, 7 December 2017, it is intended to take action to revoke these Orders under subsection 269SD (1A) of the Customs Act 1901. In accordance with subsection 269SG (2) of the Customs Act 1901, in transit provisions shall apply. If revoked, the expected date of effect will be 6 December 2017.

Interested parties are invited to provide, by close of business, Wednesday 6 December 2017, written reasons why an Order should NOT be revoked.

Please advise if any of the Orders listed below have been quoted on an import declaration.

If a request is made to retain an Order used for the granting of a Determination, please specify the Determination and the linked Item number to enable mapping to the Order and its scope.

THE TABLE

Tariff Classification	Description	Concession Number
2909.49.00	DI-TRIMETHYLOLPROPANE	
	Op. 10.03.09	Dec. date 29.05.09 - TC 0908130
3816.00.00	RAMMING MIXTURES, HEARTH OR TUYERE ZONE, BLAST FURNACE, resin bonded graphite, having ALL of the following: (a) graphite content NOT less than 80%; (b) thermal conductivity NOT less than 22 W/mK after drying to 110 degrees celsius	
	Op. 12.01.09	Dec. date 03.04.09 - TC 0900425
3816.00.00	RAMMING MIXTURES, RESIN BONDED, HEARTH OR CERAMIC PAD, BLAST FURNACE, having ALL of the following: (a) fixed carbon or graphite content NOT less than 39%; (b) alumina content NOT less than 14%	
	Op. 17.02.09	Dec. date 15.05.09 - TC 0905484
3816.00.00	RAMMING MIXTURES, RESIN BONDED, BLAST FURNACE STAVES, having BOTH of the following: (a) fixed carbon or graphite content NOT less than 29%; (b) silicon carbide content NOT less than 19%	
	Op. 17.02.09	Dec. date 15.05.09 - TC 0905486
3816.00.00	RAMMING MIXTURES, REFRACTORY, HEAT TRANSFER, BLAST FURNACE, silicon carbide based, having ALL of the following: (a) silicon carbide (SiC) content NOT less than 45%; (b) alumina content NOT less than 8%; (c) silica (amorphous fumes) content NOT less than 2%; (d) clay kaolinite content NOT less than 2%	
	Op. 11.03.09	Dec. date 29.05.09 - TC 0908207
3816.00.00	GUNNING MIXTURES, REFRACTORY, HOT BLAST MAIN FLAT ARCH, BLAST FURNACE, having ALL of the following: (a) chamotte content NOT less than 23%; (b) bauxite content NOT less than 23%; (c) clay kaolinite content NOT less than 8%; (d) alumina content NOT less than 8%	
	Op. 11.03.09	Dec. date 29.05.09 - TC 0908211

4819.50.00	PACKAGING, RECORD AND/OR CD AND/OR DVD, having a composition of NOT less than 75% processed elephant dung	Op. 20.07.09	Dec. date 02.10.09	- TC 0925641
7411.29.00	TUBING, copper, solid drawn, finned, having ALL of the following: (a) copper to ASME specification SB-75; (b) continuous integrally rolled fins (not welded or mechanically attached) with thickness of 0.53 mm to 0.66 mm; (c) overall fin diameter 38 mm to 46 mm; (d) 275 to 350 fins/m; (e) tube internal diameter 15 mm to 22.5 mm and wall thickness 1.00 mm to 1.9 mm; (f) length exceeding 49 mm	Op. 27.10.94	Dec. date 18.02.09	- TC 0902892
7411.29.00	U TUBES, STEAM BOILER, copper-aluminium alloy	Op. 26.03.09	Dec. date 19.06.09	- TC 0910175
8405.90.00	PARTS, HYDROGEN GENERATOR, being ANY of the following: (a) structural elements; (b) platforms; (c) ladders; (d) ducting	Op. 15.05.09	Dec. date 24.07.09	- TC 0916642
8417.90.00	RAMMING STRIPS, BLAST FURNACE, metal	Op. 16.01.09	Dec. date 14.04.09	- TC 0901468
8419.40.00	FLUIDIZED CATALYTIC CRACKING UNITS, comprising ALL of the following: (a) reactors; (b) regenerators; (c) distillation columns; (d) fractionators; (e) electrostatic precipitators; (f) pumps; (g) valves; (h) turbines; (i) cyclones	Op. 28.05.09	Dec. date 21.08.09	- TC 0918136
8419.89.90	AIR SEPARATION UNITS, comprising ALL of the following: (a) cold boxes; (b) compressors; (c) controllers; (d) filters; (e) heat exchangers; (f) pumps; (g) refrigeration units; (h) sieves; (i) turbines; (j) vessels	Op. 21.05.09	Dec. date 14.08.09	- TC 0917314

CUSTOMS ACT 1901

NOTICE PURSUANT TO SECTION 269SE(2) - TARIFF CONCESSION ORDER REVOCATION AT THE INITIATIVE OF THE COMPTROLLER-GENERAL OF CUSTOMS

The Tariff Concession Orders listed in THE TABLE below have has not been used for at least 2 years and have been revoked under Section 269SD(1A). In transit provisions apply.

The intention to revoke these orders was notified in Gazette TC 17/41 dated 27 September 2017.

Contact: Email tarcon@border.gov.au.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
3808.92.00 FUNGICIDES, with a basis of difenoconazole and metalaxyl-M Op. 19.11.08 Dec. date 06.02.09 2 Years non use. In transit provisions apply	- TC 0840331 50 24.10.17
4811.59.10 PAPER, PHOTOGRAPH PRINTING, having embedded yellow, magenta and cyan dye crystals Op. 13.10.08 Dec. date 14.01.09 Tapin Notes: 2 Years non use. In transit provisions apply	- TC 0835243 50 24.10.17
5607.50.00 ROPE, MULTIFILAMENT, staple nylon, with terminations, having ALL of the following: (a) 8 strand multi-plait; (b) length NOT greater than 40 m; (c) diameter NOT less than 35 mm; (d) weight NOT greater than 1 kg per meter Op. 17.09.08 Dec. date 12.12.08 2 Years non use. In transit provisions apply	- TC 0831466 50 24.10.17
6815.10.00 PARTS, PARALLEL SLIDE OR CHECK STEAM VALVES, exfoliated graphite and/or carbon, being ANY of the following: (a) gland packings; (b) pressure seal bonnet gaskets; (c) gland pack ropes; (d) gland pack rings Op. 01.10.08 Dec. date 19.12.08 2 Years non use. In transit provisions apply	- TC 0833614 50 24.10.17
7411.22.00 TUBES OR PIPES, copper-nickel, square, having BOTH of the following: (a) conforming to American Society for Testing and Materials B111 C70600 (ASTM B111 C70600); (b) dimensions NOT greater than 100 mm x 100 mm x 6 mm wt Op. 20.11.08 Dec. date 27.02.09 2 Years non use. In transit provisions apply	- TC 0840475 50 24.10.17
7419.99.00 FITTINGS, REFINED COPPER, half round, being EITHER of the following: (a) external or internal pressed European bead corners; (b) clip on rainwater or gutter outlets Op. 11.09.08 Dec. date 05.12.08 2 Years non use. In transit provisions apply	- TC 0830840 50 24.10.17
8414.90.90 PARTS, FANS, SINTER FURNACE, being impellor and shaft sets Op. 08.09.08 Dec. date 28.11.08 2 Years non use. In transit provisions apply	- TC 0829954 50 24.10.17

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number Last Date of Effect	
8438.90.10	PARTS, DOUGH METERING PUMPS, being pump housings Op. 20.11.08 Dec. date 27.02.09 2 Years non use. In transit provisions apply	- TC 0840471	50 24.10.17
8438.90.10	PARTS, BISCUIT MAKING MACHINE, being dough metering pumps Op. 20.11.08 Dec. date 27.02.09 2 Years non use. In transit provisions apply	- TC 0840472	50 24.10.17
8477.59.00	LINE, PLASTIC PROCESSING, having ALL of the following: (a) hoppers; (b) granulators; (c) ventilators; (d) conveyors; (e) filters Op. 15.05.08 Dec. date 25.08.08 2 Years non use. In transit provisions apply	- TC 0827461	50 24.10.17
8477.80.00	MILLS, RUBBER AND/OR THERMOPLASTIC, having BOTH of the following: (a) working roll diameter NOT less than 710 mm; (b) working roll length NOT less than 2 200 mm Op. 02.10.08 Dec. date 19.12.08 2 Years non use. In transit provisions apply	- TC 0833811	50 24.10.17
8479.89.90	LAMINATED GLASS PRE NIP (ROLL LAMINATOR), programmable logic control, comprising ALL of the following: (a) infeed conveyors; (b) heating zones; (c) roller presses; (d) off load conveyor with tilt table; (e) switch and control units Op. 10.12.08 Dec. date 06.03.09 2 Years non use. In transit provisions apply	- TC 0843279	50 24.10.17
8480.60.00	FORMWORK, STEEL, PRECAST CONCRETE COUNTERFORT, panels and sections complying with BOTH of the following: (a) welding Australian Standard 1554.1:2004 (AS1554.1:2004); (b) Standards Association of Australia (SAA) steel structure code Australian Standard 1250:1981 (AS1250:1981) Op. 08.09.08 Dec. date 28.11.08 2 Years non use. In transit provisions apply	- TC 0830062	50 24.10.17
8483.10.99	DRIVE SHAFTS, COOLING TOWER FAN, COKE OVEN Op. 17.11.08 Dec. date 30.01.09 2 Years non use. In transit provisions apply	- TC 0840067	50 24.10.17
8483.40.90	ASSEMBLIES, GEARBOX AND PINION, STEEL STRIP FINISHING MILL Op. 01.10.08 Dec. date 19.12.08 2 Years non use. In transit provisions apply	- TC 0833618	50 24.10.17
8504.34.00	TRANSFORMERS, PHASE SHIFTING, having ALL of the following: (a) primary, secondary and tertiary windings; (b) primary voltage NOT less than 132 kV; (c) secondary voltage NOT less than 132 kV; (d) rating NOT less than 200 MVA; (e) phase adjusting winding and voltage adjusting winding to shift the phase angle between the primary and secondary windings; (f) phase angle shifting between 0 degrees and 30 degrees retarding Op. 16.10.08 Dec. date 14.01.09 2 Years non use. In transit provisions apply	- TC 0835842	50 24.10.17

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
8704.23.00 CHASSIS, TRUCK, COMPRESSION IGNITION ENGINE, 6 x 2 drawbar lifting tag axle, having a gross vehicle weight of 26 tonnes or greater Op. 26.08.08 Dec. date 14.11.08 2 Years non use. In transit provisions apply	50 24.10.17 - TC 0828159
8705.90.00 VEHICLES, SWEEPER, SUCTION, ride in, having ALL of the following: (a) two wheel steering; (b) sweeping width NOT greater than 2 880 mm; (c) dirt hopper capacity NOT greater than 1.85 m3; (d) transport mode NOT greater than 50 km per hour; (e) outer turning radius NOT greater than 3 850 mm; (f) width NOT greater than 1 320 mm; (g) height NOT greater than 1 995 mm Op. 27.11.08 Dec. date 27.02.09 2 Years non use. In transit provisions apply	50 24.10.17 - TC 0841590

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269SE(2)

TARIFF CONCESSION ORDER REVOKED AND RE-ISSUED IN ACCORDANCE WITH 269SD(3) OF THE CUSTOMS ACT
TRANSCRIPTION ERROR

The Tariff Concession Order for the goods described in the following TABLE has been revoked and re-issued to amend an incorrect operative date in respect of the goods described below.

The operative date (Op.), decision date (Dec. date) and TC reference number follow the description of goods.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
TCO REVOKED	
3808.93.00 HERBICIDE, group B, dry flowable, being 72.5% to 77.5% sulfometuron-methyl Op. 01.01.07 Tapin Notes: Tariff Amendment Bill 2017 See TC17117745 keyed to 3808 93 90	50 12.09.17 - TC 0614107
TCO REISSUED	
3808.93.90 HERBICIDE, group B, dry flowable, being 72.5% to 77.5% sulfometuron-methyl Op. 13.09.17	50 - TC 17117745