



Commonwealth  
of Australia

# Gazette

No. TC 17/51, Wednesday, 6 December 2017

Published by the Commonwealth of Australia

**TARIFF CONCESSIONS**

## CONTENTS

TCO Applications .....	2
TCOs Made .....	5
Local Manufacturer Initiated - TCO Revocation Requests .....	7
Local Manufacturer Initiated - TCOs Revoked .....	11
Intention to Revoke TCOs not used in over 2 years .....	12
TCOs Revoked - Unused for over 2 years .....	13
Section 273 Determinations Made .....	16

The Commonwealth of Australia Tariff Concessions Gazette  
(the Tariff Concessions Gazette) is free of charge on the DIBP  
internet site at:

<http://www.border.gov.au/Busi/domestic-manufacturers-and-importers>

The Tariff Concessions Administration Section is located at  
5 Constitution Ave Canberra City 2601

**Contact details:**

General Email Inquiries:.....tarcon@border.gov.au

General Inquiries: .....(02) 6229 3567

TAPIN help desk: .....(02) 6275 6534

Facsimile:.....(02) 6223 8180

**CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269K(1) - APPLICATIONS MADE FOR TARIFF CONCESSION ORDERS**

Applications have been lodged for Tariff Concession Orders for the goods described in the following TABLE.

Australian manufacturers who wish to contest the granting of a Tariff Concession Order for the goods described are invited to lodge a submission in writing in an approved form. Submissions must be lodged within 50 days of the date of publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

Objections to the making of TCO submission forms are available at

<http://www.border.gov.au/Forms/Documents/b444.pdf>

Contact: Email tarcon@border.gov.au

## THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
6810.99.00 TANKS, ELECTROLYTIC CELL, polymer concrete composite wall with vinyl ester resin gelcoated surfaces, having ALL of the following: (a) length NOT less than 6 metres; (b) width NOT less than 1.25 metres; (c) height NOT less than 1.7 metres; (d) inlet AND overflow bowls; (e) decant outlet; (f) inlet channel Op. 10.11.17	50          - TC 17120080
Stated Use: Electrorefining process in a copper refinery  Applicant: BHP BILLITON OLYMPIC DAM CORPORATION PTY LTD	5%
7306.50.00 COILED TUBING, OIL AND GAS WELL, whether OR not on spools AND/OR reels Op. 13.11.17	50   - TC 17121391
Stated Use: Utilised to assist in the transfer of fluids  Applicant: SCHLUMBERGER AUSTRALIA PTY LTD	5%
8419.81.90 FOOD FRYING SYSTEM, including ALL of the following: (a) frying machine, incorporating conveyors; (b) insulated hood; (c) vapour extraction flues; (d) pumps, with OR without infeed AND/OR outfeed conveyors Op. 08.11.17	50          - TC 17118418
Stated Use: For frying food  Applicant: CANON FOODS SERVICES PTY LTD	5%

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
<p>8426.11.00 VACUUM CRANES, UNCURED AERATED AUTOCLAVED CONCRETE BLOCK LIFTING, programmable logic controlled, having ALL of the following:  (a) vacuum lifter;  (b) crane weight NOT less than 13 000 kg;  (c) crust remover;  (d) vacuum lifting capacity greater than 1 800 kg  Op. 08.11.17</p> <p>Stated Use:  To lift and remove waste from uncured aerated autoclaved concrete blocks</p>	<p>50</p> <p>- TC 17119046</p>
<p>Applicant: CSR BUILDING PRODUCTS LIMITED</p>	<p>5%</p>
<p>8428.39.00 ROLLER TRACKS, CONCRETE MOULD TRANSPORT, programmable logic controlled  Op. 08.11.17</p> <p>Stated Use:  Transport concrete moulds in autoclaved aerated concrete plant</p>	<p>50</p> <p>- TC 17119042</p>
<p>Applicant: CSR BUILDING PRODUCTS LIMITED</p>	<p>5%</p>
<p>8438.80.00 FOOD COATING AND CRUMBING LINE, including ALL of the following:  (a) flouring machine;  (b) batter coating machine;  (c) crumbing machine;  (d) conveyors,  with OR without a tempura coating machine  Op. 08.11.17</p> <p>Stated Use:  For coating and crumbing food products</p>	<p>50</p> <p>- TC 17118421</p>
<p>Applicant: CANON FOODS SERVICES PTY LTD</p>	<p>5%</p>
<p>8474.80.00 MOULDS, UNCURED AUTOCLAVED AERATED CONCRETE, including ALL of the following:  (a) drop down sides;  (b) maximum volume capacity NOT less than 7.5 cubic metres;  (c) empty weight NOT less than 4.5 t  Op. 08.11.17</p> <p>Stated Use:  For the moulding of uncured, autoclaved aerated concrete building blocks</p>	<p>50</p> <p>- TC 17119037</p>
<p>Applicant: CSR BUILDING PRODUCTS LIMITED</p>	<p>5%</p>
<p>8479.89.90 FLUSHING SYSTEM, TANK OR SEWER, programmable logic controlled, including ALL of the following:  (a) hydraulic cylinder;  (b) hydraulic pump;  (c) hydraulic hose;  (d) control panel;  (e) ultrasonic water level sensor;  (f) water reservoir;  (g) hydraulic power unit, including BOTH of the following:  (i) electric motor;  (ii) oil reservoir  Op. 02.11.17</p> <p>Stated Use:  For flushing and clearing sewers or tank bottoms in sewerage works</p>	<p>50</p> <p>- TC 17116620</p>
<p>Applicant: METAVAL CONSOLIDATED PTY LTD</p>	<p>5%</p>

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number General Duty Rate
8536.50.99	SWITCHES, ROTARY, ELECTRICITY CONTROL, including EITHER of the following: (a) printed circuit board mounting; (b) switch panel mounting Op. 08.11.17  Stated Use: For controlling electrical circuits by rotating the switch button  Applicant: RS COMPONENTS PTY LTD	50         - TC 17119030         5%
8536.50.99	SWITCHES, ROCKER, ELECTRICITY CONTROL, having ANY of the following: (a) switch panel mounting; (b) contact resistance capacity greater than 25 milliohms; (c) curved OR circular rocker button; (d) inrush current capacity NOT exceeding 80 A; (e) silver alloy contact connectors; (f) snap in panel mounting; (g) single OR double pole circuit controls Op. 08.11.17  Stated Use: For controlling electrical circuits by pushing the switch rocker button  Applicant: RS COMPONENTS PTY LTD	50         - TC 17119033         5%
8716.31.00	TANKERS, LIQUIFIED GAS, B-double trailer Op. 10.11.17  Stated Use: Transportation of liquified gas by two trailers  Applicant: ORICA AUSTRALIA PTY LTD	50         - TC 17120961         5%
8716.31.00	NURSE TANKERS, LIQUIFIED GAS, semi-trailer Op. 10.11.17  Stated Use: Transportation of liquified gas  Applicant: ORICA AUSTRALIA PTY LTD	50         - TC 17120974         5%

**CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269R(1) - TARIFF CONCESSION ORDERS MADE**

Tariff Concession Orders have been made for the goods described in the following TABLE.

The operative date (Op.) and TC reference No. follow the description of goods. Local manufacturers of substitutable goods may request the revocation of TCOs at any time.

## THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number
3808.99.00 INSECTICIDES AND/OR NEMATOCIDES, having a basis of oxamyl Op. 01.09.17 Dec. date 29.11.17	50 - TC 1794022
3917.39.90 UMBILICALS, SUBSEA, wound on drums, including ALL of the following: (a) polyurethane inner AND outer sheath; (b) fibre braid; (c) fibre AND/OR extruded fillers; (d) NOT less than 24 reinforced hoses, with OR without spiral guards; (e) hose fittings AND/OR connectors Op. 07.09.17 Dec. date 29.11.17	50 - TC 1795765
3923.10.90 CRATES, polypropylene, foldable, stackable, having BOTH of the following: (a) maximum load weight NOT less than 16 kg per crate; (b) ventilated sides AND base Op. 31.08.17 Dec. date 29.11.17	50 - TC 1793117
6810.99.00 SLATS, FLOORING, dry cast concrete, having BOTH of the following: (a) tapered recessed slat underside; (b) concrete strength NOT less than 40 MPa Op. 30.08.17 Dec. date 29.11.17	50 - TC 1793017
7214.91.00 BARS, non-alloy steel, flat, square OR round edge, complying with British Standard BS EN 10025-2:2004(E), having ALL of the following: (a) width NOT less than 98 mm and NOT greater than 102 mm; (b) thickness NOT less than 48 mm and NOT greater than 52 mm; (c) manganese content less than 1.65% Op. 30.08.17 Dec. date 29.11.17	50 - TC 1793016
7326.90.90 CLAMPS, RAILWAY TRACK DAMPING BLOCK, stainless steel Op. 07.09.17 Dec. date 29.11.17	50 - TC 1795969
8203.20.00 PLIERS, being one OR more of ANY of the following: (a) needle nose combination pliers; (b) high leverage diagonal cutters; (c) long reach needle nose pliers having transverse profiles, with OR without curved tips Op. 05.09.17 Dec. date 29.11.17	50 - TC 1794655
8419.40.00 ANHYDROUS HYDROGEN CHLORIDE GAS EXTRACTION PLANT, skid mounted, including ALL of the following: (a) distiller, including ALL of the following: (i) distillation column; (ii) reboiler; (iii) overhead condenser, (b) calcium chloride regenerator, including ALL of the following: (i) reboiler; (ii) pumps; (iii) flash drum; (iv) water condenser, (c) dryer, including ALL of the following: (i) chilled condenser;	50

(Continued on next page)

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number
---	------------------------

(Continued from previous page)

	(ii) chilled demister; (iii) molecular sieve towers; (iv) nitrogen heater; (v) gas injector with a gas accumulator, (d) skids; (e) pipes; (f) valves Op. 01.09.17	Dec. date 29.11.17	- TC 1793538	
8421.99.90	SCREENS, SHAKER, including BOTH of the following: (a) glass fibre-filled, polypropylene frame reinforced with steel rods; (b) stainless steel wire cloth Op. 05.09.17	Dec. date 29.11.17	- TC 1794658	50
8428.90.00	TURNOVER TABLES, WOODEN PALLET ASSEMBLING LINE Op. 04.09.17	Dec. date 29.11.17	- TC 1794384	50
8431.39.00	WHEEL ASSEMBLIES, AUTOCLAVE WHEEL TRACK CONVEYOR, with OR without axle shaft, including BOTH of the following: (a) wheels; (b) bearings Op. 31.08.17	Dec. date 01.12.17	- TC 1793020	50
8438.50.00	CARCASS DEHAIRING LINE, having ALL of the following: (a) fully automatic through feed scalding tanks; (b) one roll dehairing machines; (c) connecting elements; (d) loading devices; (e) dehairing AND receiving tables; (f) working platforms; (g) bristle collection tubs; (h) washing machines; (i) singer furnaces; (j) four roll whipping machines Op. 01.09.17	Dec. date 29.11.17	- TC 1794020	50
8441.10.10	SLITTER-REWINDERS, PAPER AND/OR PAPERBOARD AND/OR FILM AND/OR FOIL Op. 31.08.17	Dec. date 29.11.17	- TC 1793440	50
8903.10.00	BOATS, inflatable, rigid hull, with OR without motors, including ALL of the following: (a) buoyancy tubes; (b) fibreglass hull; (c) length NOT less than 8 m and NOT greater than 14 m Op. 04.09.17	Dec. date 29.11.17	- TC 1794379	50

**NOTIFICATION OF AN AUSTRALIAN INDUSTRY REVOCATION REQUEST - SECTION 269SC(1A) CUSTOMS ACT**

Applications have been lodged for revocation of the Tariff Concession Orders set out in the following TABLE.

The Lodgement Request Date shown in the table below is the intended revocation date for the Tariff Concession Order which will take effect should the application for revocation be successful.

Importations not covered by in-transit provisions may be subject to post action as any decision to revoke an order is backdated to the date of request for revocation.

## THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Lodgement Request Date
--	--

7209.16.00	STEEL, flat rolled, iron OR non-alloy, cold rolled, not coated, in coils, complying with Japanese Industrial Standard G3141 (JIS G3141) grades SPCC OR SPCD OR SPCE, having ALL of the following: (a) yield strength NOT less than 115 MPa and NOT greater than 265 MPa; (b) tensile strength NOT less than 270 MPa; (c) elongation NOT less than 36% and NOT greater than 57%; (d) in ANY of the following sizes: (i) thickness 1.40 mm and width 773 mm; (ii) thickness 1.40 mm and width 1 050 mm; (iii) thickness 2.00 mm and width 620 mm	50 27.11.17
------------	---	----------------

For the purposes of this Order, tolerances allowable for specification (d) are:

(a) thickness +/- 10%

(b) width +/- 1%

Op. 04.03.13

Dec. date 13.05.13

- TC 1308126

7209.16.00	STEEL, flat rolled, iron OR non-alloy steel, cold rolled, in coils, not coated, complying with Japanese Industrial Standard G3135 (JIS G3135), grade SPFC440 OR SPFC590, having ALL of the following: (a) yield strength NOT less than 265 MPa and NOT greater than 560 MPa; (b) tensile strength NOT less than 440 MPa; (c) total elongation NOT less than 18%; (d) in ANY of the following sizes: (i) thickness 1.20 mm and width 962 mm; (ii) thickness 1.20 mm and width 1 090 mm; (iii) thickness 1.20 mm and width 1 306 mm; (iv) thickness 1.40 mm and width 715 mm; (v) thickness 1.40 mm and width 1 182 mm; (vi) thickness 1.40 mm and width 1 185 mm; (vii) thickness 1.40 mm and width 1 302 mm; (viii) thickness 1.60 mm and width 1 240 mm; (ix) thickness 1.80 mm and width 1 132 mm; (x) thickness 1.80 mm and width 1 166 mm; (xi) thickness 1.80 mm and width 1 225 mm; (xii) thickness 2.00 mm and width 890 mm; (xiii) thickness 2.00 mm and width 990 mm	50 27.11.17
------------	--	----------------

For the purposes of this Order, tolerances allowable for specification (d) are:

(a) thickness +/- 10%

(b) width +/- 1%

Op. 28.12.12

Dec. date 18.03.13

- TC 1349343

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Lodgement Request Date
<p>7209.17.00 STEEL, flat rolled, iron OR non-alloy, cold rolled, not coated, in coils, complying with Japanese Industrial Standard G3141 (JIS G3141) grades SPCC OR SPCD OR SPCE, having ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) yield strength NOT less than 115 MPa and NOT greater than 265 MPa;</li> <li>(b) tensile strength NOT less than 270 MPa;</li> <li>(c) elongation NOT less than 36% and NOT greater than 57%;</li> <li>(d) in EITHER of the following sizes: <ul style="list-style-type: none"> <li>(i) thickness 0.70 mm and width 1 390 mm;</li> <li>(ii) thickness 0.80 mm and width 1 110 mm</li> </ul> </li> </ul> <p>For the purposes of this Order, tolerances allowable for specification (d) are:</p> <ul style="list-style-type: none"> <li>(a) thickness +/- 10%</li> <li>(b) width +/- 1%</li> </ul> <p>Op. 04.03.13 Dec. date 13.05.13 - TC 1308130</p>	50 27.11.17
<p>7209.17.00 STEEL, flat rolled, iron OR non-alloy steel, cold rolled, not coated, in coils, complying with Japanese Industrial Standard G3135 (JIS G3135), grades SPFC440 OR SPFC590, having ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) yield strength NOT less than 265 MPa and NOT greater than 560 MPa;</li> <li>(b) tensile strength NOT less than 440 MPa;</li> <li>(c) total elongation NOT less than 18%;</li> <li>(d) in EITHER of the following sizes: <ul style="list-style-type: none"> <li>(i) thickness 1.00 mm and width 1 108 mm;</li> <li>(ii) thickness 1.00 mm and width 1 135 mm</li> </ul> </li> </ul> <p>For the purposes of this Order, tolerances allowable for specification (d) are:</p> <ul style="list-style-type: none"> <li>(a) thickness +/- 10%</li> <li>(b) width +/- 1%</li> </ul> <p>Op. 05.09.13 Dec. date 02.12.13 - TC 1330121</p>	50 27.11.17
<p>7209.17.00 STEEL, flat rolled, iron OR non-alloy steel, cold rolled, not coated, in coils, complying with Japanese Industrial Standard G3141 (JIS G3141) grades SPCC, SPCD OR SPCE having ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) yield strength NOT less than 115 MPa and NOT greater than 265 MPa;</li> <li>(b) tensile strength NOT less than 270 MPa;</li> <li>(c) total elongation NOT less than 36% and NOT greater than 57%;</li> <li>(d) in ANY of the following sizes: <ul style="list-style-type: none"> <li>(i) thickness 0.50 mm and width 870 mm;</li> <li>(ii) thickness 0.55 mm and width 1 430 mm;</li> <li>(iii) thickness 0.75 mm and width 1 625 mm;</li> <li>(iv) thickness 0.75 mm and width 1 670 mm</li> </ul> </li> </ul> <p>For the purposes of this Order, tolerances allowable for specification (d) are:</p> <ul style="list-style-type: none"> <li>(a) thickness +/- 10%</li> <li>(b) width +/- 1%</li> </ul> <p>Op. 28.12.12 Dec. date 18.03.13 - TC 1349338</p>	50 27.11.17
<p>7209.17.00 STEEL, flat rolled, iron OR non-alloy steel, cold rolled, not coated, in coils, complying with Japanese Industrial Standard G3135 (JIS G3135), grades SPFC440, OR SPFC590, having ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) yield strength NOT less than 265 MPa and NOT greater than 560 MPa;</li> <li>(b) tensile strength NOT less than 440 MPa;</li> <li>(c) total elongation NOT less than 18%;</li> <li>(d) in ANY of the following sizes: <ul style="list-style-type: none"> <li>(i) thickness 0.80 mm and width 1 097 mm;</li> <li>(ii) thickness 1.00 mm and width 1 010 mm;</li> </ul> </li> </ul>	50 27.11.17

(Continued on next page)





Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Lodgement Request Date
---	--

<p>7210.30.00 STEEL, flat rolled, iron OR non-alloy steel, tin AND zinc alloy electrolytically coated, in coils, having ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) yield strength NOT less than 115 MPa and NOT greater than 370 MPa;</li> <li>(b) tensile strength NOT less than 270 MPa;</li> <li>(c) total elongation NOT less than 33%;</li> <li>(d) total coating mass NOT less than 30 g/m<sup>2</sup> and NOT greater than 50 g/m<sup>2</sup> on each side;</li> <li>(e) in ANY of the following sizes: <ul style="list-style-type: none"> <li>(i) thickness 0.60 mm and width 980 mm;</li> <li>(ii) thickness 0.80 mm and width 1 159 mm;</li> <li>(iii) thickness 0.80 mm and width 1 209 mm;</li> <li>(iv) thickness 0.80 mm and width 890 mm;</li> <li>(v) thickness 1.00 mm and width 780 mm;</li> <li>(vi) thickness 1.00 mm and width 840 mm;</li> <li>(vii) thickness 1.00 mm and width 865 mm</li> </ul> </li> </ul>	<p>50 27.11.17</p>
--	------------------------

For the purposes of this Order, tolerances allowable for specification (e) are:

- (a) thickness +/- 10%
  - (b) width +/- 1%
- Op. 28.12.12

Dec. date 18.03.13

- TC 1349357

**CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269SE(1) - AUSTRALIAN INDUSTRY INITIATED - TARIFF CONCESSION  
ORDERS REVOKED**

The Tariff Concession Orders for the goods described in the following TABLE have been revoked.

## THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
8501.61.00 POWER GENERATION AND SUPPLY SYSTEM, OFF-GRID ELECTRICITY, whether OR not assembled, including ALL of the following: (a) solar panels; (b) lithium-ion batteries; (c) panel mountings; (d) cables and/or cable conduits; (e) diesel operated generator sets; (f) inverters; (g) switchover units; (h) air conditioned container; (i) communication controls Op. 17.07.17	50 15.10.17
Dec. date 11.10.17	- TC 1776215
Substitutable goods produced in Australia in the ordinary course of business by Ampcontrol SWG Pty Ltd, Tomago, NSW. In transit provisions apply	
8514.10.00 BURNERS, MELTING AND FUSING, MINERAL SAMPLE, programmable logic controlled, electric, resistance heated Op. 25.11.10	50 11.10.17
Dec. date 28.02.11	- TC 1051914
Substitutable goods produced in Australia in the ordinary course of business by XRF Technology (WA) Pty Ltd, Malaga, WA. In transit provisions apply	

**TARIFF CONCESSION ORDERS (TCOs) NOT USED IN THE PREVIOUS 2 YEARS**

The Comptroller-General of Customs is satisfied that the TCOs listed in the table below are no longer required because, in the 2 years preceding the day of this notice, they have not been quoted in an import declaration to secure a concessional rate of duty.

From Thursday, 4 January 2018, it is intended to take action to revoke these Orders under subsection 269SD (1A) of the Customs Act 1901. If revoked, the TCO ceases to apply on or after 4 January 2018. In accordance with subsection 269SG (2) of the Customs Act 1901, in transit provisions shall apply.

Interested parties are invited to provide, by close of business, Wednesday 3 January 2018, written reasons why an Order should NOT be revoked.

Please advise if any of the Orders listed below have been quoted on an import declaration.

If a request is made to retain an Order used for the granting of a Determination, please specify the Determination and the linked Item number to enable mapping to the Order and its scope.

## THE TABLE

Tariff Classification	Description	Concession Number
7321.90.00	CABINET AND CHASSIS SUBASSEMBLIES, RADIANT/CONVECTION GAS HEATER, including ALL of the following: (a) air diffusers; (b) air ducts; (c) back plates; (d) covers; (e) fan ducts; (f) fan mount plates; (g) front fascia panels; (h) side supports; (i) sparker tabs; (j) top baffles	
	Op. 23.12.10	Dec. date 21.03.11 - TC 1055903
8428.90.00	PIPE TENSIONER MACHINES, horizontal direction, having ALL of the following: (a) maximum push/pull strength NOT less than 45 t; (b) maximum torque hub output NOT less than 40 000 N.m; (c) pipe diameter handling capacity NOT less than 15 cm and NOT greater than 150 cm; (d) hydraulic power pack	
	Op. 11.08.10	Dec. date 09.11.10 - TC 1036902

## CUSTOMS ACT 1901

## NOTICE PURSUANT TO SECTION 269SE(2) - TARIFF CONCESSION ORDER REVOCATION AT THE INITIATIVE OF THE COMPTROLLER-GENERAL OF CUSTOMS

The Tariff Concession Orders listed in THE TABLE below have not been used for at least 2 years and have been revoked under Section 269SD(1A). In transit provisions apply.

The intention to revoke these orders was notified in Gazette TC 17/46 dated 1 November 2017.

Contact: Email tarcon@border.gov.au

## THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
3926.90.90 STORAGE UNITS, DIGITAL DISK, novelty, helmet shaped Op. 16.09.09 Dec. date 27.11.09 2 Years non use. In transit provisions apply	- TC 0934676 50 28.11.17
3926.90.90 MODULES, WATER STORAGE, flat-packable, load bearing, underground, having central channel opening NOT less than 490 mm diameter Op. 19.10.09 Dec. date 19.02.10 2 Years non use. In transit provisions apply	- TC 0939173 50 28.11.17
6307.90.99 BAGS, INSECT AND SMALL ORGANISM EXTRACTOR, having ALL of the following: (a) sifter bags; (b) mesh bags; (c) rings; (d) sieves; (e) tubes Op. 19.06.09 Dec. date 04.09.09 2 Years non use. In transit provisions apply	- TC 0920819 50 28.11.17
7323.93.00 MEASURERS, PASTA Op. 30.06.09 Dec. date 18.09.09 2 Years non use. In transit provisions apply	- TC 0922437 50 28.11.17
8205.59.00 WRENCH LEVER KITS, FUSE REMOVAL, EXPLOSIVE ORDNANCE, including ALL of the following: (a) mounting frames; (b) cable reels; (c) cable pullers; (d) canvas equipment holdall Op. 02.04.09 Dec. date 26.06.09 2 Years non use. In transit provisions apply	- TC 0911258 50 28.11.17
8207.19.00 CANOPY TUBE DRILLING SYSTEM, including BOTH of the following: (a) casing tube, incorporating grout relief valves, having tube connection bending strength NOT less than 20.6 kNm; (b) reamers Op. 01.07.09 Dec. date 25.09.09 2 Years non use. In transit provisions apply	- TC 0922650 50 28.11.17
8309.90.00 CAPS, BOTTLE, ring pull with moulded liner Op. 03.06.09 Dec. date 28.08.09 2 Years non use. In transit provisions apply	- TC 0918825 50 28.11.17

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number Last Date of Effect
8404.90.00	PARTS, POWER STATION BOILER DRY ASH HANDLER, Being EITHER of the following: (a) base support frames; (b) hoppers or silos Op. 03.07.09 Dec. date 18.09.09 - TC 0922980 2 Years non use. In transit provisions apply	50 28.11.17
8412.21.00	PARTS, ELECTRIC WELDER, whether or not with seals, being ANY of the following: (a) strip edge hydraulic cylinders; (b) upper shear hydraulic cylinders; (c) lower shear hydraulic cylinders; (d) tilt table hydraulic cylinders; (e) clamping hydraulic cylinders; (f) smoothing hydraulic cylinders; (g) overlap hydraulic cylinders Op. 14.10.09 Dec. date 30.12.09 - TC 0938775 2 Years non use. In transit provisions apply	50 28.11.17
8415.82.00	PRE-CONDITIONED AIR UNITS, AIRCRAFT CABIN, point of use Op. 22.10.09 Dec. date 04.01.10 - TC 0939875 2 Years non use. In transit provisions apply	50 28.11.17
8419.50.90	HEAT EXCHANGERS, OVAL TUBE, OFF GAS FEED AND EFFLUENT, WATER TREATMENT PLANT, stainless steel, having a heat transfer capacity NOT less than 2 650 x 10 to the power of 6 kilocalarie/h Op. 19.10.09 Dec. date 19.02.10 - TC 0939311 2 Years non use. In transit provisions apply	50 28.11.17
8419.89.90	MELT LINE, incorporating ALL of the following: (a) electric arc furnaces; (b) argon oxygen decarburisers; (c) transformers; (d) buckets; (e) cranes; (f) baghouses; (g) ladle transfer car Op. 07.07.09 Dec. date 02.10.09 - TC 0923656 2 Years non use. In transit provisions apply	50 28.11.17
8421.21.90	SEAWATER DESALINATION PRE-TREATMENT PLANT, comprising ALL of the following: (a) piping and/or fittings; (b) pumps; (c) valves; (d) tanks; (e) chemical dosers; (f) strainers and/or filters; (g) electrical instrumentation modules and/or controllers Op. 20.07.09 Dec. date 09.10.09 - TC 0925655 2 Years non use. In transit provisions apply	50 28.11.17
8421.21.90	SEAWATER DESALINATION REVERSE OSMOSIS PLANT, comprising ALL of the following: (a) piping and/or fittings; (b) pumps; (c) valves; (d) tanks and/or racks; (e) membranes; (f) chemical dosers; (g) cranes and/or hoists; (h) filters; (i) electrical instrumentation modules and/or controllers Op. 20.07.09 Dec. date 09.10.09 - TC 0925657 2 Years non use. In transit provisions apply	50 28.11.17

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number	Last Date of Effect
8428.90.00 MARINE LOADER ARMS, LIQUID AND/OR GAS TRANSFER, including BOTH of the following: (a) loading arms; (b) transfer pipe Op. 26.08.09 Dec. date 13.11.09 - TC 0931307 2 Years non use. In transit provisions apply	50	28.11.17
8479.89.90 CEMENTING MANIFOLDS, DOWNHOLE Op. 19.05.09 Dec. date 07.08.09 - TC 0916982 2 Years non use. In transit provisions apply	50	28.11.17
8501.34.00 MOTORS, DC, DUAL SKIP WINDER, having BOTH of the following: (a) output continuous power rating NOT less than 5 000 kW; (b) speed NOT greater than 100 r/min Op. 23.06.09 Dec. date 11.09.09 - TC 0921432 2 Years non use. In transit provisions apply	50	28.11.17
8504.31.00 CURRENT TRANSFORMERS, OUTDOOR, cast resin, having ALL of the following: (a) rated voltage (between phases) of 33 kV; (b) maximum voltage (between phases) of 36 kV; (c) frequency 50 Hz; (d) rated primary current 1 500 A; (e) rated continuous thermal current 1 A For the purpose of this Order the tolerances for specifications (a) to (e) are + or - 1% Op. 25.09.09 Dec. date 11.12.09 - TC 0936684 2 Years non use. In transit provisions apply	50	28.11.17
8535.21.00 CIRCUIT BREAKERS, PASSENGER TRAIN, roof mounted, having BOTH of the following: (a) direct tripping reaction time NOT greater than 3 milliseconds; (b) DC rated operation voltage NOT less than 1 800 V Op. 08.05.09 Dec. date 31.07.09 - TC 0915570 2 Years non use. In transit provisions apply	50	28.11.17

**NOTICE OF DETERMINATIONS MADE UNDER PART XVI OF THE CUSTOMS ACT 1901**

Under subsection 273B(2) of the Customs Act 1901, notice is hereby given of the making of determinations applying to goods of a kind specified in the table below.

In the table:

(i) the first column specifies the kind of goods to which the determination applies, any conditions specified in the determination, the commencement and cessation dates of the determination and the determination reference number;

(ii) the second column specifies the item in Schedule 4 to the Customs Tariff Act 1995 that applies to the specified goods;

(iii) 'AD' indicates the determination was made by AusIndustry;

## THE TABLE

Description of Goods Dates of Effect	Schedule 4 Item Number
Import of PVC resin suspension complying with the following criteria: (a) Mean granular size NOT less than 100 microns and NOT greater than 200 microns; (b) Granular size minimum 95% by volume NOT less than 50 microns and NOT greater than 300 microns; and (c) K-value complying with ISO 1628-2: 1998 of less than 59 Imported by Polymer Direct Pty Ltd (ABN 72153304280), for use specifically in the manufacturing of pipes and pipe fittings 11.08.17 to 10.08.19	46

- AD 01004334