



Commonwealth
of Australia

Gazette

No. TC 17/52, Wednesday, 13 December 2017
Published by the Commonwealth of Australia

TARIFF CONCESSIONS

CONTENTS

TCO Applications	2
TCO Applications Reworded.....	6
TCO Applications Refused.....	7
TCOs Made	8
Local Manufacturer Initiated - TCO Revocation Requests	12
TCOs Revoked - Unused for over 2 years	17
Comptroller-General of Customs Initiated - TCOs Revoked	19
Intention to Revoke TCOs not used in over 2 years.....	20

The Commonwealth of Australia Tariff Concessions Gazette
(the Tariff Concessions Gazette) is free of charge on the DIBP
internet site at:

<http://www.border.gov.au/Busi/domestic-manufacturers-and-importers>

The Tariff Concessions Administration Section is located at
5 Constitution Ave Canberra City 2601

Contact details:

General Email Inquiries:.....tarcon@abf.gov.au

General Inquiries:(02) 6229 3567

TAPIN help desk:(02) 6275 6534

Facsimile:(02) 6223 8180

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269K(1) - APPLICATIONS MADE FOR TARIFF CONCESSION ORDERS

Applications have been lodged for Tariff Concession Orders for the goods described in the following TABLE.

Australian manufacturers who wish to contest the granting of a Tariff Concession Order for the goods described are invited to lodge a submission in writing in an approved form. Submissions must be lodged within 50 days of the date of publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

Objections to the making of TCO submission forms are available at

<http://www.border.gov.au/Forms/Documents/b444.pdf>

Contact: Email tarcon@abf.gov.au

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
3917.39.90 PIPE LINERS, glass fibre, neopentylglycol polyester resin impregnated Op. 15.11.17 Stated Use: Industrial structural renovation of water and sewer pipes Applicant: INTERFLOW PTY LTD	50 - TC 17122415 5%
6907.21.90 PORCELAIN SLABS, Having ALL of the following: (a) length NOT greater than 3 800 mm; (b) width NOT greater than 1 800 mm; (c) thickness NOT greater than 35 mm Op. 15.11.17 Stated Use: By the building construction and furniture industries for kitchen and bathroom countertops, flooring, interior walls, facades and cladding for exterior surfaces Applicant: CDK STONE PTY LTD	50 - TC 17122412 5%
6907.21.90 PORCELAIN SLABS, polished, having ALL of the following: (a) length NOT greater than 3 800 mm; (b) width NOT greater than 1 800 mm; (c) thickness NOT greater than 35 mm Op. 15.11.17 Stated Use: By the building construction and furniture industries for kitchen and bathroom countertops, flooring, interior walls, facades and cladding for exterior surfaces Applicant: CDK STONE PTY LTD	50 - TC 17122414 5%

8415.82.00	HEATING VENTILATING AND AIR CONDITIONING (HVAC) UNIT, DIESEL-ELECTRIC LOCOMOTIVE, incorporating a refrigeration unit, including ALL of the following: <ul style="list-style-type: none"> (a) DC to AC inverter; (b) compressor; (c) evaporator blower AND motor; (d) condenser fan AND motor Op. 15.11.17	50
	- TC 17122417	
	Stated Use: Air conditioning unit - ventilation and heating for rail locomotive	
	Applicant: INDUSTREA MINING EQUIPMENT PTY LTD	5%
8428.90.00	PALLET STORAGE AND HANDLING SYSTEM, including ALL of the following: <ul style="list-style-type: none"> (a) loading station; (b) stacker crane; (c) machine tool interface; (d) software Op. 15.11.17	50
	- TC 17122008	
	Stated Use: Manufacturing system for automating pallet handling of a machine tool	
	Applicant: OKUMA AUSTRALIA PTY LTD	5%
8433.60.00	VEGETABLE GRADING AND SEPARATING LINE, programmable logic controlled, including ALL of the following: <ul style="list-style-type: none"> (a) pre-aligners; (b) electric sizers; (c) internal product scanners AND illuminators; (d) product rotating roller conveyors; (e) weight load cells; (f) holeless cup chain transfer conveyors; (g) elevator conveyors; (h) recycling belt conveyors; (i) internal and external image processors; (j) sorters AND graders; (k) product rejectors AND discharge chutes; (l) control panels; (m) walkways with stairs, with OR without one OR both of the following: <ul style="list-style-type: none"> (i) finger belt bin fillers; (ii) zig-zag bin fillers Op. 14.11.17	50
	- TC 17121607	
	Stated Use: For the grading and sorting of onions	
	Applicant: FOOD AUTOMATION	5%

8465.10.00	<p>WOOD MACHINING LINE, programmable logic controlled, including ALL of the following:</p> <ul style="list-style-type: none"> (a) loading system, including BOTH of the following: <ul style="list-style-type: none"> (i) rubber belts; (ii) electric stop control, (b) control panel; (c) wood manipulator, having BOTH of the following: <ul style="list-style-type: none"> (i) grippers; (ii) gantry motors, (d) wood working heads, having NOT less than three axes; (e) working head mounts, having BOTH of the following: <ul style="list-style-type: none"> (i) carriages; (ii) rack AND pinion transmission, (f) tool magazine, having EITHER of the following: <ul style="list-style-type: none"> (i) rack AND pinion guides; (ii) linear guides, (g) cooler, <p>with OR without ANY of the following:</p> <ul style="list-style-type: none"> (i) clamps; (ii) conical cleaners; (iii) pre-squaring window arches; (iv) labelling machine; (v) unloading system, including BOTH of the following: <ul style="list-style-type: none"> (1) rubber belts; (2) electric stop control <p>Op. 14.11.17</p> <p>Stated Use: For the milling, drilling, tenoning and shaping of timbers, during window and door manufacture</p> <p>Applicant: PICKERING JOINERY PTY LTD</p>	50
	- TC 17121611	
		5%
8483.40.90	<p>DRIVETRAIN, WIND TURBINE HAVING A RATED CAPACITY NOT LESS THAN 3.3 MW, having ALL of the following:</p> <ul style="list-style-type: none"> (a) main shaft AND bearing; (b) couplings; (c) gearboxes having BOTH of the following: <ul style="list-style-type: none"> (i) planetary gear stages AND helical gear stages; (ii) bearing concept having ANY of the following: <ul style="list-style-type: none"> (1) taper roller bearing; (2) cylindrical roller bearing, (d) brake system including ALL of the following: <ul style="list-style-type: none"> (i) brake disc; (ii) hydraulic brake callipers; (iii) brake pads, (e) gearbox suspension <p>Op. 10.11.17</p> <p>Stated Use: For use in a wind turbine nacelle with a rated capacity not less than 3.3 MW</p> <p>Applicant: VESTAS - AUSTRALIAN WIND TECHNOLOGY PTY LTD</p>	50
	- TC 17121383	
		5%
8516.60.00	<p>COOKERS, HEATED AIR FRYING AND ROASTING AND GRILLING, including ALL of the following:</p> <ul style="list-style-type: none"> (a) condensation tray; (b) timing AND heating controls; (c) heater AND fan, <p>with OR without ANY of the following:</p> <ul style="list-style-type: none"> (i) removable inner bowl; (ii) roasting rack; (iii) detachable bowl handle; (iv) measuring spoon <p>Op. 09.11.17</p> <p>Stated Use: For frying, roasting and grilling food with heated air</p> <p>Applicant: SUNBEAM CORPORATION PTY LTD</p>	50
	- TC 17119029	
		5%

9405.40.00	<p>DOWNLIGHTS, CANOPY, LED, non ceramic with OR without ceramic bulb holder, with OR without power supply, having ALL of the following:</p> <ul style="list-style-type: none"> (a) surface mounted; (b) ingress protection 68; (c) efficacy NOT less than 121 lm/W <p>Op. 13.11.17</p> <p>Stated Use: Illumination of petrol stations, cool rooms and parking structures</p> <p>Applicant: VISUAL TECHNOLOGIES</p>	50	- TC 17121386
9405.50.90	<p>OIL LAMPS, having both of the following:</p> <ul style="list-style-type: none"> (a) fibreglass wick; (b) snuffer cap <p>Op. 22.11.17</p> <p>Stated Use: Mosquito repellent and source of lighting</p> <p>Applicant: MAYO HARDWARE PTY LTD</p>	50	- TC 17124994
9503.00.10	<p>WHEELED TOYS, CHILDREN'S, RIDE ON AND/OR PUSH ALONG, plastic AND/OR metal, including BOTH of the following:</p> <ul style="list-style-type: none"> (a) seat AND/OR push handle; (b) battery operated lights AND/OR sound emitter <p>Op. 21.11.17</p> <p>Stated Use: For the amusement of children</p> <p>Applicant: MATTEL PTY LTD</p>	50	- TC 17124192
		5%	

CUSTOMS ACT 1901

NOTICE PURSUANT TO SECTION 269L(4B)(b) - PROPOSAL TO AMEND DESCRIPTION OF GOODS FOLLOWING AN OBJECTION
SUBMISSION

Amended description has been proposed for the Tariff Concession Order application shown in the following TABLE.

Australian manufacturers who consider that there are reasons why the Tariff Concession Order as proposed to be amended should not be made are invited to lodge a submission. Submissions must be lodged no later than 14 days after the publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number
---	------------------------

8438.80.00	50
FOOD PROCESSING MIXING AND/OR GRINDING MACHINES, programmable logic controlled, including ALL of the following: (a) maximum mixing capacity NOT less than 500 kg; (b) NOT less than two shafts OR axles; (c) NOT less than two gear motors, each having NOT less than two speeds	
Op. 14.08.17	- TC 1786878
Stated Use: For mixing or grinding food such as meat, fish and vegetables	

Applicant: VEMAG AUSTRALIA PTY LTD

CUSTOMS ACT 1901

NOTICE PURSUANT TO SECTION 269R(1) - APPLICATIONS FOR TARIFF CONCESSION ORDERS REFUSED

The application for the Tariff Concession Order for the goods described in the following TABLE has been refused.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number
---	------------------------

8417.90.00 ROTARY KILN TYRES OR RIDING RINGS, cast steel, normalised AND tempered heat treated, having ALL of the following: <ul style="list-style-type: none"> (a) diameter greater than 3.5 m; (b) weight greater than 16 t; (c) yield stress greater than 370 MPa; (d) tensile strength greater than 600 MPa; (e) hardness greater than 160 HB at 5 uniform positions across the contact face; (f) concentric inside diameter NOT less than 0.240 mm; (g) side faces parallel distance NOT less than 0.240 mm AND perpendicular to axis; (h) chemical composition of cast steel as follows: <ul style="list-style-type: none"> (i) carbon content NOT less than 0.30% and NOT greater than 0.40%; (ii) silicon content NOT greater than 0.65%; (iii) manganese content NOT less than 1.15% and NOT greater than 1.70%; (iv) aluminium content NOT less than 0.01% and NOT greater than 0.05%; (v) chromium content NOT greater than 0.30%; (vi) molybdenum content NOT greater than 0.20%; (vii) nickel content NOT greater than 0.05%; (viii) copper content NOT greater than 0.40% 	50
--	----

Op. 30.06.17

- TC 1769652

Reason for refusal:

Substitutable goods produced in Australia in the ordinary course of business by Hofmann Engineering Pty Ltd, Bassendean, WA

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269R(1) - TARIFF CONCESSION ORDERS MADE

Tariff Concession Orders have been made for the goods described in the following TABLE.

The operative date (Op.) and TC reference No. follow the description of goods. Local manufacturers of substitutable goods may request the revocation of TCOs at any time.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect General Duty Rate
3919.90.90 FILM, ADHESIVE, including BOTH of the following: (a) pressure sensitive adhesive layer; (b) silicone coated release liner Op. 01.09.17 Dec. date 06.12.17	50 - TC 1793536
7216.99.00 COUPLINGS, hot dipped galvanised steel, being EITHER of the following: (a) gripping couplings; (b) linking couplings Op. 18.09.17 Dec. date 11.12.17	50 - TC 17100068
7326.90.90 MOUNTINGS, RAILWAY NOISE DAMPING PANELS AND/OR WALLS, with OR without mounting hardware Op. 07.09.17 Dec. date 06.12.17	50 - TC 1795968
7616.99.00 CONDUCTOR RAILS, OVERHEAD, with OR without fishplates Op. 05.10.17 Dec. date 11.12.17	50 - TC 17105179
8205.59.00 SETS, AUTOMOBILE ENGINE TIMING TOOL, consisting of ALL of the following: (a) oil pump tensioner lock; (b) crankshaft pulley bolt spacer; (c) valve remover; (d) tensioner locks; (e) camshaft locks; (f) crankshaft pulley holder Op. 12.09.17 Dec. date 06.12.17	50 - TC 1797484
8208.30.00 ROLLERS, CUTTING, stainless steel Op. 28.09.17 Dec. date 11.12.17	50 - TC 17104557
8211.91.00 KNIVES, TABLE, stainless steel, unplated, with OR without a knife block AND/OR plastic handles Op. 12.09.17 Dec. date 06.12.17	50 - TC 1797487
8414.80.19 KITS, AIRBAG SUSPENSION CONTROL, consisting of ALL of the following: (a) electronic control unit; (b) handheld controller; (c) air compressor; (d) compressor relay; (e) air filter; (f) valve block; (g) height sensors; (h) mounting brackets AND fittings; (i) airline tubing; (j) wiring harness; (k) fasteners Op. 11.09.17 Dec. date 06.12.17	50 - TC 1796587

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect General Duty Rate
8421.29.90 SEPARATION AND FILTRATION MACHINES, SLURRY, having ALL of the following: (a) pneumatic pump; (b) filter press; (c) control panel, with OR without ONE or BOTH of the following: (i) air compressor; (ii) slurry box Op. 26.09.17	50 Dec. date 11.12.17 - TC 17102455
8424.89.90 ABATTOIR HYGIENE MACHINES, being EITHER of the following: (a) apron washing cabinets, with OR without EITHER of the following: (i) hand wash basin; (ii) knife sterilisers, (b) knife sterilisers AND hand wash basins, including a pedestal Op. 15.09.17	50 Dec. date 11.12.17 - TC 1799458
8427.10.00 VEHICLE MOVERS, standing rider OR pedestrian operated, electric motor driven, having a maximum lifting capacity NOT greater than 7 000 kg, with OR without ANY of the following: (a) foldable roller protectors; (b) ride on platform; (c) roller cylinders; (d) winch Op. 12.09.17	50 Dec. date 06.12.17 - TC 17100587
8428.90.00 PACKING LANES, EGG, with OR without conveyors Op. 07.09.17	50 Dec. date 06.12.17 - TC 1795759
8428.90.00 LOADERS, EGG HANDLING, suction cup head, programmable logic controlled Op. 07.09.17	50 Dec. date 06.12.17 - TC 1795761
8434.20.00 BUTTER PROCESSING SYSTEM, programmable logic controlled, including ALL of the following: (a) conveyor; (b) frozen butter crusher AND mixer; (c) butter pump; (d) mixer; (e) control cabinet; (f) table; (g) cleaning pump; (h) valves; (i) touchscreen Op. 15.09.17	50 Dec. date 11.12.17 - TC 1799470
8438.50.00 GOAT SLAUGHTER AND PROCESSING LINE, including ALL of the following: (a) restraining conveyors; (b) goat stunning guns; (c) exsanguinating AND sticking tables; (d) blood troughs; (e) hock cutters, with OR without sterilising machines; (f) horn cutters, with OR without sterilising machines; (g) head cutters, with OR without sterilising machines; (h) brisket clippers, with OR without wash cabinets; (i) tail cutters; (j) neck cutters; (k) air knives; (l) hide removal punches; (m) shoulder hide pullers; (n) carcass final hide pullers; (o) evisceration table with pans, including a cleaning AND sterilising machine; (p) carcass spray washer; (q) band saws; (r) rolling knife saws; (s) overhead conveyors Op. 15.09.17	50 Dec. date 11.12.17 - TC 1799462

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect General Duty Rate
8467.29.00 KITS, METAL GRINDER, consisting of ALL of the following: (a) metal grinder; (b) battery; (c) grip handle; (d) protective guard; (e) lock nut wrench; (f) grinding discs Op. 18.09.17	50 Dec. date 11.12.17 - TC 17100071
8479.89.90 GRADING AND SEPARATING MACHINES, automated, including ALL of the following: (a) inlet hopper; (b) adjustable grading channel; (c) grader; (d) separator; (e) conveyor; (f) discharge chutes; with OR without one OR more of the following: (i) supports with OR without steps AND/OR rails; (ii) control panels; (iii) motor starters; (iv) electrical connectors AND/OR fittings Op. 04.09.17	50 Dec. date 06.12.17 - TC 1794381
8479.89.90 SORTING AND COLLATING MACHINES, including ALL of the following: (a) dosing elevators; (b) product counters with vibratory feeding channels; (c) bucket elevators Op. 11.09.17	50 Dec. date 06.12.17 - TC 1796507
8479.89.90 BOLT TENSIONING TOOLS, HYDRAULIC, SUBSEA, including ALL of the following: (a) indexing rotator; (b) stud bolt AND nut carriers; (c) stud bolt AND nut carrier removal units; (d) remotely operated vehicle interface panel; (e) installation guides; (f) deployment tool carrying baskets Op. 15.09.17	50 Dec. date 11.12.17 - TC 1799475
8514.10.00 OVENS, METAL SOLDERING, vacuum operated, including ALL of the following: (a) electrical resistance heater; (b) anti-oxidising nitrogen gas connector; (c) formic acid bubbler; (d) pneumatic actuators Op. 15.09.17	50 Dec. date 11.12.17 - TC 1799469
8536.50.99 SWITCHES, ELECTRICAL, having ALL of the following: (a) length NOT greater than 3 cm; (b) width NOT greater than 2 cm; (c) maximum electric current capacity greater than 11 A Op. 13.09.17	50 Dec. date 11.12.17 - TC 1798512
8536.50.99 SWITCHES, DOOR INTERLOCK, electrically operated Op. 13.09.17	50 Dec. date 11.12.17 - TC 1798513

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number Last Date of Effect General Duty Rate
8704.21.10	TRUCKS, OFF-ROAD TIPPING, 4 X 4 wheel drive, having ALL of the following: (a) multi-directional tipping tray; (b) compression ignition engine; (c) gross vehicle weight NOT less than 1.3 t and NOT greater than 2.5 t, with OR without a hydraulic scissor lifter Op. 15.09.17 Dec. date 11.12.17	50 - TC 1799457
8705.90.00	TRUCKS, BREAKDOWN RECOVERY, off road, having ALL of the following: (a) compression ignition engine; (b) 10 x 10 wheel drive; (c) cooling rig mounted above chassis; (d) gross vehicle weight NOT less than 38 t and NOT greater than 58 t; (e) winch; (f) steerable tag axle; (g) operating temperature NOT less than -29 degrees Celsius and NOT greater than +49 degrees Celsius; (h) rear underlift recovery unit; (i) earth anchors; (j) rotating crane, having a maximum reach NOT less than 9 m Op. 13.09.17 Dec. date 11.12.17	50 - TC 1798522
8705.90.00	TRUCKS, BREAKDOWN RECOVERY, off road, having ALL of the following: (a) compression ignition engine; (b) 6 x 6 wheel drive; (c) cooling rig mounted above chassis; (d) gross vehicle weight NOT less than 25 t and NOT greater than 37 t; (e) winch; (f) operating temperature NOT less than -29 degrees Celsius and NOT greater than +49 degrees Celsius; (g) rear underlift recovery unit; (h) earth anchors; (j) crane, having a maximum reach NOT less than 6 m Op. 13.09.17 Dec. date 11.12.17	50 - TC 1798529

NOTIFICATION OF AN AUSTRALIAN INDUSTRY REVOCATION REQUEST - SECTION 269SC(1A) CUSTOMS ACT

Applications have been lodged for revocation of the Tariff Concession Orders set out in the following TABLE.

The Lodgement Request Date shown in the table below is the intended revocation date for the Tariff Concession Order which will take effect should the application for revocation be successful.

Importations not covered by in-transit provisions may be subject to post action as any decision to revoke an order is backdated to the date of request for revocation.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Lodgement Request Date
<p>7210.30.00 STEEL, flat rolled, non-alloy, electrolytically plated or coated with zinc, in coils, having ALL of the following:</p> <p>(a) yield strength NOT less than 140 MPa and NOT greater than 210 MPa;</p> <p>(b) tensile strength NOT less than 270 MPa and NOT greater than 350 MPa;</p> <p>(c) total elongation NOT less than 38%;</p> <p>(d) total coating mass NOT less than 47 g/m2 and NOT greater than 61 g/m2 on each side;</p> <p>(e) thickness 0.70 mm and width 1 160 mm</p> <p>For the purposes of this Order, tolerances allowable for specification (e) are:</p> <p>(a) thickness +/- 10%</p> <p>(b) width +/- 1%</p> <p>Op. 13.03.13 Dec. date 03.06.13 - TC 1309163</p>	50 04.12.17
<p>7210.30.00 STEEL, flat rolled, non-alloy, electrolytically plated OR coated with zinc, in coils, having ALL of the following:</p> <p>(a) yield strength NOT less than 110 MPa and NOT greater than 240 MPa;</p> <p>(b) tensile strength NOT less than 260 MPa;</p> <p>(c) elongation NOT less than 37%;</p> <p>(d) coating mass NOT less than 36 g/m2 and NOT greater than 90 g/m2 on each side;</p> <p>(e) in ANY of the following sizes:</p> <p>(i) thickness 0.70 mm and width 980 mm;</p> <p>(ii) thickness 0.70 mm and width 1 160 mm;</p> <p>(iii) thickness 0.70 mm and width 1 250 mm;</p> <p>(iv) thickness 0.70 mm and width 1 520 mm;</p> <p>(v) thickness 0.70 mm and width 1 640 mm;</p> <p>(vi) thickness 0.80 mm and width 960 mm;</p> <p>(vii) thickness 0.80 mm and width 1 160 mm;</p> <p>(viii) thickness 0.80 mm and width 1 370 mm;</p> <p>(ix) thickness 0.80 mm and width 1 600 mm;</p> <p>(x) thickness 0.90 mm and width 950 mm</p> <p>For the purposes of this Order, tolerances allowable for specification (e) are:</p> <p>(a) thickness +/- 10%</p> <p>(b) width +/- 1%</p> <p>Op. 22.05.13 Dec. date 12.08.13 - TC 1316842</p>	50 04.12.17

7210.49.00 STEEL, flat rolled non-alloy, hot dipped galvanized zinc coated, in coils, having ALL of the following: 50
04.12.17

- (a) yield strength NOT less than 275 MPa and NOT greater than 380 MPa;
- (b) tensile strength NOT less than 440 MPa;
- (c) elongation NOT less than 30%;
- (d) coating mass NOT less than 45 g/m² and NOT greater than 65 g/m² on each side;
- (e) thickness 2.00 mm and width 792 mm

For the purposes of this Order, tolerances allowable for specification (e) are:

- (a) thickness +/- 10%
- (b) width +/- 1%

Op. 04.02.13 Dec. date 02.05.13 - TC 1304297

7210.49.00 STEEL, flat rolled, non-alloy, hot dipped galvanized zinc coated, in coils, having ALL of the following: 50
04.12.17

- (a) yield strength NOT less than 115 MPa and NOT greater than 305 MPa;
- (b) tensile strength NOT less than 270 MPa;
- (c) elongation NOT less than 37% and NOT greater than 57%;
- (d) coating mass NOT less than 35 g/m² and NOT greater than 65 g/m² on each side;
- (e) in ANY of the following sizes:
 - (i) thickness 0.55 mm and width 1 117 mm;
 - (ii) thickness 0.55 mm and width 1 201 mm;
 - (iii) thickness 0.60 mm and width 1 473 mm;
 - (iv) thickness 0.65 mm and width 895 mm;
 - (v) thickness 0.65 mm and width 1 275 mm;
 - (vi) thickness 0.65 mm and width 1 595 mm;
 - (vii) thickness 0.70 mm and width 870 mm;
 - (viii) thickness 0.75 mm and width 1 090 mm;
 - (ix) thickness 0.75 mm and width 1 450 mm;
 - (x) thickness 0.80 mm and width 1 214 mm;
 - (xi) thickness 0.80 mm and width 1 700 mm;
 - (xii) thickness 1.00 mm and width 815 mm;
 - (xiii) thickness 1.00 mm and width 1 180 mm;
 - (xiv) thickness 1.40 mm and width 933 mm;
 - (xv) thickness 1.40 mm and width 1 070 mm;
 - (xvi) thickness 1.80 mm and width 835 mm;
 - (xvii) thickness 1.80 mm and width 1 022 mm

For the purposes of this Order, tolerances allowable for specification (e) are:

- (a) thickness +/- 10%
- (b) width +/- 1%

Op. 04.03.13 Dec. date 13.05.13 - TC 1308115

7210.49.00 STEEL, flat rolled, non-alloy, hot dipped galvanized zinc coated, in coils, having ALL of the following: 50
04.12.17

- (a) yield strength NOT less than 160 MPa and NOT greater than 325 MPa;
- (b) tensile strength NOT less than 270 MPa;
- (c) elongation NOT less than 35% and NOT greater than 50%;
- (d) coating mass NOT less than 45 g/m² and NOT greater than 65 g/m² on each side;
- (e) in ANY of the following sizes:
 - (i) thickness 1.00 mm and width 878 mm;
 - (ii) thickness 1.20 mm and width 801 mm;
 - (iii) thickness 1.20 mm and width 1 049 mm;
 - (iv) thickness 1.40 mm and width 1 030 mm;
 - (v) thickness 1.60 mm and width 870 mm;
 - (vi) thickness 1.60 mm and width 1 172 mm;
 - (vii) thickness 1.80 mm and width 960 mm;
 - (viii) thickness 1.80 mm and width 1 175 mm;
 - (ix) thickness 2.00 mm and width 1 070 mm

For the purposes of this Order, tolerances allowable for specification (e) are:

- (a) thickness +/- 10%
- (b) width +/- 1%

Op. 04.03.13 Dec. date 13.05.13 - TC 1308121

7210.49.00	<p>STEEL, flat rolled, non-alloy, hot dipped galvanized zinc coated, in coils, having ALL of the following:</p> <ul style="list-style-type: none"> (a) yield strength NOT less than 155 MPa and NOT greater than 295 MPa; (b) tensile strength NOT less than 340 MPa; (c) elongation NOT less than 34%; (d) coating mass NOT less than 35 g/m2 and NOT greater than 65 g/m2 on each side; (e) thickness 0.75 mm and width 1 600 mm <p>For the purposes of this Order, tolerances allowable for specification (e) are:</p> <ul style="list-style-type: none"> (a) thickness +/- 10% (b) width +/- 1% <p>Op. 04.03.13</p>	<p>50 04.12.17</p>
	Dec. date 13.05.13	- TC 1308125
7210.49.00	<p>STEEL, flat rolled, non-alloy, hot dipped galvanized zinc coated, in coils, having ALL of the following:</p> <ul style="list-style-type: none"> (a) yield strength NOT less than 235 MPa and NOT greater than 400 MPa; (b) tensile strength NOT less than 390 MPa; (c) elongation NOT less than 28%; (d) coating mass NOT less than 35 g/m2 and NOT greater than 65 g/m2 on each side; (e) thickness 2.00 mm and width 785 mm <p>For the purposes of this order, tolerances allowable for specification (e) are:</p> <ul style="list-style-type: none"> (a) thickness +/- 10% (b) width +/- 1% <p>Op. 29.05.13</p>	<p>50 04.12.17</p>
	Dec. date 19.08.13	- TC 1317486
7210.49.00	<p>STEEL, flat rolled, non-alloy, hot dipped galvanized zinc coated, in coils, having ALL of the following:</p> <ul style="list-style-type: none"> (a) yield strength NOT greater than 250 MPa; (b) tensile strength NOT less than 270 MPa; (c) elongation NOT less than 36%; (d) coating mass on each side NOT less than 30 g/m2 and NOT greater than 70 g/m2; (e) thickness 1.15 mm and width 1 105 mm <p>For the purposes of this Order, tolerances allowable for specification (e) are:</p> <ul style="list-style-type: none"> (a) thickness +/- 10% (b) width +/- 1% <p>Op. 06.09.13</p>	<p>50 04.12.17</p>
	Dec. date 02.12.13	- TC 1330458

- 7210.49.00 STEEL, flat rolled, non-alloy steel, hot dipped galvanized zinc coated, in coils, having ALL of the following: 50
04.12.17
- (a) yield strength NOT less than 115 MPa and NOT greater than 305 MPa;
 - (b) tensile strength NOT less than 270 MPa;
 - (c) total elongation NOT less than 37% and NOT greater than 57%;
 - (d) total coating mass NOT less than 35 g/m² and NOT greater than 65 g/m² on each side;
 - (e) in ANY of the following sizes:
 - (i) thickness 0.65 mm and width 870 mm;
 - (ii) thickness 0.65 mm and width 930 mm;
 - (iii) thickness 0.65 mm and width 1 150 mm;
 - (iv) thickness 0.65 mm and width 1 640 mm;
 - (v) thickness 0.65 mm and width 1 645 mm;
 - (vi) thickness 0.65 mm and width 1 680 mm;
 - (vii) thickness 0.65 mm and width 1 710 mm;
 - (viii) thickness 0.70 mm and width 925 mm;
 - (ix) thickness 0.70 mm and width 930 mm;
 - (x) thickness 0.70 mm and width 1 000 mm;
 - (xi) thickness 0.70 mm and width 1 005 mm;
 - (xii) thickness 0.70 mm and width 1 010 mm;
 - (xiii) thickness 0.70 mm and width 1 045 mm;
 - (xiv) thickness 0.70 mm and width 1 455 mm;
 - (xv) thickness 0.70 mm and width 1 485 mm;
 - (xvi) thickness 0.70 mm and width 1 550 mm;
 - (xvii) thickness 0.75 mm and width 1 135 mm;
 - (xviii) thickness 0.75 mm and width 1 140 mm;
 - (xix) thickness 0.75 mm and width 1 625 mm;
 - (xx) thickness 0.75 mm and width 1 670 mm;
 - (xxi) thickness 0.80 mm and width 1 060 mm;
 - (xxii) thickness 0.80 mm and width 1 150 mm;
 - (xxiii) thickness 0.80 mm and width 1 200 mm;
 - (xxiv) thickness 1.00 mm and width 1 610 mm;
 - (xxv) thickness 1.20 mm and width 1 595 mm;
 - (xxvi) thickness 2.30 mm and width 985 mm

For the purposes of this Order, tolerances allowable for specification (e) are:

- (a) thickness +/- 10%
- (b) width +/- 1

Op. 28.12.12

Dec. date 18.03.13

- TC 1349351

- 7210.49.00 STEEL, flat rolled, non-alloy steel, hot dipped galvanized zinc coated, in coils, having ALL of the following: 50
04.12.17
- (a) yield strength NOT less than 155 MPa and NOT greater than 295 MPa;
 - (b) tensile strength NOT less than 340 MPa;
 - (c) total elongation NOT less than 34%;
 - (d) total coating mass NOT less than 35 g/m² and NOT greater than 65 g/m² on each side;
 - (e) in ANY of the following sizes:
 - (i) thickness 0.70 mm and width 830 mm;
 - (ii) thickness 0.70 mm and width 855 mm;
 - (iii) thickness 0.75 mm and width 840 mm;
 - (iv) thickness 0.75 mm and width 855 mm;
 - (v) thickness 0.75 mm and width 1 630 mm;
 - (vi) thickness 0.75 mm and width 1 645 mm;
 - (vii) thickness 0.75 mm and width 1 683 mm;
 - (viii) thickness 0.75 mm and width 1 700 mm;
 - (ix) thickness 1.20 mm and width 1 170 mm;
 - (x) thickness 1.20 mm and width 1 175 mm;
 - (xi) thickness 1.20 mm and width 1 198 mm;
 - (xii) thickness 1.60 mm and width 1 160 mm

For the purposes of this Order, tolerances allowable for specification (e) are:

- (a) thickness +/- 10%
- (b) width +/- 1%

Op. 28.12.12

Dec. date 18.03.13

- TC 1349352

7210.49.00	STEEL, flat rolled, non-alloy steel, hot dipped galvanized zinc coated, in coils, having ALL of the following: (a) yield strength NOT less than 235 MPa and NOT greater than 400 MPa; (b) tensile strength NOT less than 390 MPa; (c) total elongation NOT less than 28%; (d) total coating mass NOT less than 35 g/m ² and NOT greater than 65 g/m ² on each side; (e) in ANY of the following sizes: (i) thickness 2.00 mm and width 975 mm; (ii) thickness 2.30 mm and width 948 mm; (iii) thickness 2.30 mm and width 1 030 mm; (iv) thickness 2.30 mm and width 1 190 mm; (v) thickness 2.60 mm and width 1 230 mm	50 04.12.17
------------	---	----------------

For the purposes of this Order, tolerances allowable for specification (e) are:

(a) thickness +/- 10%

(b) width +/- 1%

Op. 28.12.12

Dec. date 18.03.13

- TC 1349354

CUSTOMS ACT 1901

NOTICE PURSUANT TO SECTION 269SE(2) - TARIFF CONCESSION ORDER REVOCATION AT THE COMPTROLLER-GENERAL OF CUTOMS

The Tariff Concession Orders listed in THE TABLE below have not been used for at least 2 years and have been revoked under Section 269SD(1A). In transit provisions apply.

The intention to revoke these orders was notified in Gazette 17/47 dated 8 November 2017.

Contact: Phone 02 6198 7289, fax 02 6275 6376 or email tarcon@border.gov.au.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
2909.49.00 DI-TRIMETHYLOLPROPANE Op. 10.03.09 Dec. date 29.05.09 2 Years non use. In transit provisions apply	50 05.12.17 - TC 0908130
3816.00.00 RAMMING MIXTURES, HEARTH OR TUYERE ZONE, BLAST FURNACE, resin bonded graphite, having ALL of the following: (a) graphite content NOT less than 80%; (b) thermal conductivity NOT less than 22 W/mK after drying to 110 degrees Celsius Op. 12.01.09 Dec. date 03.04.09 2 Years non use. In transit provisions apply	50 05.12.17 - TC 0900425
3816.00.00 RAMMING MIXTURES, RESIN BONDED, HEARTH OR CERAMIC PAD, BLAST FURNACE, having ALL of the following: (a) fixed carbon or graphite content NOT less than 39%; (b) alumina content NOT less than 14% Op. 17.02.09 Dec. date 15.05.09 2 Years non use. In transit provisions apply	50 05.12.17 - TC 0905484
3816.00.00 RAMMING MIXTURES, RESIN BONDED, BLAST FURNACE STAVES, having BOTH of the following: (a) fixed carbon or graphite content NOT less than 29%; (b) silicon carbide content NOT less than 19% Op. 17.02.09 Dec. date 15.05.09 2 Years non use. In transit provisions apply	50 05.12.17 - TC 0905486
3816.00.00 RAMMING MIXTURES, REFRACTORY, HEAT TRANSFER, BLAST FURNACE, silicon carbide based, having ALL of the following: (a) silicon carbide (SiC) content NOT less than 45%; (b) alumina content NOT less than 8%; (c) silica (amorphous fumes) content NOT less than 2%; (d) clay kaolinite content NOT less than 2% Op. 11.03.09 Dec. date 29.05.09 2 Years non use. In transit provisions apply	50 05.12.17 - TC 0908207
3816.00.00 GUNNING MIXTURES, REFRACTORY, HOT BLAST MAIN FLAT ARCH, BLAST FURNACE, having ALL of the following: (a) chamotte content NOT less than 23%; (b) bauxite content NOT less than 23%; (c) clay kaolinite content NOT less than 8%; (d) alumina content NOT less than 8% Op. 11.03.09 Dec. date 29.05.09 2 Years non use. In transit provisions apply	50 05.12.17 - TC 0908211

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
4819.50.00 PACKAGING, RECORD AND/OR CD AND/OR DVD, having a composition of NOT less than 75% processed elephant dung Op. 20.07.09 Dec. date 02.10.09 2 Years non use. In transit provisions apply	50 05.12.17 - TC 0925641
7411.29.00 TUBING, copper, solid drawn, finned, having ALL of the following: (a) copper to ASME specification SB-75; (b) continuous integrally rolled fins (not welded or mechanically (attached) with thickness of 0.53 mm to 0.66 mm; (c) overall fin diameter 38 mm to 46 mm; (d) 275 to 350 fins/m; (e) tube internal diameter 15 mm to 22.5 mm and wall thickness 1.00 mm to 1.9 mm; (f) length exceeding 49 mm Op. 27.10.94 Dec. date 18.02.09 2 Years non use. In transit provisions apply	50 05.12.17 - TC 0902892
7411.29.00 U TUBES, STEAM BOILER, copper-aluminium alloy Op. 26.03.09 Dec. date 19.06.09 2 Years non use. In transit provisions apply	50 05.12.17 - TC 0910175
8417.90.00 RAMMING STRIPS, BLAST FURNACE, metal Op. 16.01.09 Dec. date 14.04.09 2 Years non use. In transit provisions apply	50 05.12.17 - TC 0901468
8419.40.00 FLUIDIZED CATALYTIC CRACKING UNITS, comprising ALL of the following: (a) reactors; (b) regenerators; (c) distillation columns; (d) fractionators; (e) electrostatic precipitators; (f) pumps; (g) valves; (h) turbines; (i) cyclones Op. 28.05.09 Dec. date 21.08.09 2 Years non use. In transit provisions apply	50 05.12.17 - TC 0918136
8419.89.90 AIR SEPARATION UNITS, comprising ALL of the following: (a) cold boxes; (b) compressors; (c) controllers; (d) filters; (e) heat exchangers; (f) pumps; (g) refrigeration units; (h) sieves; (i) turbines; (j) vessels Op. 21.05.09 Dec. date 14.08.09 2 Years non use. In transit provisions apply	50 05.12.17 - TC 0917314

CUSTOMS ACT 1901

TARIFF CONCESSION ORDER REVOCATION AT THE INITIATIVE OF THE COMPTROLLER-GENERAL OF CUSTOMS

The Tariff Concession Order listed in THE TABLE below has been revoked.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
---	---

8417.90.00 SMELTER COMPONENTS, including ANY of the following in pre-assembled steel framed modules: (a) slag launders; (b) tundishes; (c) pumps; (d) air AND nitrogen receivers; (e) waste heat boilers; (f) chutes; (g) bins; (h) water tanks with OR without de-aerators; (i) blow down vessels; (j) valve trains; (k) control rooms; (l) dispensing vessels; (m) analysis rooms; (n) chain conveyors; (o) hygiene ducts; (p) hydraulic power pack rooms; (q) electrical rooms; (r) cool rooms; (s) bucket elevators; (t) screw conveyors AND feeders; (u) rapper panels; (v) burner blowers; (w) steam drums; (x) take-up towers; (y) transfer conveyors; (z) chemical dosing systems; (aa) transport supports Op. 06.11.15	50 31.10.17
---	----------------

Dec. date 04.02.16

- TC 1540956

TCO revoked as per Tariff Concessions Gazette Notice TC 17/46,
Wednesday, 1 Nov 2017

COMMERCIAL TARIFF CONCESSION ORDERS (CTCOs) & TARIFF CONCESSION ORDERS (TCOs) NOT USED IN THE PREVIOUS 2 YEARS

The Comptroller-General of Customs is satisfied that the CTCOs and TCOs listed in the table below are no longer required because, in the 2 years preceding the day of this notice, they have not been quoted in an import declaration to secure a concessional rate of duty.

From Thursday, 11 January 2018, it is intended to take action to revoke these Orders under subsection 269SD(1A) of the Customs Act 1901. If revoked, the TCO ceases to apply on and after 11 January 2018. In accordance with subsection 269SG(2) of the Customs Act 1901, in transit provisions shall apply.

Interested parties are invited to provide, by close of business, Wednesday 10 January 2018, written reasons why an Order should NOT be revoked.

Please advise if any of the Orders listed below have been quoted on an import declaration.

If a request is made to retain an Order used for the granting of a Determination, please specify the Determination and the linked Item number to enable mapping to the Order and its scope.

THE TABLE

Tariff Classification	Description	Concession Number
4823.90.90	NAPPY CADDIES, polyurethane imitation leather AND suede, with or without change mat	
	Op. 22.03.10	Dec. date 11.06.10 - TC 1014169
7419.99.00	HANGERS, PICTURE, copper, comprising both hangers and nails	
	Op. 24.03.10	Dec. date 11.06.10 - TC 1014416
8301.40.00	LOCKS, MOTOR VEHICLE GLOBAL POSITIONING SYSTEM(GPS), including ALL of the follow: (a) GPS protective holder; (b) steel cable; (c) lock and key	
	Op. 04.03.10	Dec. date 28.05.10 - TC 1011288
8421.21.90	SALT WATER TREATMENT AND CONTROL SYSTEM, HORSE WALKER EXERCISER AND TRAINER, including ALL of the following: (a) pumps; (b) filters; (c) water quality controls; (d) bacterial controls; (e) water level controls; (f) pneumatic valve controls; (g) water chillers; (h) heat exchangers; (i) tandem air compressor; (j) programmable logic controls	
	Op. 15.10.10	Dec. date 10.01.11 - TC 1046375
8424.90.90	NOZZLES, BLAST FURNACE COOLING TOWER	
	Op. 24.06.10	Dec. date 13.09.10 - TC 1028501
8428.90.00	HANDLING SYSTEM, MEDIUM DENSITY FIBREBOARD, consisting of ALL of the following: (a) belt conveyors; (b) stack roller conveyors with OR without hydraulic lifting tables; (c) board turn over conveyors; (d) vacuum destackers	
	Op. 08.11.10	Dec. date 07.02.11 - TC 1049413

8474.10.00	FLOTATION CELLS, MINERALS SEPARATION, having ALL of the following: (a) cleaners; (b) valves; (c) chutes and/or launders; (d) agitators and/or rotors	Op. 02.07.10	Dec. date 29.09.10	- TC 1029910
8474.39.00	CRUSHING AND GRINDING AND MIXING PLANT, CLAY, comprising ALL of the following: (a) bucket elevators; (b) surge bins; (c) screw feeders; (d) mills; (e) conveyors; (f) mixers; (g) filters	Op. 14.09.10	Dec. date 06.12.10	- TC 1042167
8479.89.90	PIPE THRUSTER MACHINES, having ALL of the following: (a) operating angle 0 degrees to 15 degrees from horizontal; (b) push force NOT less than 500 tonne; (c) pull force NOT less than 500 tonne; (d) pipe diameter NOT less than 600 mm and NOT greater than 1 225 mm	Op. 28.05.10	Dec. date 23.08.10	- TC 1023821
8479.89.90	HORSE WALKER EXERCISE AND TRAINING MACHINES, salt water	Op. 09.08.10	Dec. date 01.11.10	- TC 1036523
8481.80.90	TRAILERS, MANIFOLD, STIMULATION, FLUID PRESSURE, including ALL of the following: (a) trailer; (b) pump truck connections; (c) blender connections	Op. 02.03.10	Dec. date 21.05.10	- TC 1010647
8501.10.00	LINEAR ACTUATORS, having a spatial resolution NOT greater than 50 nanometres	Op. 14.05.10	Dec. date 09.08.10	- TC 1021697
9004.90.00	SETS, LIGHT, FORENSIC EXAMINATION, comprising ALL of the following: (a) ultraviolet light sources; (b) camera filter lenses; (c) goggles	Op. 29.04.10	Dec. date 02.08.10	- TC 1019709
9508.90.00	PARTS, FREE FLOW BOAT RIDE, being ANY of the following: (a) free flow boats; (b) water guns OR cannons; (c) propulsion control system; (d) load and unload station; (e) lifting frame; (f) gates; (g) electrical controls	Op. 11.05.10	Dec. date 09.08.10	- TC 1021202