



Commonwealth
of Australia

Gazette

No. TC 18/02, Wednesday, 17 January 2018
Published by the Commonwealth of Australia

TARIFF CONCESSIONS

CONTENTS

TCO Applications	2
TCOs Made	6
Local Manufacturer Initiated - TCO Revocation Requests	7
Local Manufacturer Initiated - TCOs Revoked	8
TCOs Revoked - Unused for over 2 years	15
Cheese Quota Transfers.....	18

Please note that the TCO related forms have been updated and are available on the Department of Home Affairs website (search on Tariff Concession Orders).

Please also be advised that applications for TCOs (Form B443), Submissions objecting to the making of a TCO (Form B444) and Request for revocation of a TCO (Form B441) must be lodged using the new forms with effect 1 February 2018.

The Commonwealth of Australia Tariff Concessions Gazette
(the Tariff Concessions Gazette) is free of charge on
the Department of Home Affairs internet site at:

<https://www.homeaffairs.gov.au/busi/domestic-manufacturers-and-importers>

The Tariff Concessions Administration Section is located at
5 Constitution Ave Canberra City 2601

Contact details:

General Email Inquiries:.....tarcon@abf.gov.au

General Inquiries:(02) 6229 3567

TAPIN help desk:(02) 6275 6534

Facsimile:(02) 6223 8180

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269K(1) - APPLICATIONS MADE FOR TARIFF CONCESSION ORDERS

Applications have been lodged for Tariff Concession Orders for the goods described in the following TABLE.

Australian manufacturers who wish to contest the granting of a Tariff Concession Order for the goods described are invited to lodge a submission in writing in an approved form. Submissions must be lodged within 50 days of the date of publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

Objections to the making of TCO submission forms are available at

<https://www.homeaffairs.gov.au/Forms/Documents/b444.pdf>

Contact: Email tarcon@abf.gov.au

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
3808.92.00 FUNGICIDES, having an active constituent of pydiflumetofen Op. 19.12.17	- TC 17135928 50
Stated Use: Provides treatment of yield-reducing foliar diseases and control of powdery mildew	
Applicant: SYNGENTA AUSTRALIA PTY LTD	5%
3907.40.00 RESINS, POLYCARBONATE, in pellet form Op. 14.12.17	- TC 17134301 50
Stated Use: Used as a raw material in plastic extrusion	
Applicant: OAKMOORE PTY. LTD.	5%
3923.21.00 PROCESS BAGS, PHARMACEUTICAL, including ALL of the following: (a) LDPE OR ULDPE composition; (b) gamma irradiated; (c) temperature stability NOT exceeding 50 Deg C; (d) inlet AND outlet connectors AND tubing; with OR without ANY of the following: (i) clamps; (ii) adapters; (iii) T AND Y joiners; (iv) connectors; (v) line tubes; (vi) gaskets Op. 18.12.17	- TC 17134834 50
Stated Use: Filter and collection bags for biologic and pharmaceutical production environments	
Applicant: PALL CORPORATION	5%

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
<p>4016.93.00 PACKERS, SWELLABLE, OIL AND/OR GAS WELL, including ALL of the following: (a) swelling elastomer; (b) mandrel; (c) running guides Op. 18.12.17</p> <p>Stated Use: Utilised to seal and sustain pressure in oil and gas wells</p> <p>Applicant: SCHLUMBERGER AUSTRALIA PTY LTD</p>	<p>50</p> <p>- TC 17135320</p> <p>5%</p>
<p>7607.20.00 FOIL, aluminium having a thickness NOT greater than 60 micron, coated on one side with a nitrocellulose primer and coated on the other side with polyethylene or polypropylene, with OR without printing OR colouring Op. 11.12.17</p> <p>Stated Use: To seal on plastic cups used in the dairy industry</p> <p>Applicant: JET TECHNOLOGIES AUST PTY LTD</p>	<p>50</p> <p>- TC 17132013</p> <p>5%</p>
<p>8419.50.30 HEAT EXCHANGERS, PASSENGER MOTOR VEHICLE, being one OR both of the following (a) exhaust recuperation coolers; (b) change air coolers Op. 08.12.17</p> <p>Stated Use: To cool air after it has passed through the turbo charger</p> <p>Applicant: VOLKSWAGEN GROUP AUSTRALIA PTY LTD</p>	<p>50</p> <p>- TC 17131952</p> <p>5%</p>
<p>8419.50.90 HEAT EXCHANGERS, other than passenger motor vehicles, being one OR both of the following: (a) exhaust recuperation coolers; (b) change air coolers Op. 08.12.17</p> <p>Stated Use: To reduce the temperature of a portion of an engine's exhaust gases in a passenger motor vehicle or commercial vehicle prior to them entering the intake throttle</p> <p>Applicant: VOLKSWAGEN GROUP AUSTRALIA PTY LTD</p>	<p>50</p> <p>- TC 17131955</p> <p>5%</p>
<p>8419.81.90 COFFEE BEAN ROASTING MACHINES, programmable logic controlled, including ANY one OR more of the following: (a) afterburner; (b) loading hoppers; (c) cooling tanks; (d) roasting drums; (e) hot AND cold temperature air circuits; (f) heat generators; (g) chimneys; (h) catalytic converter Op. 14.12.17</p> <p>Stated Use: Automated roasting of coffee beans</p> <p>Applicant: BRAMBATI S.P.A</p>	<p>50</p> <p>- TC 17134299</p> <p>5%</p>

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
<p>8421.29.10 FILTER AND LIQUID COLLECTION BAGS, polyvinylidene fluoride, having ANY of the following:</p> <ul style="list-style-type: none"> (a) plugs; (b) clamps; (c) adapters; (d) T AND Y joints; (e) connectors; (f) tubes; (g) gaskets <p>Op. 18.12.17</p> <p>Stated Use: Biological and pharmaceutical production environments</p> <p>Applicant: PALL CORPORATION</p>	<p>50</p> <p>- TC 17135926</p> <p>5%</p>
<p>8504.40.90 TRACTION CONVERTER, AC to DC, having one OR more of the following:</p> <ul style="list-style-type: none"> (a) diesel-generator voltage NOT less than 275 V and NOT greater than 660 V; (b) overhead wire voltage 25 000 V AC OR 1 500 V DC; (c) input voltage NOT exceeding 1 275 V; (d) output voltage NOT exceeding 2 100 V; (e) motor inverter; (f) braking chopper; (g) auxiliary converter with sine filter; (h) asynchronous generator starter; (i) DC link filter capacitors; (j) automated traction and adhesion control system <p>Op. 20.12.17</p> <p>Stated Use: Used for light rail vehicles for propulsion and auxiliary power</p> <p>Applicant: ABB AUSTRALIA PTY LTD</p>	<p>50</p> <p>- TC 17136411</p> <p>5%</p>
<p>8526.91.00 TRANSPONDERS, DIGITAL, with full Mk XII, Mode S, Mode 5, Automatic Dependent Surveillance - Broadcast (ADS-B), with OR without ANY of the following:</p> <ul style="list-style-type: none"> (a) digital control panels; (b) through air testers; (c) global positioning system (GPS) data converters <p>Op. 20.12.17</p> <p>Stated Use: Transmission and reception of navigation positional information via transponder and interpretation of the data</p> <p>Applicant: THALES AUSTRALIA LTD</p>	<p>50</p> <p>- TC 17136414</p> <p>5%</p>
<p>8716.90.00 BRAKE SHOE ASSEMBLIES, TRAILER AXLE, lined OR unlined, having ALL of the following:</p> <ul style="list-style-type: none"> (a) diameter NOT less than 300 mm; (b) width NOT less than 150 mm; (c) roller; (d) bolt; (e) ring <p>Op. 19.12.17</p> <p>Stated Use: Parts for brakes utilised on over the highway road trailers and off road trailers</p> <p>Applicant: BPW TRANSPEC PTY LTD</p>	<p>50</p> <p>- TC 17135458</p> <p>5%</p>

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
9508.90.00 AMUSEMENT RIDES, including ALL of the following: (a) plastic track surface; (b) electric karts; (c) track barriers Op. 18.12.17	50
Stated Use: Kart driving and drifting on track	- TC 17136018
Applicant: SNOW PARKS PTY LTD	5%

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269R(1) - TARIFF CONCESSION ORDERS MADE

Tariff Concession Orders have been made for the goods described in the following TABLE.

The operative date (Op.) and TC reference No. follow the description of goods. Local manufacturers of substitutable goods may request the revocation of TCOs at any time.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect General Duty Rate
8428.39.00 CONVEYORS, chain, programmable logic controlled, single OR double level, with OR without motorised wheels, having ALL of the following: (a) sensors; (b) micro-switches; (c) encoders; (d) loading cells; (e) scale display Op. 16.10.17	50 Dec. date 12.01.18 - TC 17108501
8536.49.00 RELAYS, PRINTED CIRCUIT BOARD Op. 29.09.17	50 Dec. date 12.01.18 - TC 17103979

NOTIFICATION OF AN AUSTRALIAN INDUSTRY REVOCATION REQUEST - SECTION 269SC(1A) CUSTOMS ACT

Applications have been lodged for revocation of the Tariff Concession Orders set out in the following TABLE.

The Lodgement Request Date shown in the table below is the intended revocation date for the Tariff Concession Order which will take effect should the application for revocation be successful.

Importations not covered by in transit provisions may be subject to post action as any decision to revoke an order is backdated to the date of request for revocation.

THE TABLE

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number Lodgement Request Date	
8711.60.00	BICYCLES, electric power assisted Op. 01.01.17	Dec. date 16.12.16	- TC 1664814
			50 09.01.18
8711.60.00	SCOOTERS AND/OR MOTORCYCLES, electric, having a rear hub motor NOT less than 1 500 W Op. 01.01.17	Dec. date 16.12.16	- TC 1664822
			50 09.01.18

**CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269SE(1) - AUSTRALIAN INDUSTRY INITIATED - TARIFF CONCESSION
ORDERS REVOKED**

The Tariff Concession Orders for the goods described in the following TABLE have been revoked.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
---	---

7210.49.00 STEEL, flat rolled, non-alloy, hot dipped galvanized zinc coated, in coils, having ALL of the following: (a) yield strength NOT less than 120 MPa and NOT greater than 180 MPa; (b) tensile strength NOT less than 260 MPa and NOT greater than 350 MPa; (c) total elongation NOT less than 37%; (d) total coating mass NOT less than 90 g/m ² ; (e) thickness 0.80 mm and width 1 640 mm	50 10.12.17
--	----------------

For the purposes of this Order, tolerances allowable for specification (e) are:

- (a) thickness +/- 10%
 (b) width +/- 1%
 Op. 13.03.13

Dec. date 03.06.13

- TC 1309160

Substitutable goods produced in Australia in the ordinary course of business by Bluescope Steel (AIS) Ltd, Port Kembla, NSW. In transit provisions apply

7210.49.00 STEEL, flat rolled, non-alloy, hot dipped zinc coated, in coils, having ALL of the following: (a) yield strength NOT less than 110 MPa and NOT greater than 280 MPa; (b) tensile strength NOT less than 260 MPa; (c) elongation NOT less than 37%; (d) coating mass NOT less than 45 g/m ² and NOT greater than 100 g/m ² on each side; (e) in ANY of the following sizes: (i) thickness 0.60 mm and width 1 670 mm; (ii) thickness 0.65 mm and width 960 mm; (iii) thickness 0.65 mm and width 1 075 mm; (iv) thickness 0.65 mm and width 1 160 mm; (v) thickness 0.65 mm and width 1 240 mm; (vi) thickness 0.65 mm and width 1 425 mm; (vii) thickness 0.65 mm and width 1 430 mm; (viii) thickness 0.65 mm and width 1 445 mm; (ix) thickness 0.65 mm and width 1 630 mm; (x) thickness 0.65 mm and width 1 730 mm; (xi) thickness 0.70 mm and width 810 mm; (xii) thickness 0.70 mm and width 840 mm; (xiii) thickness 0.70 mm and width 850 mm; (xiv) thickness 0.70 mm and width 890 mm; (xv) thickness 0.70 mm and width 896 mm; (xvi) thickness 0.70 mm and width 1 390 mm; (xvii) thickness 0.70 mm and width 1 400 mm; (xviii) thickness 0.70 mm and width 1 410 mm; (xix) thickness 0.70 mm and width 1 440 mm; (xx) thickness 0.70 mm and width 1 460 mm; (xxi) thickness 0.70 mm and width 1 540 mm; (xxii) thickness 0.70 mm and width 1 590 mm; (xxiii) thickness 0.70 mm and width 1 650 mm; (xxiv) thickness 0.70 mm and width 1 655 mm; (xxv) thickness 0.75 mm and width 1 600 mm; (xxvi) thickness 0.75 mm and width 1 695 mm; (xxvii) thickness 0.75 mm and width 1 760 mm; (xxviii) thickness 0.80 mm and width 680 mm; (xxix) thickness 0.80 mm and width 1 185 mm;	50 10.12.17
--	----------------

(Continued on next page)

Description of Goods including the
Customs Tariff ClassificationSchedule 4 Item Number
Last Date of Effect

(Continued from previous page)

- (xxx) thickness 0.80 mm and width 1 300 mm;
- (xxxi) thickness 0.80 mm and width 1 370 mm;
- (xxxii) thickness 0.80 mm and width 1 325 mm;
- (xxxiii) thickness 0.80 mm and width 1 545 mm;
- (xxxiv) thickness 0.80 mm and width 1 600 mm;
- (xxxv) thickness 0.80 mm and width 1 695 mm;
- (xxxvi) thickness 0.80 mm and width 1 760 mm;
- (xxxvii) thickness 0.80 mm and width 1 840 mm;
- (xxxviii) thickness 0.90 mm and width 950 mm;
- (xxxix) thickness 0.90 mm and width 1 530 mm;
- (xl) thickness 0.90 mm and width 1 800 mm;
- (xli) thickness 1.20 mm and width 1 730 mm;
- (xlii) thickness 1 20 mm and width 1 770 mm

For the purposes of this Order, tolerances allowable for specification (e) are:

- (a) thickness +/- 10%
- (b) width +/- 1%

Op. 22.05.13

Dec. date 12.08.13

- TC 1316841

Substitutable goods produced in Australia in the ordinary course of business by Bluescope Steel (AIS) Ltd, Port Kembla, NSW. In transit provisions apply

7210.49.00

STEEL, flat rolled, non-alloy, hot dipped galvanized zinc coated, in coils, having ALL of the following:

- (a) yield strength NOT less than 115 MPa and NOT greater than 305 MPa;
- (b) tensile strength NOT less than 270 MPa;
- (c) elongation NOT less than 37% and NOT greater than 57%;
- (d) total coating mass NOT less than 35 g/m² and NOT greater than 65 g/m² on each side;
- (e) thickness 1.00 mm and width 997 mm

50
10.12.17

For the purposes of this Order, tolerances allowable for specification (e) are:

- (a) thickness +/- 10%
- (b) width +/- 1%

Op. 06.09.13

Dec. date 02.12.13

- TC 1330276

Substitutable goods produced in Australia in the ordinary course of business by Bluescope Steel (AIS) Ltd, Port Kembla, NSW. In transit provisions apply

7210.49.00

STEEL, flat rolled, non-alloy, hot dipped galvanized zinc coated, in coils, having ALL of the following:

- (a) yield strength NOT less than 160 MPa and NOT greater than 325 MPa;
- (b) tensile strength NOT less than 270 MPa;
- (c) elongation NOT less than 35% and NOT greater than 50%;
- (d) coating mass NOT less than 45 g/m² and NOT greater than 65 g/m² each side;
- (e) thickness 1.20 mm and width 793 mm

50
10.12.17

For the purposes of this order, tolerances allowable for specification (e) are:

- (a) thickness +/- 10%
- (b) width +/- 1%

Op. 17.12.13

Dec. date 12.03.14

- TC 1341633

Substitutable goods produced in Australia in the ordinary course of business by Bluescope Steel (AIS) Ltd, Port Kembla, NSW. In transit provisions apply

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
---	---

7210.49.00 STEEL, flat rolled, non-alloy, hot dipped galvanized zinc coated, in coils, having ALL of the following: (a) yield strength NOT less than 235 MPa and NOT greater than 400 MPa; (b) tensile strength NOT less than 390 MPa; (c) total elongation NOT less than 28%; (d) total coating mass NOT less than 35 g/m ² and NOT greater than 65 g/m ² each side; (e) thickness 2.30 mm and width 940 mm	50 10.12.17
---	----------------

For the purposes of this order, tolerances allowable for specification (e) are:

- (a) thickness +/- 10%
 (b) width +/- 1%
 Op. 17.12.13

Dec. date 12.03.14

- TC 1341634

Substitutable goods produced in Australia in the ordinary course of business by Bluescope Steel (AIS) Ltd, Port Kembla, NSW. In transit provisions apply

7210.70.00 SHEETS, non-alloy steel, hot dipped zinc coated, high polymer pre-painted, having ALL of the following: (a) yield strength NOT less than 280 MPa and NOT greater than 440 MPa; (b) tensile strength NOT less than 360 MPa and NOT greater than 550 MPa; (c) elongation NOT less than 20% and NOT greater than 35%; (d) zinc coating density NOT less than 120 g/m ² ; (e) one side surface colour painted EITHER white OR grey; (f) polyurethane adhering coating; (g) pre-painted steel with a specular gloss level at 60 degrees NOT less than 40 units and NOT more than 95 units as defined by Australian Standard/New Zealand Standard AS/NZS 1580.602.2:1995; (h) sheet thickness of 0.35 mm OR 0.40 mm OR 0.45 mm, having ANY of the following: (i) width 708 mm AND length 548 mm OR 708 mm OR 988 mm; (ii) width 660 mm AND length 3 600 mm OR 3 740 mm OR 3 875mm OR 3 940 mm OR 4 035 mm; (iii) width 710 mm AND length 4 281 mm OR 4 383 mm; (iv) width 722 mm AND length 3 785 mm OR 3 875 mm OR 3 985 mm OR 4 035 mm OR 4 135 mm; (v) width 800 mm AND length 1 437 mm; (vi) width 700 mm AND length 1 357 mm OR 1 437 mm; (vii) width 883 mm AND length 1 253 mm OR 1 682 mm OR 2 338 mm OR 2 658 mm OR 3 218 mm OR 3 938mm OR 4 798 mm	50 17.12.17
---	----------------

For the purposes of this Order, tolerances allowable for specification (h) are ANY of the following:

- (a) width +2 mm;
 (b) length +4 mm;
 (c) thickness + OR - 0.03 mm
 Op. 13.11.13

Dec. date 03.03.14

- TC 1338556

Substitutable goods produced in Australia in the ordinary course of business by Bluescope Steel (AIS) Ltd, Port Kembla, NSW. In transit provisions apply

7210.70.00 SHEETS, non-alloy steel, hot dipped zinc coated, high polymer pre-painted, having ALL of the following: (a) yield strength NOT less than 140 MPa and NOT greater than 360 MPa; (b) tensile strength NOT less than 270 MPa and NOT greater than 400 MPa; (c) elongation NOT less than 32% and NOT greater than 43%; (d) zinc coating density NOT less than 120g/m ² ; (e) one side surface colour painted white OR silver OR	50 17.12.17
--	----------------

(Continued on next page)

Description of Goods including the
Customs Tariff ClassificationSchedule 4 Item Number
Last Date of Effect

(Continued from previous page)

- grey;
- (f) epoxy coating;
- (g) sheet thickness of 0.45 mm OR 0.50 mm, having ANY of the following:
- (i) width 607 mm AND length 1 725 mm;
 - (ii) width 672 mm AND length 1 725 mm OR 1 800mm;
 - (iii) width 729 mm AND length 1 520mm OR 1 570mm OR 1 680 mm;
 - (iv) width 774 mm AND length 1 580 mm OR 1 680 mm OR 1 725 mm;
 - (v) width 824 mm AND length 1 540 mm OR 1 610 mm OR 1 680 mm;
 - (vi) width 924 mm AND length 1 610 mm OR 1 670 mm OR 1 800 mm OR 2 030 mm;
 - (vii) width 952 mm AND length 666 mm;
 - (viii) width 1032 mm AND length 570 mm

For the purposes of this Order, tolerances allowable for specification (g) are ANY of the following:

- (a) width +2 mm;
- (b) length +2 mm;
- (c) thickness + OR - 0.03 mm

Op. 13.11.13

Dec. date 10.02.14

- TC 1338558

Substitutable goods produced in Australia in the ordinary course of business by Bluescope Steel (AIS) Ltd, Port Kembla, NSW. In transit provisions apply

7210.70.00	COILS, non-alloy steel, prepainted, hot dipped zinc coated, having ALL of the following:	50 17.12.17
------------	--	----------------

- (a) yield strength NOT less than 280 MPa and NOT greater than 440 MPa;
- (b) tensile strength NOT less than 360 MPa and NOT greater than 550 MPa;
- (c) elongation NOT less than 20% and NOT greater than 35%;
- (d) zinc coating density NOT less than 120 g/m²;
- (e) one side surface colour painted EITHER white OR grey;
- (f) polyurethane adhering coating;
- (g) prepainted steel with a specular gloss level at 60 degrees NOT less than 40 units and NOT more than 95 units as defined by Australian Standard/New Zealand Standard AS/NZS 1580.602.2:1995;
- (h) width 605 mm OR 780 mm;
- (i) thickness 0.35 mm OR 0.40 mm OR 0.45 mm OR 0.5 mm

For the purposes of this Order, tolerances allowable for specification (h) and (i) are EITHER of the following:

- (i) width + 3 mm;
- (ii) thickness + OR - 0.3 mm

Op. 14.11.13

Dec. date 10.02.14

- TC 1338606

Substitutable goods produced in Australia in the ordinary course of business by Bluescope Steel (AIS) Ltd, Port Kembla, NSW. In transit provisions apply

7212.40.00	COILS, non-alloy steel, prepainted, hot dipped zinc coated, having ALL of the following:	50 17.12.17
------------	--	----------------

- (a) yield strength NOT less than 280 MPa and NOT greater than 440 MPa;
- (b) tensile strength NOT less than 360 MPa and NOT greater than 550 MPa;
- (c) elongation NOT less than 20% and NOT greater than 35%;
- (d) zinc coating density NOT less than 120 g/m²;
- (e) one side surface colour painted EITHER white OR grey;
- (f) polyurethane adhering coating;
- (g) prepainted steel with a specular gloss level at 60 degrees NOT less than 40 units and NOT more than 95 units as defined by Australian/New Zealand Standard

(Continued on next page)

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
---	---

(Continued from previous page)

AS/NZS 1580.602.2:1995;
(h) thickness 0.35 mm OR 0.40 mm OR 0.45 mm OR 0.5 mm;
(i) width 515 mm

For the purposes of this Order, tolerances allowable for specification (h) and (i) are EITHER of the following:

(i) width + 3 mm;
(ii) thickness + OR - 0.03 mm
Op. 14.11.13 Dec. date 10.02.14 - TC 1338603

Substitutable goods produced in Australia in the ordinary course of business by Bluescope Steel (AIS) Ltd, Port Kembla, NSW. In transit provisions apply

7225.91.00	STEEL, flat rolled, alloy, electrolytically plated OR zinc coated, in coils, having ALL of the following: (a) yield strength NOT less than 110 MPa and NOT greater than 160 MPa; (b) tensile strength NOT less than 260 MPa; (c) elongation NOT less than 42%; (d) coating mass NOT less than 36 g/m2 on each side; (e) thickness 0.70 mm and width 1 480 mm	50 10.12.17
------------	---	----------------

For the purposes of this Order, tolerances allowable for specification (e) are:

(a) thickness +/- 10%
(b) width +/- 1%
Op. 21.08.13 Dec. date 18.11.13 - TC 1328532

Substitutable goods produced in Australia in the ordinary course of business by Bluescope Steel (AIS) Ltd, Port Kembla, NSW. In transit provisions apply

7225.92.00	STEEL, flat rolled, alloy, hot dipped zinc coated, having ALL of the following: (a) yield strength NOT less than 700 MPa and NOT greater than 900 MPa; (b) tensile strength NOT less than 980 MPa and NOT greater than 1 200 MPa; (c) total elongation NOT less than 10%; (d) total coating mass NOT less than 60 g/m2 and NOT greater than 90 g/m2 on each side; (e) thickness 0.90 mm and width 1 020 mm	50 10.12.17
------------	---	----------------

For the purposes of this Order, tolerances allowable for specification (e) are:

(a) thickness +/- 10%
(b) width +/- 1%
Op. 13.03.13 Dec. date 03.06.13 - TC 1309154

Substitutable goods produced in Australia in the ordinary course of business by Bluescope Steel (AIS) Ltd, Port Kembla, NSW. In transit provisions apply

7225.92.00	STEEL, flat rolled, alloy, hot dipped zinc coated, in coils, having ALL of the following: (a) yield strength NOT less than 340 MPa and NOT greater than 700 MPa; (b) tensile strength NOT less than 590 MPa; (c) elongation NOT less than 10%; (d) coating mass NOT less than 60 g/m2 and NOT greater than 120 g/m2 on each side; (e) in ANY of the following sizes: (i) thickness 1.20 mm and width 615 mm; (ii) thickness 1.20 mm and width 623 mm; (iii) thickness 1.20 mm and width 1 115 mm; (iv) thickness 1.20 mm and width 1 240 mm;	50 10.12.17
------------	---	----------------

(Continued on next page)

Description of Goods including the
Customs Tariff ClassificationSchedule 4 Item Number
Last Date of Effect

(Continued from previous page)

- (v) thickness 1.20 mm and width 1 256 mm;
- (vi) thickness 1.40 mm and width 900 mm;
- (vii) thickness 1.80 mm and width 970 mm;
- (viii) thickness 2.00 mm and width 889 mm;
- (ix) thickness 2.00 mm and width 970 mm;
- (x) thickness 2.00 mm and width 992 mm

For the purposes of this Order, tolerances allowable for
specification (e) are:

- (a) thickness +/- 10%
 - (b) width +/- 1%
- Op. 22.05.13 Dec. date 12.08.13 - TC 1316844

Substitutable goods produced in Australia in the ordinary
course of business by Bluescope Steel (AIS) Ltd, Port Kembla,
NSW. In transit provisions apply

7225.99.00	STEEL, flat rolled, alloy, having ALL of the following: (a) hot dipped coating aluminium content NOT less than 85%; (b) hot dipped coating silicon content NOT less than 5% and NOT greater than 11%; (b) total coating mass NOT less than 60 g/m2 and NOT greater than 100 g/m2 on each side; (c) yield strength NOT less than 300 MPa; (d) tensile strength NOT less than 500 MPa; (e) total elongation NOT less than 17%; (f) in BOTH of the following sizes: (i) thickness 1.00 mm and width 938 mm; (ii) thickness 1.40 mm and width 918 mm	50 10.12.17
------------	---	----------------

Tolerances allowable for specification (f) are:

- (a) thickness +/- 10%
 - (b) width +/- 1%
- Op. 13.03.13 Dec. date 03.06.13 - TC 1309157

Substitutable goods produced in Australia in the ordinary
course of business by Bluescope Steel (AIS) Ltd, Port Kembla,
NSW. In transit provisions apply

7226.99.00	STEEL, flat rolled, alloy, having ALL of the following: (a) hot dipped coating of NOT less than 85% aluminium; (b) hot dipped coating silicon content NOT less than 5% and NOT greater than 11%; (c) total coating mass NOT less than 50 g/m2 and NOT greater than 110 g/m2 on each side; (d) yield strength NOT less than 300 MPa; (e) tensile strength NOT less than 500 MPa; (f) total elongation NOT less than 12%; (g) in BOTH of the following sizes: (i) thickness 1.00 mm and width 232 mm; (ii) thickness 1.40 mm and width 454 mm	50 10.12.17
------------	--	----------------

For the purposes of this Order, tolerances allowable for
specification (g) are:

- (a) thickness +/- 10%
 - (b) width +/- 1%
- Op. 05.09.13 Dec. date 02.12.13 - TC 1330258

Substitutable goods produced in Australia in the ordinary
course of business by Bluescope Steel (AIS) Ltd, Port Kembla,
NSW. In transit provisions apply

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
---	---

7228.70.00 PILLAR BLANKS, being pre-cut shapes OR sections of flat rolled alloy steel, having ALL of the following: (a) hot dipped coating NOT less than 85% aluminium and NOT less than 5% silicon and NOT greater than 11% silicon; (b) yield strength NOT less than 300 MPa; (c) tensile strength NOT less than 500 MPa; (d) total elongation NOT less than 17%; (e) total coating mass on each side NOT less than 60 g/m2 and NOT greater than 100 g/m2; (f) chemistry specification of base steel being: (i) carbon NOT less than 0.19% and NOT greater than 0.27%; (ii) manganese NOT less than 1.00% and NOT greater than 1.50%; (iii) aluminium NOT less than 0.010%; (iv) silicon NOT greater than 0.50%; (v) phosphorous NOT greater than 0.030%; (vi) sulphur NOT greater than 0.050%; (vii) chromium NOT greater than 0.35%; (viii) titanium NOT less than 0.020% and NOT greater than 0.055%; (ix) nitrogen NOT greater than 0.010%; (x) boron NOT less than 0.0005% and NOT greater than 0.004%	50 10.12.17
---	----------------

Op. 25.03.13

Dec. date 17.06.13

- TC 1310468

Substitutable goods produced in Australia in the ordinary course of business by Bluescope Steel (AIS) Ltd, Port Kembla, NSW. In transit provisions apply

CUSTOMS ACT 1901

NOTICE PURSUANT TO SECTION 269SE(2) - TARIFF CONCESSION ORDER REVOCATION AT THE INITIATIVE OF THE COMPTROLLER-GENERAL OF CUSTOMS

The Tariff Concession Orders listed in THE TABLE below have not been used for at least 2 years and have been revoked under Section 269SD(1A). In transit provisions apply.

The intention to revoke these orders was notified in Gazette TC17/50 dated 29 November 2017.

Contact: Email tarcon@abf.gov.au

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
2915.29.00 STRONTIUM ACETATE Op. 27.07.10 Dec. date 18.10.10 2 Years non use. In transit provisions apply	50 26.12.17 - TC 1034360
3924.90.00 CLEANING HEADS, HOLLOWWARE, foam, incorporating a plastic screw socket Op. 25.03.10 Dec. date 18.06.10 2 Years non use. In transit provisions apply	50 26.12.17 - TC 1014664
5603.13.00 FABRIC, non-woven, incorporating an expanded polytetrafluoroethylene (PTFE) membrane impregnated with polyurethane, having BOTH of the following: (a) weight NOT less than 110 g/m2 and NOT greater than 150 g/m2; (b) aramid composition Op. 23.09.10 Dec. date 20.12.10 2 Years non use. In transit provisions apply	50 26.12.17 - TC 1043536
7207.11.00 BILLETS, square, semi-finished non-alloy steel, having BOTH of the following: (a) thickness and width NOT less than 115 mm x 115 mm and NOT greater than 160 mm x 160 mm; (b) length NOT less than 11 700 mm and NOT greater than 12 200 mm Op. 01.06.10 Dec. date 30.08.10 2 Years non use. In transit provisions apply	50 26.12.17 - TC 1024427
7211.29.00 STRIP, steel, annealed, cold rolled, in coil form, having ALL of the following: (a) carbon weight composition NOT less than 0.55% and NOT greater than 0.79%; (b) strip width NOT less than 7.7 mm and NOT greater than 599 mm; (c) strip thickness NOT less than 0.70 mm and NOT greater than 1.00 mm Op. 07.07.10 Dec. date 06.10.10 2 Years non use. In transit provisions apply	50 26.12.17 - TC 1030736
7326.90.90 COMPONENTS, WHARF FENDER, being ANY of the following: (a) hinges with OR without concrete anchors; (b) torsion arms; (c) U beam lifting bars; (d) cover plates; (e) cone spacers Op. 31.12.10 Dec. date 21.03.11 2 Years non use. In transit provisions apply	50 26.12.17 - TC 1056466

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
7419.99.00 EYELASH SUPPORTS, brass, gold plated Op. 02.06.10 Dec. date 30.08.10 2 Years non use. In transit provisions apply	- TC 1024607 50 26.12.17
8414.80.19 COMPRESSORS, air cooled, electric motor driven, 4 stage reciprocating, pressure lubricated, having ALL of the following: (a) pressure rating of NOT less than 220 bar but NOT greater than 345 bar; (b) free air delivery of NOT less than 707 litres per min (25 standard cubic feet per min) and NOT greater than 935 litres per min (33 standard cubic feet per min) Op. 18.11.10 Dec. date 07.02.11 2 Years non use. In transit provisions apply	- TC 1051159 50 26.12.17
8414.90.90 PARTS, COMBUSTION AIR FAN, WALKING BEAM FURNACE, being EITHER of the following: (a) air fan assemblies, including ALL of the following: (i) shaft; (ii) impellor; (iii) bearings; (iv) coupling, (b) inlet vane Op. 30.12.10 Dec. date 28.03.11 2 Years non use. In transit provisions apply	- TC 1056464 50 26.12.17
8431.49.90 PARTS, SLAB CARRIER, being EITHER of the following: (a) hubs; (b) rim bases Op. 23.02.10 Dec. date 30.04.10 2 Years non use. In transit provisions apply	- TC 1009554 50 26.12.17
8438.80.00 DE-BAGGING MACHINES, CHEESE BLOCK, having both of the following: (a) conveyors; (b) cutting blades Op. 17.09.10 Dec. date 13.12.10 2 Years non use. In transit provisions apply	- TC 1042810 50 26.12.17
8454.90.00 PARTS, CONTINUOUS SLAB CASTER, being EITHER of the following: (a) water boxes; (b) water manifolds Op. 12.10.10 Dec. date 07.01.11 2 Years non use. In transit provisions apply	- TC 1045903 50 26.12.17
8479.89.90 OIL SPILL CONTAINMENT SYSTEM, OCEAN, including BOTH of the following: (a) single point inflation boom; (b) diesel engine powered hydraulic boom reel with integrated air blower Op. 08.10.10 Dec. date 07.01.11 2 Years non use. In transit provisions apply	- TC 1045490 50 26.12.17
8479.89.90 SHREDDING LINE, SCRAP MATERIAL, having ALL of the following: (a) input feeder having a capacity NOT less than 55 tonnes per hour; (b) rotary shredder having a capacity NOT less than 35 tonnes per hour; (c) discharge chain conveyor having a capacity NOT less than 450 cubic metres per hour; (d) hydraulic power pack; (e) power and control cabinets Op. 17.12.10 Dec. date 16.03.11 2 Years non use. In transit provisions apply	- TC 1055016 50 26.12.17

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number Last Date of Effect	
8483.10.99	SPINDLES, HOT STRIP ROLLING MILL Op. 12.10.10 Dec. date 07.01.11 2 Years non use. In transit provisions apply	- TC 1045904	50 26.12.17
8483.40.90	GEARBOXES, TILT DRIVE, BLAST FURNACE, water cooled Op. 15.12.10 Dec. date 16.03.11 2 Years non use. In transit provisions apply	- TC 1054740	50 26.12.17
8503.00.00	ROTOR ASSEMBLIES, DUMP TRUCK WHEEL DRIVE, including ALL of the following: (a) punchings; (b) end plate; (c) end ring; (d) rotor shaft Op. 25.03.10 Dec. date 18.06.10 2 Years non use. In transit provisions apply	- TC 1014802	50 26.12.17
8704.10.00	CHASSIS, DUMP TRUCK, ABOVE GROUND MINING, GROSS VEHICLE WEIGHT GREATER THAN 200 t, with or without dump body, including ALL of the following: (a) rigid frame; (b) cabin; (c) diesel engine; (d) electric drive; (e) NOT less than four wheels Op. 26.07.10 Dec. date 18.10.10 2 Years non use. In transit provisions apply	- TC 1034150	50 26.12.17
9508.90.00	TUBE SLIDES, PLAYGROUND, stainless steel, polycarbonate cover, having BOTH of the following: (a) length NOT less 17 m; (b) time controlled traffic lights Op. 05.11.10 Dec. date 24.01.11 2 Years non use. In transit provisions apply	- TC 1049261	50 26.12.17

AUSTRALIAN BORDER FORCE**TARIFF QUOTAS - QUOTA TRANSACTIONS PROCESSED IN THE PERIOD 09 Jan 2018 to 16 Jan 2018.****GENERAL INFORMATION**

This Gazette contains details of quota transactions processed in the period 09 Jan 2018 to 16 Jan 2018 inclusive.

Part 1 contains a Table specifying quota category details.

Part 2, Section A, lists quota holders who received quota allocations via transfer transactions.

Part 2, Section B, lists all adjustments to previous allocations which have been caused by transfer transactions.

NB.- In Section B, transactions represent changes to individual tariff quotas and do not necessarily represent the entire holdings in that category for the quota holder.

- The "AS WAS" and "AS IS" columns indicate the quota levels for that particular tariff quota only at the time of that transaction.
- The amount of the transaction can be deduced by subtracting the "AS WAS" column from the "AS IS" column.

Inquiries concerning any information published within this Gazette should be directed to 02 6275 6534.

PART 1**NOTICE OF MAKING A DETERMINATION UNDER PART XVI OF THE CUSTOMS ACT 1901**

In pursuance of Section 273B of the Customs Act 1901, notice is hereby given that a Determination specified in Section A of Part 2 was made in relation to Item 55 in Part III of Schedule 4 to the Customs Tariff Act 1995 and subject to any conditions set out hereunder, that Determination applies to goods that are:

- (1) specified in the Table hereunder;
- (2) classified under a subheading of Schedule 3 to the Customs Tariff Act 1995, specified in Item 55 in Part III of Schedule 4 to the Customs Tariff Act 1995;
- (3) entered for home consumption not earlier than the start date, and not later than the finish date, by the person specified in that Determination, as shown in Part 2; and
- (4) in total, not in excess of such quantity as is specified in that Determination, as shown in Part 2.

In pursuance of Section 273B of the Customs Act 1901, notice is hereby given that a Determination specified in Section B of Part 2 amended a previous Determination by deleting the figures in the column headed QUANTITY AS WAS" and inserting the figures in the column headed "QUANTITY AS IS".

THE TABLE

CATEGORY CODE	UNIT QUANTITY	QUOTA ITEM NUMBER	QUOTA DESCRIPTION
311	Kilograms	61A	Cheese & Curd

PART 2**SECTION A - QUOTA ALLOCATIONS**

CAT CODE	QUOTA HOLDERS LEGAL NAME	POST CODE	QUANTITY (KG)	DETERMINATION NUMBER
-------------	--------------------------	--------------	---------------	-------------------------

PART 2**SECTION B - AMENDED ALLOCATIONS**

CAT CODE	QUOTA HOLDERS LEGAL NAME	POST CODE	QUANTITY (KG) AS WAS	QUANTITY (KG) AS IS	DETERMINATION NUMBER
311	FRESH CUT (TAS) PTY LTD		809.00	0.00	000796
311	RODINI NOMINEES PTY. LTD.	3061	48,391.00	49,200.00	000796
