

Commonwealth of Australia

Gazette

No.TC18/13, Wednesday, 11 April 2018 Published by the Commonwealth of Australia

TARIFF CONCESSIONS

CONTENTS

TCO Applications	2
TCO Application Refused	10
TCOs Made	11
TCOs Revoked - Unused for over 2 years	14
Comptroller-General of Customs Initiated - TCO Revoked	16
Comptroller-General of Customs Review of TCO Revocations Notification	16
Comptroller-General of Customs Review of TCO Application Result	17
AAT Review of TCO Applications Results	17
Section 273 Determinations Made	18
Cheese Quota Transfers	19

The Commonwealth of Australia Tariff Concessions Gazette (the Tariff Concessions Gazette) is free of charge on the Department of Home Affairs internet site at: <u>https://www.homeaffairs.gov.au/busi/domestic-manufacturers-and-importers</u>

The Tariff Concessions Administration S 5 Constitution Ave Canberra City 2601	Section is located at
Contact details: General Email Inquiries:	
General Inquiries:	
TAPIN help desk:	
Facsimile:	(02) 6223 8180

Cat. No. ISSN 0813-8389 ©Commonwealth of Australia, 2018

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269K(1) - APPLICATIONS MADE FOR TARIFF CONCESSION ORDERS

Applications have been lodged for Tariff Concession Orders for the goods described in the following TABLE.

Australian manufacturers who wish to contest the granting of a Tariff Concession Order for the goods described are invited to lodge a submission in writing in an approved form. Submissions must be lodged within 50 days of the date of publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

Objections to the making of TCO submission forms are available at

https://www.homeaffairs.gov.au/Forms/Documents/b444.pdf

Contact: Email tarcon@abf.gov.au

Description of Goods including the Customs Tariff Classification			4 Item Number 1 Duty Rate
3603.00.00	TUBE, flexible, incorporating cyclotetramethylene tetranitramine AND aluminium Op. 07.03.18	- TC 1827706	50
	Stated Use: Shocktube for general blasting and means of initiation of non electric detonators in mining and quarry blasting		
	Applicant: MAXAM AUSTRALIA PTY LTD		5%
3808.92.00	FUNGICIDES, having an active ingredient of bacillus subtilis Op. 14.03.18	- TC 1830002	50
	Stated Use: Builds a biological interface between the soil environment and plant root system using beneficial bacteria		
	Applicant: BAYER CROPSCIENCE PTY LTD		5%
3917.31.90	<pre>HOSES, with OR without hose connectors AND/OR plastic caps, having ALL of the following: (a) polyamide inner layer; (b) synthetic textile fibre reinforcement layer; (c) polyamide outer layer; (d) inner diameter NOT greater than 4 mm Op. 13.03.18</pre>	- тс 1829764	50
	Stated Use:	10 1010,01	
	Stated USE: For transporting fluids for purposes such as testing pressure gauges or pressure monitoring equipment in hydraulic systems		
	Applicant: STAUFF CORPORATION PTY LTD		5%

7306.50.00	<pre>COILED TUBING, OIL AND GAS WELL, whether OR not on spools AND/OR reels, having ALL of the following: (a) yield strength NOT less than 475 MPa and NOT greater than 800 MPa; (b) tensile strength NOT less than 440 MPa and NOT greater than 850 MPa; (c) working pressure NOT less than 50 MPa and NOT greater than 210 MPa; (d) chemical composition by weight having ALL of the following: (i) carbon content NOT greater than 0.175%; (ii) manganese content NOT less than 0.50% and NOT greater than 1.75%; (iii) phosphorous content NOT greater than 0.03%; (iv) sulphur content NOT greater than 0.007%; (v) silicon content NOT less than 0.075% and NOT greater than 1.10%; (vi) chromium content NOT greater than 0.30%; (vii) nickel content NOT greater than 0.45%; (ix) molybdenum content NOT less than 0.075% and NOT greater than 0.35%; (x) aluminium content NOT greater than 0.075% op. 19.03.18</pre>	- TC 1832217	50
	Stated Use: Utilised to assist in the transfer of fluids		
	Applicant: SCHLUMBERGER AUSTRALIA PTY LTD		5%
7307.29.00	<pre>HOSE CONNECTERS, stainless steel alloy, having BOTH of the following (a) outside diameter NOT less than 3 mm and NOT greater than 76 mm; (b) titanium content NOT less than 0.04% and NOT greater than 0.07% Op. 09.03.18 Stated Use: For connecting hoses to water outlets or other hoses</pre>	- TC 1829207	50
	Applicant: VOLZ (AUSTRALIA) PTY LTD		5%

	of Goods including the ff Classification	Schedule 4 Ite General Dut	
7308.90.00	 BOOM SUPPORT POST, OIL AND/OR GAS BURNER, whether OR not assembled, including ALL of the following: (a) base plate; (b) pad eyes; (c) fishplate AND vertical column AND rear bracket having maximum weight capacities exceeding 19 tonnes at a 27 degrees angle Op. 07.03.18 	- TC 1827371	50
	Stated Use: To provide support to oil and gas burner booms in testing wells		
	Applicant: SCHLUMBERGER AUSTRALIA PTY LTD		5%
8404.10.00	<pre>PARTS, BOILER POWER PLANT, being EITHER of the following: (a) de-superheaters; (b) de-superheating system, pressure reduction, including ALL of the following: (i) de-superheater; (ii) steam inlet; (iii) steam outlet</pre>		50
	Op. 13.03.18	- TC 1829761	
	Stated Use: For reducing the pressure and temperature of steam in power co-generation boiler plants		
	Applicant: MSF SUGAR PTY LTD		5%
8415.10.00	<pre>AIR CONDITIONERS, self-contained, wall mounted, reverse cycle, having ALL of the following: (a) cooling capacity greater than 12 000 watts; (b) heating capacity NOT less than 6 800 watts; (c) temperature sensor; (d) control unit; (e) fresh air supply port</pre>		50
	Op. 09.03.18 Stated Use:	- TC 1828455	
	Cooling or heating in shelters or buildings		
	Applicant: G.H VARLEY PTY LTD		5%
8422.20.00	<pre>POT CLEANING MACHINES, HORTICULTURAL, programmable logic controlled, including ALL of the following: (a) rotating brush; (b) water sprayer; (b) conveyors Op. 21.03.18</pre>	- TC 1832876	50
	Stated Use: Cleaning flower pots in horticultural applications	10 1002070	
	Applicant: TRANSPLANT SYSTEMS PTY LTD		5%
8422.30.90	CHEESE AND/OR BUTTER WRAPPING DOSING, FILLING AND SEALING MACHINES, including BOTH of the following: (a) liquid cheese AND/OR butter nozzles; (b) wrapping cutter AND sealer		50
	Op. 06.03.18	- TC 1827212	
	Stated Use: For dosing, filling and sealing liquid cheese and butter products	5	
	Applicant: BEGA CHEESE LTD		5%

8422.30.90

Description of Goods including the Customs Tariff Classification Schedule 4 Item Number General Duty Rate 50

	<pre>following: (a) plastic film coating sleeve applicator machine; (b) plastic film coating sleeve positioner; (c) conveyors; (d) plastic film heat shrinking air tunnel; (e) frame supports; (f) faulty plastic film sleeve ejector; (g) plastic film cutter Op. 13.03.18</pre>	- TC 1829319	
	Stated Use: For applying plastic film coatings to small containers		
	Applicant: FERRERO AUSTRALIA PTY LTD		5%
8433.20.00	<pre>MOWERS, remote controlled, all terrain, including ALL of the following: (a) flails; (b) operating angle NOT greater than 60 degrees; (c) diesel engine (c) diesel engine</pre>	TO 1020070	50
	Op. 15.03.18	- TC 1830878	
	Stated Use: Remotely controlled steep terrain mowing		
	Applicant: S.M.E PTY LTD		5%
8433.59.90	<pre>HARVESTERS, LEAF VEGETABLE, petrol OR diesel engine, self-propelled, four wheel drive, including ALL of the following: (a) cutter; (b) belt conveyor; (c) platform; (d) vibration shaker</pre>		50
	Op. 15.03.18	- TC 1830569	
	Stated Use: Harvest leaf vegetable such as baby spinach		
	Applicant: RIVIERA FARMS PTY LTD		5%
	11		J-6
8433.60.00	<pre>VEGETABLE LEAF SORTING MACHINES, programmable logic controlled, including ALL of the following: (a) belt conveyor; (b) cameras AND lighting; (c) air blower; (d) control panel</pre>		50
8433.60.00	<pre>VEGETABLE LEAF SORTING MACHINES, programmable logic controlled, including ALL of the following: (a) belt conveyor; (b) cameras AND lighting; (c) air blower;</pre>	- TC 1827219	
8433.60.00	<pre>VEGETABLE LEAF SORTING MACHINES, programmable logic controlled, including ALL of the following: (a) belt conveyor; (b) cameras AND lighting; (c) air blower; (d) control panel</pre>	- TC 1827219	
8433.60.00	<pre>VEGETABLE LEAF SORTING MACHINES, programmable logic controlled, including ALL of the following: (a) belt conveyor; (b) cameras AND lighting; (c) air blower; (d) control panel Op. 06.03.18 Stated Use:</pre>	- TC 1827219	
8433.60.00	<pre>VEGETABLE LEAF SORTING MACHINES, programmable logic controlled, including ALL of the following: (a) belt conveyor; (b) cameras AND lighting; (c) air blower; (d) control panel Op. 06.03.18 Stated Use: To remove foreign materials and insects from vegetable leaves Applicant: RIVIERA FARMS PTY LTD SYSTEM, VEGETABLE LEAF DEWATERING, consisting of ALL of the following: (a) belt conveyors; (b) centrifugal fans; (c) air filters</pre>		50
	<pre>VEGETABLE LEAF SORTING MACHINES, programmable logic controlled, including ALL of the following: (a) belt conveyor; (b) cameras AND lighting; (c) air blower; (d) control panel Op. 06.03.18 Stated Use: To remove foreign materials and insects from vegetable leaves Applicant: RIVIERA FARMS PTY LTD SYSTEM, VEGETABLE LEAF DEWATERING, consisting of ALL of the following: (a) belt conveyors; (b) centrifugal fans;</pre>	- TC 1827219 - TC 1825973	50
	<pre>VEGETABLE LEAF SORTING MACHINES, programmable logic controlled, including ALL of the following: (a) belt conveyor; (b) cameras AND lighting; (c) air blower; (d) control panel Op. 06.03.18 Stated Use: To remove foreign materials and insects from vegetable leaves Applicant: RIVIERA FARMS PTY LTD SYSTEM, VEGETABLE LEAF DEWATERING, consisting of ALL of the following: (a) belt conveyors; (b) centrifugal fans; (c) air filters</pre>		50

HEAT SHRINK PLASTIC FILM COATING LINE, including ALL of the

	of Goods including the ff Classification		e 4 Item Numbe ral Duty Rate
8474.10.00	AIR CLASSIFIER, having a cylindrical casing diameter of NOT less than 3400 mm and NOT greater than 3600 mm Op. 01.03.18	- TC 1824987	50
	Stated Use: An industrial machine which separates materials by a combination of size, shape, and density, by injecting the material stream to be sorted into a chamber which contains a column of rising air		
	Applicant: BORAL RESOURCES (NSW) PTY LTD		5%
8474.90.00	 BALL MILL HEAD, single cast, having ALL of the following: (a) integral trunnion; (b) outside diameter NOT less than 4 300 mm; (c) height NOT less than 1 450 mm Op. 15.03.18 	- TC 1830566	50
	Stated Use: A component of a regrind ball mill, designed to grind ores and other materials		
	Applicant: TALISON LITHIUM AUSTRALIA PTY LTD		5%
8474.90.00	PARTS, SEMI-AUTOGENOUS MILL, being cast iron sealing heads, whether OR not assembled, having BOTH of the following:(a) mill head diameter NOT less than than 11.5 m;(b) mill head centre aperture NOT less than 3.5 m	EC 10207(0	50
	Op. 20.03.18	- TC 1832762	
	Stated Use: Parts of semi-autogenous grinding mills used in the wet comminution of mineral ores		
	Applicant: GRUYERE MANAGEMENT PTY LTD		5%
3479.89.90	DECAPPING MACHINES, STORAGE TUBE SAMPLE, with OR without one OR both of the following: (a) cappers;		50
	(b) gas purge Op. 07.03.18	- TC 1827704	
	Stated Use: Capping/de capping system for sample storage tubes that are sealed using screw or TPE septum caps		
	Applicant: BIOTOOLS PTY LTD		5%
8479.89.90	INSPECTION MACHINES, GLASS CONTAINER, having caustic detection module Op. 09.03.18	- TC 1829204	50
	Stated Use: Detection of faults and contamination in glass containers		
	Applicant: CUB PTY LTD		5%
8479.89.90	<pre>PACKERS, CASING, OIL AND/OR GAS WELL, with OR without end fittings, including ALL of the following: (a) expansion valve; (b) expandable metal bladder with bonded elastomer covering; (c) mandrel</pre>		50
	Op. 13.03.18	- TC 1829326	
	Stated Use: Achieve zonal isolation by creating a seal between the casing and the borehole in low pressure environments		
	Applicant: SCHLUMBERGER AUSTRALIA PTY LTD		5%

8479.89.90 TUB OPENERS, NESTED VIAL AND SYRINGE, programmable logic 50 controlled, , having ALL of the following:
 (a) robotic lid and foil removal; (b) maximum speed NOT less than 6 tubs per min; (c) maximum tub size NOT less than 97.5 mm and NOT greater than 154mm Op. 13.03.18 - TC 1829770 Stated Use: In an aseptic vial and syringe filling line for lid and foil removal from pre-sterilised tubs containing nested vials and syringes Applicant: PHEBRA PTY LTD 5% 8479.89.90 BAG OPENERS, NESTED VIAL AND SYRINGE, programmable logic 50 controlled, having ALL of the following: (a) robotic bag cutters; (b) robotic transfer arms; (c) maximum speed NOT less than 6 tubs per min; (d) maximum tub size NOT less than 97.5 mm and NOT greater than 154mm Op. 13.03.18 - TC 1829772 Stated Use: In an aseptic vial and syringe filling line for removal of presterilised tubs containing nested vials and syringes Applicant: PHEBRA PTY LTD 5% 8481.80.90 MID-CONNECTION MODULE, SUBSEA, including of ALL of the following: 50 (a) piping unit including ALL of the following: (i) subsea ball valves; (ii) piping; (iii) tubing; (iv) tees;
 (v) bends; (vi) elbows; (vii) pressure caps; (viii) connectors; (ix) flanges (x) temperature sensor, (b) housing frame; (c) mud mats; (d) anodes Op. 14.03.18 - TC 1830369 Stated Use: To provide subsea connection of the flowline to an offshore platform

Applicant: WOODSIDE ENERGY LTD

	of Goods including the ff Classification	Schedule 4 Item Number General Duty Rate
8481.80.90	 GATE VALVES, SURFACE SAFETY, OIL AND/OR GAS WELL TESTING, hydraulically actuated, remotely operated, with OR without lifting frame AND/OR crossover connections, including ALL of the following: (a) double metal to metal seals; (b) working pressure NOT less than 32 MPa and NOT greater than 105 MPa; (c) bore diameter NOT less than 5 centimetres and NOT greater than 14 centimetres 	50
	Op. 15.03.18	- TC 1830875
	Stated Use: Preventing overpressure conditions by remote shut down when testing oil and gas wells with high flow rates and pressures	
	Applicant: SCHLUMBERGER AUSTRALIA PTY LTD	5%
8483.40.90	SINGLE HELICAL GEAR UNIT AND PINION, BALL MILL, having a gear unit outside diameter not less than 5 600 mm Op. 13.03.18	50 - TC 1829766
	Stated Use: Used to drive the regrind ball mill	
	Applicant: TALISON LITHIUM AUSTRALIA PTY LTD	5%
8483.40.90	REDUCERS AND INCHING DRIVES, BALL MILL, reducer power rating NOT less than 1 500 kW Op. 13.03.18	50 - TC 1829768
	Stated Use: Transmits power and torque from the drive motor to the regrind ball mill	
	Applicant: TALISON LITHIUM AUSTRALIA PTY LTD	5%
8483.40.90	<pre>GEARBOXES, WIND TURBINE NACELLE HAVING A RATED CAPACITY NOT LESS THAN 3.3 MW, cast steel, including ALL following: (a) one OR more planetary OR helical gear stages; (b) torque arm; (c) couplings; (d) main bearing concept having one OR both of the following:</pre>	50
	(ii) cylindrical roller bearing Op. 29.11.17	- TC 17128001
	Stated Use: For use in the conversion of high torque power to low torque power in a wind turbine nacelle with a rated capacity not less than 3.3Mw	
	Applicant: VESTAS - AUSTRALIAN WIND TECHNOLOGY PTY LTD	5%

8504.40.90	 INVERTERS, DC to AC AND/OR AC to DC, having ALL of the following: (a) output power NOT less than 1 600 kVA and NOT greater than 4 800 kVA; (b) output voltage NOT less than 450 VAC and NOT greater than 615 VAC; (c) frequency NOT less than 50 Hz; (d) peak conversion efficiency NOT less than 98%; (e) input voltage NOT greater than 1 500 VDC; (f) ventilation fans; (g) operating temperature NOT less than -30 degrees Celsius and NOT greater than 60 degrees Celsius; (h) power factor NOT greater than 1; (i) power transformer NOT greater than 4 800 kVA; (j) auxiliary services cabinet; (l) medium voltage switchgear; 		50
	(m) busbar Op. 15.03.18	- TC 1830574	
	Stated Use: Convert DC current to AC current in a solar farm and dispersing solar generated energy to the grid		
	Applicant: LILYVALE SOLAR FARM PTY LTD		5%
8518.22.00	LOUDSPEAKERS, 2-way passive, having ALL of the following: (a) diaphragm compression driver; (b) bandwidth NOT less than 65 Hz and NOT greater than 20 kHz; (c) nominal impedance NOT greater than 20 ohms Op. 05.03.18	- TC 1826494	50
	Stated Use: Speaker enclosures used in large venues such as performing art centres		
	Applicant: HILLS LTD		5%
8537.10.90	POWER MANAGEMENT DISTRIBUTION UNITS, having BOTH of the following: (a) programmable logic controller; (b) ethernet interface Op. 13.03.18	- TC 1829321	50
	Stated Use: Supplies power to flight training device system		
	Applicant: LOCKHEED MARTIN AUSTRALIA PTY LTD		5%

50

5%

9406.90.00 INTERPRETER BOOTHS, prefabricated, complying with International Standard ISO 4043:2016, including ALL of the following: (a) occupant capacity NOT greater than 8; (b) interchangeable wall panels; (c) table; (d) ventilation unit; (e) fan; (f) LED lighting; (g) cable passaging; (g) allen key Op. 06.03.18 - TC 1827217 Stated Use: For conference delegates to engage interpreter functions and sound proof media Applicant: DANEBURY PTY LTD

CUSTOMS ACT 1901

NOTICE PURSUANT TO SECTION 269R(1) - APPLICATIONS FOR TARIFF CONCESSION ORDERS REFUSED

The application for the Tariff Concession Order for the goods described in the following TABLE has been refused.

THE TABLE

Description of Goods including the

Customs Tariff Classification

8483.40.90 DRIVE UNITS, enclosed fan cooled, triple reduction, including 50 ALL of the following: (a) helical gear; (b) horizontal OR vertical OR upright shaft; (c) gas carburised gearing; (d) torque range NOT LESS than 2.5 kNm and NOT greater than 580 kNm Op. 17.10.17 - TC 17109830 Reason for refusal: Substitutable goods produced in Australia in the ordinary course of business by Hofmann Engineering Pty Ltd, Bassendean, WA

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269R(1) - TARIFF CONCESSION ORDERS MADE

Tariff Concession Orders have been made for the goods described in the following TABLE.

The operative date (Op.) and TC reference No. follow the description of goods. Local manufacturers of substitutable goods may request the revocation of TCOs at any time.

	of Goods including the ff Classification	Schedule 4 Item Number Last Date of Effect General Duty Rate
6815.99.00	<pre>REFRACTORY BRICKS OR SHAPES, TORPEDO LADLE, having ALL of the following: (a) resin bonded AND cured; (b) alumina content NOT less than 65%; (c) carbon content NOT less than 8%; (d) bulk density greater than 2 600 kg/cubic metre; (e) silicon dioxide content NOT greater than 13%; (f) apparent porosity NOT less than 2% and NOT greater than 10%; Op. 15.01.18 Dec. date 03.04.18</pre>	- TC 1806352
7308.90.00	<pre>TILTING AND TRACKING SUPPORTS, SOLAR PANEL, with OR without braces, including ALL of the following: (a) U shaped section panel rails, having BOTH of the following: (i) NOT less than 8 holes; (ii) length NOT greater than 6 metres, (b) steel ground posts, having BOTH of the following: (i) NOT less than 2 holes; (ii) length NOT greater than 6 metres, (c) torque tubes splice brackets having NOT less than 8 holes, (d) torque tubes, having BOTH of the following: (i) rectangular openings; (ii) length NOT greater than 12 metres, (e) post head Y connectors, having BOTH the following: (i) rectangular openings; (ii) keyholes, (f) conforming with ALL of the following: (i) Australian/New Zealand Standard AS/NZS1170.0:2002 Part 0 General Principals; (ii) Australian/New Zealand Standard AS/NZS1170.2:2011 Part 2 Wind Actions; (iii) Australian/New Zealand Standard AS/NZS1170.4:2007 Part 4 Earthquake actions in Australia; (iv) Australian Standard AS400:2005 Cold Formed Steel Structures, with OR without ANY of the following: (i) motor support brackets, having BOTH the following; (a) keyholes; (b) welded gussets, (ii) panel rail clamps; (iii) post head bushings; (iv) fastener brackets, having NOT less than 6 holes Op. 16.01.18 Dec. date 09.04.18</pre>	- тс 1807257
8414.59.90	<pre>SUCTION HOODS, UNCURED CONCRETE PARTICLE, having ALL of the following: (a) centrifugal fan capacity NOT less than 1 000 kg/cubic metre; (b) plastic coated hood; (c) ventilation control valve; (d) silencer; (e) cyclone filter</pre>	50
	Op. 15.01.18 Dec. date 03.04.18	- TC 1806302

	of Goods including the ff Classification		Last Dat	4 Item Number te of Effect Duty Rate
8415.10.00	AIR CONDITIONERS, COMPUTER HEAT AND HU without condenser, including BOTH of t (a) indoor unit, having an internal (b) maximum gross total cooling capa 148 kW	the following: inverter compressor;		50
	Op. 12.01.18 Dec	. date 09.04.18	- TC 1806251	
8419.89.90	<pre>CEMENT POWDER COOLERS, whether OR not of the following: (a) cooler casing foot; (b) vertical cylinder casing includi (i) cooler shell; (ii) top cover with railing A support; (iii) cooler bottom with lower (iv) hot material inlet open (v) cold material outlet open (vi) emergency dump chute, (c) cooler rotor with lower rotor dr screw rotor segments; (d) lower AND upper rotor bearing ho (e) adjustable cooling water distrik ALL of the following: (i) water inlet; (ii) water inlet; (ii) water tubing with manual (iii) upper water case with br (iv) lower water case with co hopper; (v) water outlet, (f) vapour curtain; (g) motor base frame; (h) electric motor drive including of following: (i) bevel spur gear; (ii) flexible couplings; (iii) auxiliary drive with gea overrunning clutch, (i) material temperature sensors wit (j) water flow meter</pre>	<pre>ang ALL of the following: AND upper rotor bearing c rotor bearing support; ang; ening; cive shaft AND adjustable busings; bution system consisting of adjustable valves; cush guide rail; crculating collecting of ALL of the ared motor AND ch protecting tube;</pre>		50
		. date 03.04.18	- TC 1803980	
8421.39.90	ABSORPTION TOWERS OR COLUMNS, NITRIC A the following: (a) sieve trays; (b) cooling water tubes; (c) cooling water inlets; (d) cooling water outlets; (e) cooling coils; (f) piping Op. 22.01.18 Dec	-	- TC 1809599	50
8428.33.00	ACCUMULATORS, SPIRAL CONVEYOR, includi (a) single continuous belt; (b) belt transfer unit	ng BOTH of the following:		50
		. date 09.04.18	- TC 1809637	
8428.90.00	BUILDING MAINTENANCE UNITS, conforming AS 1418.13 - 1996 AND/OR British Stand ANY of the following: (a) track based; (b) trackless with guide rails OR pa (c) stationary, with OR without ANY of the following: (i) fixed OR telescopic OR I (ii) drum OR capstan OR tract (iii) suspended cradle AND/OR Op. 02.01.18 Dec	ard BS EN 1808:2015, being arapet; Luffing OR articulated jib; tion hoist;	- TC 1801086	50

Description of Goods including the Customs Tariff Classification Schedule 4 Item Number Last Date of Effect General Duty Rate

8433.59.90	<pre>TWIN HARVESTING MACHINES, NUT, t drive, including ALL of the foll (a) collecting frame; (b) sloped panels; (c) shaking head; (d) nut containers; (e) machine levelling unit; (f) cooling unit; (f) air conditioned cabin; (g) leaf blower unit Op. 08.01.18</pre>		- TC 1803976	50
8467.29.00	<pre>NAILERS AND/OR STAPLERS, with OR following: (a) belt clips; (b) nose adaptors; (c) hex wrenches; (d) safety googles Op. 10.01.18</pre>	Dec. date 03.04.18	- TC 1804761	50
8479.89.90	VIBRATORY NEEDLE MACHINES, AIR G the following: (a) vibration frequency NOT le (b) NOT less than four needles (c) needle lifting device	ss than 100 Hz; ;		50
8518.40.90	<pre>Op. 15.01.18 PUBLIC ADDRESS SYSTEMS, RAILWAY following: (a) audio amplifier; (b) computer; (c) digital router Op. 15.01.18</pre>	Dec. date 09.04.18 STATION, including ALL of the Dec. date 03.04.18		50
8708.99.99	PARTS, TRUCKS HAVING A GROSS VEH TONNES, being electronic shift l material			50
	Op. 15.01.18	Dec. date 09.04.18	- TC 1806784	
9506.99.90	TARGETS, SPORT SHOOTING, having 60 mm and NOT greater than 110 m Op. 25.01.18		- TC 1812845	50

CUSTOMS ACT 1901

NOTICE PURSUANT TO SECTION 269SE(2) - TARIFF CONCESSION ORDER REVOCATION AT THE INITIATIVE OF THE COMPTROLLER-GENERAL OF CUSTOMS

The Tariff Concession Orders listed in THE TABLE below have has not been used for at least 2 years and have been revoked under Section 269SD(1A). In transit provisions apply.

The intention to revoke these orders was notified in Gazette TC 18/05 dated 7 February 2018.

Contact: email tarcon@border.gov.au.

	of Goods including the ff Classification			Item Number e of Effect
2903.73.00	1,1-DICHLORO-1-FLUOROETHANE, (HCFC - Op. 01.01.12 De	141b) c. date 22.11.11	- TC 1127102	50 06.03.18
	2 Years non use. In transit provision	ns apply		
3702.96.90	FILM, 10% or more of the spectral ser less than 700 Nm Op. 01.01.12 De	-	- TC 1127128	50 06.03.18
	2 Years non use. In transit provision	ns apply		
6815.99.00	REFRACTORY BRICKS AND SHAPES, UNFIRED VESSEL, having ALL of the following: (a) magnesia (MgO) content NOT less (b) cold crushing strength NOT less (c) apparent porosity NOT less than Op. 08.06.11 De	s than 95%; s than 25 N/mm2;	- TC 1118281	50 06.03.18
	2 Years non use. In transit provision	ns apply		
6902.20.00	BLOCKS AND/OR SHAPES, REFRACTORY, TIN Op. 05.04.11 De		- TC 1111591	50 06.03.18
	2 Years non use. In transit provision	ns apply		
6902.90.00	<pre>BRICKS AND/OR SHAPES, REFRACTORY, BLA the following: (a) carbon or graphite content NOT (b) bulk density NOT less than 1 50 (c) apparent porosity NOT less than 30%; (d) cold crushing strength NOT less greater than 60 N/mm2; (e) modulus of rupture NOT less that than 15 N/mm2 Op. 08.03.11 De</pre>	less than 95%; D0 kg/m3; n 9% and NOT greater than s than 18 N/mm2 and NOT	- TC 1108504	50 06.03.18
	2 Years non use. In transit provision	ns apply		
7013.42.00	-	c. date 02.11.11	- TC 1127155	50 06.03.18
	2 Years non use. In transit provision	ns apply		
7013.42.00	SETS, TEA MAKING, including BOTH of t (a) plastic tea making infuser; (b) glass cup	-		50 06.03.18
	Op. 11.08.11 De	c. date 02.11.11	- TC 1127159	
	2 Years non use. In transit provision	ns apply		

Op. 2 1 8416.90.00 NO 5ta Op. 2 1 8417.90.00 PAR top 0p.	RTS, WHARF, structural steel, 16.02.11 Wears non use. In transit prove ZZLES, WASTE GAS BURNER, REGENT ainless steel 08.03.11 Wears non use. In transit prove RTS, LADLE COVER, STEEL LADLE : rispherical snorkel domes AND/O Lybdenum (CrMo) steel 29.03.11	Dec. date 02.05.11 isions apply ERATIVE THERMAL OXIDIZER, Dec. date 30.05.11 isions apply INJECTION STATION, being	- TC 1106403 - TC 1108451	50 06.03.18 50 06.03.18 50 06.03.18
8416.90.00 NO2 sta Op 2 1 8417.90.00 PAH to mol Op	ZZLES, WASTE GAS BURNER, REGENT ainless steel . 08.03.11 Years non use. In transit prov RTS, LADLE COVER, STEEL LADLE : rispherical snorkel domes AND/(Lybdenum (CrMo) steel . 29.03.11	ERATIVE THERMAL OXIDIZER, Dec. date 30.05.11 isions apply INJECTION STATION, being DR domed rings of chrome	- TC 1108451	06.03.18
sta Op 2 3 8417.90.00 PAH toj mol Op	ainless steel . 08.03.11 Years non use. In transit prov RTS, LADLE COVER, STEEL LADLE : rispherical snorkel domes AND/O Lybdenum (CrMo) steel . 29.03.11	Dec. date 30.05.11 isions apply INJECTION STATION, being DR domed rings of chrome	- TC 1108451	06.03.18
2 2 8417.90.00 PAH top mol Op	Years non use. In transit prov RTS, LADLE COVER, STEEL LADLE : rispherical snorkel domes AND/(Lybdenum (CrMo) steel . 29.03.11	isions apply INJECTION STATION, being DR domed rings of chrome	- TC 1108451	
8417.90.00 PAN top mol Op	RTS, LADLE COVER, STEEL LADLE : rispherical snorkel domes AND/(Lybdenum (CrMo) steel . 29.03.11	INJECTION STATION, being DR domed rings of chrome		
to: mo: Op:	rispherical snorkel domes AND/(Lybdenum (CrMo) steel . 29.03.11	DR domed rings of chrome		
Op	29.03.11	Dec. date 20 06 11		
2 2		Dec. date 20.00.11	- TC 1110717	
	lears non use. In transit prov	isions apply		
the	ANES, mobile, collapsible, remove e following: (a) support column permanently trailers;	_		50 06.03.18
	 (b) road trailer width NOT greater (c) multi-section boom articulation axes; 			
	 (d) NOT less than five hydraul: main boom; (e) hydraulic horizontal outrea 			
Op	manual jib extension . 05.01.11	Dec. date 04.04.11	- TC 1100575	
2 3	lears non use. In transit prov	isions apply		
8428.20.00 STH	EEL SAMPLE DISTRIBUTION SYSTEM,	, STEEL INJECTION STATION,		50
pne	eumatic		mc 1111756	06.03.18
-	. 07.04.11	Dec. date 04.07.11	- TC 1111756	
2 1	lears non use. In transit prov	isions apply		
	SCHARGE CHUTES, STEEL INJECTION 02.03.11	N STATION, rotary slewing Dec. date 23.05.11	- TC 1108013	50 06.03.18
2 1	lears non use. In transit prov	isions apply		
MAI	RTS, OVERHEAD MATERIAL HANDING NUFACTURING PLANT, being EITHEN (a) overhead workstation pulley (b) textile hangers	R of the following:		50 06.03.18
	. 25.02.11	Dec. date 16.05.11	- TC 1107341	
2 3	Wears non use. In transit prov	isions apply		
	ARBOXES, SLAB CASTING PLANT COG	DLING TOWER, right angle worm,		50 06.03.18
Op	. 08.03.11	Dec. date 30.05.11	- TC 1108447	

CUSTOMS ACT 1901

TARIFF CONCESSION ORDER REVOCATION AT THE INITIATIVE OF THE COMPTROLLER-GENERAL OF CUSTOMS

The Tariff Concession Order listed in THE TABLE below has been revoked.

THE TABLE

-	of Goods including the ff Classification			Item Number e of Effect
8474.80.00	the following: (a) drop down sides;	RATED CONCRETE, including ALL of NOT less than 7.5 cubic metres; han 4.5 t		50 06.03.18
	Op. 08.11.17	Dec. date 29.01.18	- TC 17119037	
	Duplicate TCO with incorrect	classification - see TC 0800796		

CUSTOMS ACT 1901 - NOTIFICATION OF REQUEST FOR REVIEW OF A TARIFF CONCESSION REVOCATION DECISION

Requests have been received for review by the Comptroller-General of Customs of the decisions made on the requests for revocation of a Tariff Concession Order for goods described in the following TABLE.

THE T	ABLE
-------	------

1	of Goods including the iff Classification			4 Item Number te of Effect	Initial Decision
8711.60.00	BICYCLES, electric power assisted Op. 01.01.17	- TC	1664814	50 08.01.18	REVOKED
8711.60.00	SCOOTERS AND/OR MOTORCYCLES, electric, having a rear hub motor NOT less than 1 500 W Op. 01.01.17	- TC	1664822	50 08.01.18	REVOKED

CUSTOMS ACT 1901 - RESULT OF REQUEST FOR REVIEW OF AN APPLICATION DECISION

The Comptroller-General of Customs internal review result made on the Tariff Concession Order application for goods described in the following TABLE has been finalised:

THE TABLE

-	of Goods including the riff Classification		4 Item Number e of Effect	Review Decision
8418.69.00	 the following: (a) power capacity NOT less than 1 100 W and NOT greater than 4 100 W; (b) temperature range NOT less than -25 degrees Celsius and NOT greater than 10 degrees Celsius; (c) electric current supply NOT greater than 25 A; (d) electronic OR hot gas defroster; (e) electronic OR digital OR touch screen controls 	- TC 1797689	50	REFUSE

NOTICE OF RESULTS OF REVIEW OF A DECISION MADE UNDER PROVISIONS OF ADMINISTRATIVE APPEALS TRIBUNAL ACT 1975

The application lodged with the Administrative Appeals Tribunal under section 29 of the Administrative Appeals Tribunal Act 1975 for a review of the decision by the Comptroller-General of Customs in respect of the Tariff Concession Tariff Concession Order for the goods described in the following TABLE has been resolved.

The operative date (Op.) and TC reference number follow the description of goods.

The decision of the Administrative Appeals Tribunal follows the description of goods.

Description of Goods including the Customs Tariff Classification				
8483.40.90	THAN 3.3 MW, cast (a) one OR more (b) torque arm; (c) couplings; (d) main bearing (i) tag		- TC 17128001	50
	Applicant	VESTAS - AUSTRALIAN WIND TECHNOLOGY PTY LTD		

NOTICE OF DETERMINATIONS MADE UNDER PART XVI OF THE CUSTOMS ACT 1901

Under subsection 273B(2) of the Customs Act 1901, notice is hereby given of the making of determinations applying to goods of a kind specified in the table below.

In the table:

(i) the first column specifies the kind of goods to which the determination applies, any conditions specified in the determination, the commencement and cessation dates of the determination and the Determination reference number;

(ii) the second column specifies the item in Schedule 4 to the Customs Tariff Act 1995 that applies to the specified goods.

Description of Goods Dates of Effect		Schedule 4 Item Number
 Polyvinyl Chloride resin suspension imported by AVC Trading Pty ltd (ABN 65099189072) complying with the following criteria: (a) Mean granular size NOT less than 100 microns and NOT greater than 200 microns; (b) Granular size minimum 95% by volume NOT less than 50 microns and NOT greater than 300 microns; and (c) K-value complying with ISO 1628-2:1998 of less than 59. Specifically for the manufacture of building profiles. 		4 6
11/12/2017 to 10/12/201911.12.17	- AD 01004357	
Acrylonitrile Styrene Acrylate (ASA) resin in primary form, being an extrusion Chimei grade for use specifically in the manufacture of flat extruded sheet of thickness greater than 1.5mm. 12.10.17 to 11.10.19	- AD 01004358	46
Acrylonitrile-butadiene-styrene (ABS) resin in primary form, being an extrusion Chimei grade for use specifically in the manufacture of flat extruded sheet of thickness greater than 1.5mm. 12.10.17 to 11.10.19	- AD 01004359	46

DEPARTMENT OF HOME AFFAIRS

TARIFF QUOTAS - QUOTA TRANSACTIONS PROCESSED DURING THE PERIOD 27 MARCH 2018 TO 10 APRIL 2018.

GENERAL INFORMATION

This Gazette contains details of quota transactions processed during the period 27 March 2018 to 10 April 2018 inclusive.

Part 1 contains a Table specifying quota category details.

Part 2, Section A, lists quota holders who received quota allocations via transfer transactions.

Part 2, Section B, lists all adjustments to previous allocations which have been caused by transfer transactions.

NB.- In Section B, transactions represent changes to individual tariff quotas and do not necessarily represent the entire holdings in that category for the quota holder.

- The "AS WAS" and "AS IS" columns indicate the quota levels for that particular tariff quota only at the time of that transaction.
- The amount of the transaction can be deduced by subtracting the "AS WAS" column from the "AS IS" column.

Inquiries concerning any information published within this Gazette should be directed to the Tariff Concession Administration, Department of Home Affairs, PO Box 25, Belconnen, ACT, 2616.

PART 1

NOTICE OF MAKING A DETERMINATION UNDER PART XVI OF THE CUSTOMS ACT 1901

In pursuance of Section 273B of the Customs Act 1901, notice is hereby given that a Determination specified in Section A of Part 2 was made in relation to Item 55 in Part III of Schedule 4 to the Customs Tariff Act 1995 and subject to any conditions set out hereunder, that Determination applies to goods that are:

- (1) specified in the Table hereunder;
- (2) classified under a subheading of Schedule 3 to the Customs Tariff Act 1995, specified in Item 55 in Part III of Schedule 4 to the Customs Tariff Act 1995;
- (3) entered for home consumption not earlier than the start date, and not later than the finish date, by the person specified in that Determination, as shown in Part 2; and
- (4) in total, not in excess of such quantity as is specified in that Determination, as shown in Part 2.

In pursuance of Section 273B of the Customs Act 1901, notice is hereby given that a Determination specified in Section B of Part 2 amended a previous Determination by deleting the figures in the column headed "QUANTITY AS WAS" and inserting the figures in the column headed "QUANTITY AS IS".

CATEGORY CODE	UNIT QUANTITY	QUOTA ITEM NUMBER	QUOTA DESCRIPTION
311	Kilograms	61A	Cheese and Curd

PART 2

SECTION A - QUOTA ALLOCATIONS

CAT	QUOTA HOLDERS LEGAL NAME	POST OUA	NTITY (KG)	DETERMINATION
CODE		CODE		NUMBER

PART 2

SECTION B - AMENDED ALLOCATIONS

CAT CODE	QUOTA HOLDERS LEGAL NAME	POST CODE	QUANTITY (KG) AS WAS	QUANTITY (KG) AS IS	DETERMINATION NUMBER
311	BON FOOD PTY LTD	3072	133,155.00	83,155.00	000798
311	A.Q.M.S. PTY. LTD.	3068	0.00	50,000.00	000798
311	A.Q.M.S. PTY. LTD.	3068	50,000.00	0.00	000799
311	JOHN KOTIS FAMILY SETTLEMENT	3168	734,511.00	784,511.00	000799