



Commonwealth
of Australia

Gazette

No. TC 18/37, Wednesday, 26 September 2018
Published by the Commonwealth of Australia

TARIFF CONCESSIONS

CONTENTS

TCO Applications	2
TCO Applications Refused.....	5
TCOs Made.....	6
Local Manufacturer Initiated - TCO Revocation Requests	9
Comptroller-General of Customs Initiated - Intention to Revoke.....	10
Comptroller- General of Customs Initiated - Intention to Revoke Cancelled	11
Intention to Revoke TCOs not used in over 2 years.....	12
TCOs Revoked - Unused for over 2 years	15
Section 273 Determinations Made.....	17

Please note that the TCO related forms have been recently updated (Design date 05/18) and are now available on the Department of Home Affairs website (search on Tariff Concession Orders).

Please also be advised that applications for TCOs (Form B443), Submissions objecting to the making of a TCO (Form B444) and Request for revocation of a TCO (Form B441) must be lodged using the new forms with effect 1 October 2018.

The Commonwealth of Australia Tariff Concessions Gazette
(the Tariff Concessions Gazette) is free of charge on
the Department of Home Affairs internet site at:

<https://www.homeaffairs.gov.au/busi/domestic-manufacturers-and-importers>

The Tariff Concessions Administration Section is located at
5 Constitution Ave Canberra City 2601

Contact details:

General Email

Inquiries:.....tarcon@homeaffairs.gov.au

General Inquiries: (02) 6229 3567

TAPIN help desk: (02) 6275 6534

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269K(1) - APPLICATIONS MADE FOR TARIFF CONCESSION ORDERS

Applications have been lodged for Tariff Concession Orders for the goods described in the following TABLE.

Australian manufacturers who wish to contest the granting of a Tariff Concession Order for the goods described are invited to lodge a submission in writing in an approved form. Submissions must be lodged within 50 days of the date of publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

Objections to the making of TCO submission forms are available at

<https://www.homeaffairs.gov.au/Forms/Documents/b444.pdf>

Contact: Email tarcon@homeaffairs.gov.au

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
3921.90.90 WATERPROOF MEMBRANE, PVC, EXTRUDED, with OR without polyester fleece backing, having a glass fibre fabric AND/OR glass fibre fleece reinforcement Op. 29.08.18 Stated Use: Waterproofing membrane Applicant: PROJEX GROUP PTY LTD	50 - TC 18184930 5%
8413.70.90 PUMP STATIONS, having ALL of the following: (a) pumps; (b) expansion tank; (c) valves; (d) heaters; (e) pressure transmitters AND pressure switches; (f) temperature sensors Op. 27.08.18 Stated Use: For the cooling of wind turbine power converter units Applicant: SENVION AUSTRALIA PTY LTD	50 - TC 18182687 5%
8413.70.90 PUMPS, DOUBLE SUCTION CENTRIFUGAL, AXIALLY SPLIT, having ALL of the following: (a) stainless steel casing AND shaft; (b) duplex stainless steel impeller; (c) suction size NOT less than 80 mm and NOT greater than 350 mm; (d) discharge size NOT less than 65 mm and NOT greater than 250 mm; (e) impeller diameter NOT less than 553 mm and NOT greater than 645 mm; (f) flow rate NOT less than 140 l/s and NOT greater than 300 l/s Op. 31.08.18 Stated Use: To supply feed water during reverse osmosis process in a waste water treatment plant Applicant: SULZER AUSTRALIA PTY LTD	50 - TC 18186070 5%

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
<p>8417.20.00 OVEN, PIZZA, gas, with OR without conveyors, having BOTH of the following: (a) NOT greater than 3 baking zones; (b) cooking capacity NOT greater than 7 200 pieces p/h; Op. 05.09.18</p> <p>Stated Use: For use in the baking of pizza products with toppings etc</p> <p>Applicant: MCCAIN FOODS (AUST) PTY LTD</p>	<p>50</p> <p>- TC 18188434</p> <p>5%</p>
<p>8428.90.00 JIBS AND/OR EXTENSIONS, MOBILE CRANE Op. 27.08.18</p> <p>Stated Use: Accessories for mobile cranes</p> <p>Applicant: TEREX AUSTRALIA PTY LTD</p>	<p>50</p> <p>- TC 18184382</p> <p>5%</p>
<p>8428.90.00 BY-PRODUCT RE-WORKING SYSTEM, including ALL of the following: (a) dust return system, including ALL of the following: (i) hopper; (ii) drive having an output NOT greater than 2 kW; (iii) pipes AND/OR tubes, (b) silo; (c) screw conveyor; (d) hopper scale, including BOTH of the following: (i) weigher having a volume NOT greater than 350 litres; (ii) pneumatic hammer Op. 06.09.18</p> <p>Stated Use: For the recycling and reprocessing of dust, fine particles and lumps, which are generated during the processing of aquacultural feed</p> <p>Applicant: RIDLEY AGRIPRODUCTS PTY LTD</p>	<p>50</p> <p>- TC 18190826</p> <p>5%</p>
<p>8430.41.00 SURFACE DRILL RIGS, down-the-hole type, hydraulic, including ALL of the following: (a) diesel engine; (b) folding AND/OR fixed boom; (c) crawler tracks Op. 27.08.18</p> <p>Stated Use: Surface drill rig for mining and quarrying</p> <p>Applicant: EPIROC AUSTRALIA PTY LTD</p>	<p>50</p> <p>- TC 18184499</p> <p>5%</p>
<p>8430.41.00 SURFACE DRILLING RIGS, top-hammer OR down-the-hole, including ALL of the following: (a) hole drilling diameter NOT less than 25 mm and NOT greater than 229 mm; (b) diesel engines; (c) crawler tracks AND/OR wheels Op. 28.08.18</p> <p>Stated Use: For drilling holes in the earth during mining, construction and quarrying</p> <p>Applicant: EPIROC AUSTRALIA PTY LTD</p>	<p>50</p> <p>- TC 18184503</p> <p>5%</p>

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number General Duty Rate
8438.20.00 CONFECTIONARY MIXING AND CRYSTALLISING MACHINES, programmable logic controlled, including ALL of the following: (a) crystalliser; (b) mixing vessels; (c) pumps; (d) piping; (e) heat exchangers OR plates Op. 30.08.18	- TC 18185739	50
Stated Use: For crystallising and mixing chocolate fondant in a food processing plant		
Applicant: MONDELEZ AUSTRALIA PTY LTD		5%
8481.80.90 FLOW CONTROL VALVES, with OR without actuator, having ALL of the following: (a) manual flow pre-set with indicator; (b) pressure rating of PN25; (c) flow coefficient exceeding 1.6 kV fully opened; (d) flow verification test points; (e) operating temperature range NOT less than -10°C and NOT greater than 120°C Op. 30.08.18	- TC 18185318	50
Stated Use: Heating, ventilation and air conditioning applications		
Applicant: ALL VALVE INDUSTRIES PTY LTD		5%
8504.40.90 INVERTERS, string, multiple phase, with OR without built-in AC OR DC disconnect switch, having ALL of the following: (a) frequency NOT greater than 60 Hz; (b) maximum power point tracking systems NOT greater than 12; (c) output current being ANY of the following: (i) NOT less than 78 A and NOT greater than 82 A; (ii) NOT less than 125 A and NOT greater than 140 A, (d) wired AND/OR wireless communication interface Op. 29.08.18	- TC 18184511	50
Stated Use: Conversion of DC to AC power		
Applicant: ABB AUSTRALIA PTY LTD		3.75%
9508.90.00 STRUCTURES, DOME SCREEN, SIMULATOR RIDE, aluminium AND/OR steel Op. 24.08.18	- TC 18182067	50
Stated Use: Structure to support the simulator projection screen		
Applicant: ARDENT LEISURE LIMITED		5%

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269R(1) - TARIFF CONCESSION ORDERS MADE

Tariff Concession Orders have been made for the goods described in the following TABLE.

The operative date (Op.) and TC reference No. follow the description of goods. Local manufacturers of substitutable goods may request the revocation of TCOs at any time.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number
3214.10.00 SEALANTS, methoxysilyl-terminated polymer AND silane, having BOTH of the following: (a) shore-A hardness greater than 15; (b) maximum sealant skinning time less than 2 hours at 23 degrees Celsius with 50% relative humidity Op. 27.06.18 Dec. date 20.09.18	50 - TC 18147648
3808.91.90 INSECTICIDE, having a basis of chlorpyrifos Op. 04.07.18 Dec. date 24.09.18	50 - TC 18152829
3920.10.00 GEOMEMBRANES, high density polyethylene, in rolls, having ALL of the following: (a) width NOT less than 7 m; (b) length NOT less than 50 m; (c) thickness NOT less than 0.75 mm and NOT greater than 3.0 mm Op. 09.07.18 Dec. date 24.09.18	50 - TC 18155487
3920.10.00 GEOMEMBRANES, low density polyethylene, in rolls, having ALL of the following: (a) width NOT less than 7 m; (b) length NOT less than 50 m; (c) thickness NOT less than 0.75 mm and NOT greater than 3.0 mm Op. 09.07.18 Dec. date 24.09.18	50 - TC 18155489
7019.31.00 BOARDS, glass fibre, having ALL of the following: (a) silica content NOT greater than 60% by weight; (b) alkaline oxide content NOT less than 5% by weight; (c) acrylic coatings Op. 22.06.18 Dec. date 24.09.18	50 - TC 18144710
7222.20.00 BARS AND/OR RODS, stainless steel Op. 03.07.18 Dec. date 24.09.18	50 - TC 18152130
7419.99.00 PARTS, BUS BAR, ELECTRICAL CELL, copper, having a thickness NOT less than 31.5 mm, being ANY of the following: (a) end OR upper OR lower bus bars, having a length NOT less than 400 cm; (b) connector bus bars; (c) bus bar riser; (d) incomer bar bends Op. 26.06.18 Dec. date 19.09.18	50 - TC 18145471
8414.51.00 EXHAUST FAN UNITS, including ALL of the following: (a) rated operational voltage NOT greater than 250 V AC; (b) air flow NOT greater than 600 cubic metres per hour; (c) impeller having a diameter NOT greater than 250 mm; (d) motor having an output NOT greater than 45 W; (e) wall OR window OR ceiling mounted Op. 15.05.18 Dec. date 19.09.18	50 - TC 1855889

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number
8418.50.00 DISPLAY CABINETS, REFRIGERATED FOODSTUFF AND/OR BEVERAGE, having ALL of the following: (a) operating temperature NOT less than minus 3 degrees Celsius and NOT greater than 10 degrees Celsius; (b) volume capacity greater than 300 L; (c) adjustable shelving; (d) NOT less than two shelves; (e) cabinet length NOT less than 110 cm and NOT greater than 400 cm, with OR without cabinet blinds Op. 29.06.18 Dec. date 24.09.18 - TC 18150508	50
8422.30.90 FORMING AND WRAPPING MACHINES, BUTTER, programmable logic controlled, including ALL of the following: (a) forming station; (b) rotary table; (c) packing material station; (d) photo sensor; (e) volumetric dosing unit; (f) product compensator; (g) discharge conveyor; (h) folding station Op. 02.07.18 Dec. date 24.09.18 - TC 18151496	50
8425.39.00 TUNNEL WINCH, HYDRAULIC, programmable logic controlled, with OR without discharge conveyor, having ALL of the following: (a) steel frame WITH wheels; (b) hood AND spinners; (c) electrically driven auger Op. 02.07.18 Dec. date 24.09.18 - TC 18151043	50
8467.29.00 RESCUE TOOLS, battery operated, with OR without battery, being ANY of the following: (a) spreaders; (b) combination tool Op. 19.06.18 Dec. date 18.09.18 - TC 1892099	50
8479.89.90 WASHERS, WATER PRESSURE, MACHINE KNIFE RING, programmable logic controlled, including ALL of the following: (a) waste water tank; (b) knife ring rotation gearbox; (c) pump AND piping; (d) pneumatic drive, incorporating an oil lubricator AND pressure gauge; (e) control panel Op. 02.07.18 Dec. date 24.09.18 - TC 18151026	50
8479.89.90 STAGE TOOLS, DOWNHOLE CEMENTING, with OR without one OR both of the following: (a) darts; (b) plugs Op. 04.07.18 Dec. date 24.09.18 - TC 18152832	50
8502.12.00 GENERATOR SETS, diesel powered, multi-phase, having ALL of the following: (a) frequency NOT less than 50 Hz and NOT greater than 60 Hz; (b) voltage NOT less than 230 V and NOT greater than 480 V; (c) water cooled engine; (d) engine speed NOT less than 1 500 rpm and NOT greater than 1 800 rpm; (e) alternator Op. 26.06.18 Dec. date 19.09.18 - TC 18146995	50
8536.30.00 VOLTAGE SWITCHES, CLOSING AND/OR OPENING AND/OR UNDERVOLTAGE RELEASE, AC OR DC, having a response time NOT less than 40 m/s and NOT greater than 90 m/s Op. 25.06.18 Dec. date 24.09.18 - TC 18187119 This TCO application was accepted and advertised in the gazette dated 1 August 2018 as TC18145442. The TCO application was successful and due to phasing rates and TARCON system issues the TC number is now TC 18187119	50

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number
8536.30.00 OVERVOLTAGE ARRESTORS, single OR multi pole, having ALL of the following: (a) discharge current NOT less than 20 kA and NOT greater than 40 kA; (b) rail mounting length NOT less 35 mm; (c) removable cartridge; (d) permanent operating voltage NOT greater than 350 V Op. 26.06.18 Dec. date 24.09.18 - TC 18187130 This TCO application was accepted and advertised in the gazette dated 1 August 2018 as TC18145451. The TCO application was successful and due to phasing rates and TARCON system issues the TC number is now TC 18187130	50
8536.50.10 SWITCHES, TIME DELAY, having ALL of the following: (a) push button; (b) maximum voltage NOT less than 250 V AC; (c) maximum current capacity NOT greater than 10 A; (d) built-in light indicator; (e) toggle action time cycle controls; (f) two OR three wire circuits Op. 27.06.18 Dec. date 19.09.18 - TC 18147008	50
9305.20.90 PARTS, RIFLE, being empty magazine cartridges, having a calibre size greater than 0.22 inches (5.6 mm) Op. 02.07.18 Dec. date 20.09.18 - TC 18151020	50
9508.90.00 PARTS, SIMULATOR RIDE, being ANY of the following: (a) carrier; (b) gate; (c) platform; (d) canopy; (e) seating Op. 02.07.18 Dec. date 24.09.18 - TC 18151502	50

NOTIFICATION OF AN AUSTRALIAN INDUSTRY REVOCATION REQUEST - SECTION 269SC(1A) CUSTOMS ACT

An application has been lodged for revocation of the Tariff Concession Order set out in the following TABLE.

The Lodgement Request Date shown in the table below is the intended revocation date for the Tariff Concession Order which will take effect should the application for revocation be successful.

Importations not covered by in-transit provisions may be subject to post action as any decision to revoke an order is backdated to the date of request for revocation.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Lodgement Request Date
3926.10.00 COVERS, DOCUMENT Op. 19.03.07	Dec. date 08.06.07 - TC 0704130 50 20.09.18

CUSTOMS ACT 1901**INTENTION TO REVOKE TARIFF A CONCESSION ORDER**

It is intended to revoke the Tariff Concession Order for the goods described in the following TABLE.

The Comptroller-General of Customs' delegate has declared the intention, subject to s.269SD(1AB) of the Customs Act 1901, to make an order revoking the TCO in the table below with effect from 26 September 2018.

On 25 September 2018, the Comptroller-General of Customs' delegate formed the belief in respect of the TCO, that if the TCO was not in force on that day, and an application for the TCO was made on that day, the Comptroller-General of Customs would not have made the TCO. The Comptroller-General of Customs would not have made this TCO because he is aware of a manufacturer of substitutable goods, produced in Australia, in the ordinary course of business.

Interested parties are invited to provide, by close of business 24 October 2018, written reasons why the TCO should not be revoked.

Tariff Concessions Administration contact: email tarcon@homeaffairs.gov.au or telephone 02 6229 3559.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number
---------------------------------------------------------------------	------------------------

8424.49.00 SPRAYERS, RIDE-ON, having BOTH of the following: (a) spraying boom length NOT less than 12 m; (b) spray tank capacity NOT greater than 4 000 L	50
-----------------------------------------------------------------------------------------------------------------------------------------------------------------	----

Op. 01.01.17

Dec. date 16.05.18

- TC 1855824

CANCELLATION OF THE INTENTION TO REVOKE

The Request for revocation of Tariff Concession Orders for goods described in the following TABLE have been cancelled.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number
<p>4009.31.90 RUBBER HOSE, peristaltic, reinforced with braided nylon, having ALL of the following:</p> <ul style="list-style-type: none"> (a) maximum working discharge pressure of 15 bars; (b) maximum line pressure of 15 bars; (c) maximum vacuum capability without deformation 5 kPa.a; (d) hose static burst pressure range of 45 bar to 125 bar, both inclusive; (e) outer surface machined to a tolerance of 0.25 mm, completely smooth with no spiral wound synthetic tape used; (f) operating temperature of -20 degrees C to 85 degrees C; (g) <ul style="list-style-type: none"> (i) natural, (NR), buna nitrile rubber, (NBR), or high buna nitrile, (NBRX) body having a shore hardness of 57 + or - 4 shore; OR (ii) ethylene propylene rubber, (EPDM) body having a shore hardness of 59 + or - 4 shore; OR (iii) hypalon rubber (HPN) body having shore hardness of 59 + or - 4 shore; (h) hose internal diameters, wall thicknesses and lengths respectively as follows: <ul style="list-style-type: none"> (i) 10.5 mm (+ or - 0.5 mm), 10.5 mm (+ or - 0.2 mm) and 510 mm (+ or - 5 mm); (ii) 15.5 mm (+ or - 0.5 mm), 10.5 mm (+ or - 0.2 mm) and 755 mm (+ or - 5 mm); (iii) 26 mm (+ or - 1.0 mm), 14.1 mm (+ or - 0.2 mm) and 1005 mm (+ or - 10 mm); (iv) 33.1 mm (+ or - 1.0 mm), 14.5 mm (+ or - 0.2 mm) and 1252 mm (+ or - 10 mm); (v) 41 mm (+ or - 1.0 mm), 13.2 mm (+ or - 0.2 mm) and 1490 mm (+ or - 10 mm); (vi) 51.5 mm (+ or - 1.5 mm), 15.0 mm (+ or - 0.2 mm) and 1820 mm (+ or - 10 mm); (vii) 66.5 mm (+ or - 1.5 mm), 17.1 mm (+ or - 0.2 mm) and 2335 mm (+ or - 10 mm); (viii) 81.5 mm (+ or - 1.5 mm), 21.0 mm (+ or - 0.25 mm) and 2780 mm, (+ or - 20 mm); (ix) 101.5 mm (+ or - 1.5 mm), 22.0 mm (+ or - 0.25 mm) and 3275 mm (+ or - 25 mm) 	50
<p>Op. 01.01.02 Dec. date 08.01.02</p>	- TC 0107347
<p>8412.29.00 MOTORS, HYDRAULIC, incorporating a planetary gearbox, integrated within a common housing, having a drive to load mounting angle of 12 to 15 degrees</p> <p>Op. 25.06.01 Dec. date 07.09.01</p>	50
	- TC 0105066

TARIFF CONCESSION ORDERS (TCOs) NOT USED IN THE PREVIOUS 2 YEARS

The Comptroller-General of Customs is satisfied that the TCOs listed in the table below are no longer required because, in the 2 years preceding the day of this notice, they have not been quoted in an import declaration to secure a concessional rate of duty.

From Thursday, 25 October 2018, it is intended to take action to revoke these Orders under subsection 269SD(1A) of the Customs Act 1901. In accordance with subsection 269SG(2) of the Customs Act 1901, in transit provisions shall apply. If revoked, the expected date of effect will be 25 October 2018.

Interested parties are invited to provide, by close of business, Wednesday 24 October 2018, written reasons why an Order should NOT be revoked.

Please advise if any of the Orders listed below have been quoted on an import declaration.

If a request is made to retain an Order used for the granting of a Determination, please specify the Determination and the linked Item number to enable mapping to the Order and its scope.

THE TABLE

Tariff Classification	Description	Concession Number
4005.91.00	SHEETS, styrene butadiene rubber (SBR), compounded, unvulcanised	
	Op. 23.02.07 Dec. date 18.05.07	- TC 0702861
4409.29.00	CORNICES AND/OR BASEBOARDS AND/OR CHAIR RAILS, WOOD, embossed, unstained	
	Op. 01.01.07 Dec. date 04.12.06	- TC 0614743
6307.90.99	COVERS, BOAT, nylon, having elasticised hem and D-rings	
	Op. 17.10.06 Dec. date 22.12.06	- TC 0615933
6307.90.99	CLEANER, EYEWEAR, being a microfibre pad mounted on a swivelling plastic handle and keyring	
	Op. 04.12.06 Dec. date 02.03.07	- TC 0619300
8413.70.10	SYSTEMS, RISERLESS DRILLING MUD RECOVERY, comprising ALL of the following: (a) centrifugal pumps; (b) buoyant hoses; (c) sub sea controllers; (d) deployment winches; (e) surface controllers; (f) sub sea suction modules	
	Op. 10.11.06 Dec. date 02.02.07	- TC 0618419
8419.50.90	EXCHANGERS, HEAT, VERTICAL PLATE, having ALL of the following: (a) heat transfer plates; (b) frame plates; (c) pressure plates; (d) vapour inlet connection NOT less than 395 mm in diameter and NOT greater than 805 mm diameter; (e) condensate outlet connections NOT less than 95 mm in diameter and NOT greater than 205 mm in diameter; (f) cooling media inlet and outlet connections NOT less than 145 mm in diameter and NOT greater than 305 mm in diameter; (g) gaskets	
	Op. 25.09.06 Dec. date 15.12.06	- TC 0615054
8424.89.90	TANKS, spray cooling, having a seal flange diameter NOT greater than 2 000 mm	
	Op. 02.02.07 Dec. date 30.04.07	- TC 0701745

8465.91.00	SAWS, BAND, having ALL of the following: (a) cutting capacity NOT greater than 160 mm; (b) input power NOT greater than 800 W; (c) bevel angle NOT greater than 45 degrees; (d) weight NOT greater than 77 kg			
	Op. 01.03.07	Dec. date 25.05.07	- TC 0703293	
8465.92.00	LATHES, PLASTIC SEAL, programmable logic controlled			
	Op. 17.11.06	Dec. date 09.02.07	- TC 0618621	
8474.20.00	GRANULATORS, ASPHALT			
	Op. 25.10.06	Dec. date 12.01.07	- TC 0617946	
8477.20.00	EXTRUDERS, HIGH DENSITY POLYETHYLENE (HDPE), single screw, comprising BOTH of the following: (a) bimetallic barrels; (b) grooved haul in bushes			
	Op. 01.11.06	Dec. date 30.01.07	- TC 0618077	
8477.80.00	CUTTERS AND REWINDERS, PLASTIC FILM, programmable logic controlled, having a cutting diameter NOT less than 1 200 mm			
	Op. 05.02.07	Dec. date 30.04.07	- TC 0701869	
8479.82.00	MILLS, CONICAL, PHARMACEUTICAL			
	Op. 18.12.06	Dec. date 09.03.07	- TC 0619948	
8479.89.90	LINE, ORE PREPARATION AND ANALYSIS, computer logic controlled, having ALL of the following: (a) barcode scanners; (b) industrial robots; (c) conveyors; (d) moisture probes; (e) weighers; (f) drying ovens; (g) stainless steel sample trays; (h) jaw crushers; (i) splitters; (j) grinding and/or pulverising mills; (k) storage magazines; (l) dosing machines; (m) cleaning stations; (n) fusion furnaces; (o) labellers			
	Op. 08.03.07	Dec. date 01.06.07	- TC 0703685	
8481.80.90	MANIFOLDS, SUBSEA, comprising ALL of the following: (a) multi-phase flow meters; (b) production and gaslift choke valves having a pressure rating NOT less than 25 MPa and stepping actuators and retrievable choke inserts; (c) gate valves complying with American Petroleum Institute standard 6A (API 6A) and having a pressure rating NOT less than 25 MPa; (d) subsea control modules			
	Op. 04.09.06	Dec. date 05.01.07	- TC 0616597	
8506.80.00	BATTERIES, MOBILE PHONE, having magnesium dioxide anode and lithium cathode			
	Op. 19.01.07	Dec. date 13.04.07	- TC 0701072	

8514.20.00	OVENS, DIELECTRIC, having NOT less than 70 kilowatts of continuous radio frequency power, comprising ALL of the following: (a) 415 volt, 3 phase line power; (b) oscillators; (c) rectifiers; (d) controllers			
	Op. 12.03.07	Dec. date 01.06.07		- TC 0703866
8527.91.00	RADIOS, comprising ALL of the following: (a) multimedia card (MMC) connectors; (b) universal serial bus (USB) connectors; (c) alarm clock			
	Op. 01.01.07	Dec. date 08.02.07		- TC 0702021
9404.90.00	BEDS, TRAVEL BABY'S, comprising ALL of the following: (a) mattress; (b) cushion; (c) shoulder strap			
	Op. 10.08.06	Dec. date 07.10.06		- TC 0615174

CUSTOMS ACT 1901

NOTICE PURSUANT TO SECTION 269SE(2) - TARIFF CONCESSION ORDER REVOCATION AT THE INITIATIVE OF THE COMPTROLLER-GENERAL OF CUSTOMS

The Tariff Concession Orders listed in THE TABLE below have has not been used for at least 2 years and have been revoked under Section 269SD(1A). In transit provisions apply.

The intention to revoke these orders was notified in Gazette TC 18/31 dated 15 August 2018.

Contact: email tarcon@homeaffairs.gov.au

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
3917.29.00 PIPE, EPOXY, fibreglass reinforced, having BOTH of the following: (a) pressure rating above 1500 kPa; (b) API specification 15LR but NOT including pipe with flanged ends Op. 17.09.01 Dec. date 08.03.02	50 11.09.18 - TC 0108273
2 Years non use. In transit provisions apply	
3920.30.00 SHEETING, consisting of core and substrate and surface materials fused together under heat and pressure, having ALL of the following: (a) core material of expanded ABS (acrylonitrile-butadiene-styrene copolymer); (b) substrate material of non-expanded ABS; (c) surface material being a mix of PVC, nitrile rubber, non-expanded ABS and urethane; (d) total sheet thickness NOT exceeding 2 cm Op. 06.08.01 Dec. date 02.11.01	50 11.09.18 - TC 0106807
2 Years non use. In transit provisions apply	
4009.41.90 HOSE, AUTOMOTIVE REFRIGERANT, incorporating an internal polychloroprene lining Op. 01.01.02 Dec. date 08.01.02	50 11.09.18 - TC 0107345
2 Years non use. In transit provisions apply	
4810.13.90 WET STRENGTH LABEL BASE PAPER, being paper pigment coated on one side, having ALL of the following: (a) grammage 55 g/sq m or greater but NOT exceeding 72 g/sq m; (b) wet tensile strength values (Newton/15 mm) M.D. min 14.0 at 55 g/sq m min 16.0 at 72 g/sq m C.D. min 8.0 at 55 g/sq m min 9.5 at 72 g/sq m; (c) in rolls exceeding 1 000 mm OD Op. 01.01.02 Dec. date 11.01.02	50 11.09.18 - TC 0108499
2 Years non use. In transit provisions apply	
4811.59.90 POLYSTYRENE FOAM BOARDS, covered on both sides with resin impregnated paper Op. 01.01.02 Dec. date 09.01.02	50 11.09.18 - TC 0107662
2 Years non use. In transit provisions apply	
8419.89.90 AUTOCLAVES, BLISTER-PACK AMPOULE (IN PAPERBOARD CARTONS) Op. 06.07.01 Dec. date 14.09.01	50 11.09.18 - TC 0105442
2 Years non use. In transit provisions apply	

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
8424.89.90 COUNTER FLOW RINSE TANKS, CONTINUOUS STEEL STRIP PICKLE LINE, five stage multi-chambered, including ALL of the following: (a) rated input strip width NOT less than 590 mm and NOT greater than 1 900 mm; (b) rated input strip thickness NOT less than 1.0 mm and NOT greater than 7.00 mm; (c) maximum output greater than 1 700 tonnes per 720 minutes; (d) maximum line speed greater than 200 metres per minute; (e) maximum operating temperature greater than 80 degrees Celsius Op. 12.08.14 Dec. date 03.11.14 - TC 1428279	50 11.09.18
2 Years non use. In transit provisions apply	
8427.20.00 FORKLIFT TRUCKS, RIDE ON, diesel powered, having ALL of the following: (a) maximum lifting capacity of 2 700 kg at a 500 mm load centre; (b) 3 drive wheels; (c) maximum vehicle speed 11 km/h; (d) maximum lift height 3040 mm; (e) hydrostatic transmission and steering Op. 29.01.01 Dec. date 06.04.01 - TC 0100740	50 11.09.18
2 Years non use. In transit provisions apply	
8428.90.00 INJECTORS, COILED TUBING, OIL WELL Op. 01.09.00 Dec. date 27.11.00 - TC 0007582	50 11.09.18
2 Years non use. In transit provisions apply	
8467.22.00 POWER TOOL SETS, comprising ALL of the following: (a) impact driver drill; (b) circular saw; (c) torch; (d) electronic multi volt charger; (e) battery packs Op. 01.01.02 Dec. date 10.01.02 - TC 0109359	50 11.09.18
2 Years non use. In transit provisions apply	
8467.29.00 POLISHERS, optical fibre Op. 01.01.02 Dec. date 02.01.02 - TC 0106692	50 11.09.18
2 Years non use. In transit provisions apply	
8477.80.00 EXTRUSION LINE, THERMOPLASTIC SHEET Op. 12.01.00 Dec. date 14.04.00 - TC 0000768	50 11.09.18
2 Years non use. In transit provisions apply	
8477.80.00 EXTRUSION LINES, PLASTIC PIPE, comprising ALL of the following: (a) twin screw extruder; (b) pipe head; (c) cooling tanks; (d) haul off unit; (e) cut off saw Op. 21.04.99 Dec. date 04.04.00 - TC 0002422	50 11.09.18
2 Years non use. In transit provisions apply	

NOTICE OF DETERMINATIONS MADE UNDER PART XVI OF THE CUSTOMS ACT 1901

Under subsection 273B(2) of the Customs Act 1901, notice is hereby given of the making of the determination applying to goods of a kind specified in the table below.

In the table:

(i) the first column specifies the kind of goods to which the determination applies, any conditions specified in the determination, the commencement and cessation dates of the determination and the Determination reference number;

(ii) the second column specifies the item in Schedule 4 to the Customs Tariff Act 1995 that applies to the specified goods.

THE TABLE

Description of Goods Dates of Effect	Schedule 4 Item Number
Relpet QH5821/G5801 Copolymer PET for use specifically in the manufacture of 1 litre and 2 litre cordial bottles 21.10.18 to 20.10.20	46

- AD 01004391