



**Commonwealth
of Australia**

Gazette

No. TC19/32, Wednesday, 21 August 2019
Published by the Commonwealth of Australia

TARIFF CONCESSIONS

CONTENTS

TCO Applications	2
TCOs Made.....	5
Local Manufacturer Initiated - TCO Revocation Requests	7
Customs Initiated - Intention to Revoke Cancelled	8
Intention to Revoke TCOs not used in over 2 years.....	9
TCOs Revoked - Unused for over 2 years	14
Customs Review of TCO Revocations Results.....	18

**The Commonwealth of Australia Tariff Concessions Gazette
(the Tariff Concessions Gazette) is free of charge on the link below
at:**

<https://www.abf.gov.au/importing-exporting-and-manufacturing/tariff-concessions-system>

**The Tariff Concessions Administration Section is physically located at
5 Constitution Ave Canberra City 2601. The postal address for
correspondence is shown in the relevant forms.**

Contact details:

General Email Inquiries:..... tarcon@abf.gov.au

General Inquiries: (02) 6229 3567

TAPIN help desk: (02) 6275 6534

Cat. No.

ISSN 0813-8389

©Commonwealth of Australia, 2019

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269K(1) - APPLICATIONS MADE FOR TARIFF CONCESSION ORDERS

Applications have been lodged for Tariff Concession Orders for the goods described in the following TABLE.

Australian manufacturers who wish to contest the granting of a Tariff Concession Order for the goods described are invited to lodge a submission in writing in an approved form. Submissions must be lodged within 50 days of the date of publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

Objections to the making of TCO submission forms are available at

<https://www.abf.gov.au/importing-exporting-and-manufacturing/tariff-concessions-system/tariff-concession-order>

Contact: Email tarcon@abf.gov.au

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
2106.90.90 STEROL ESTERS, TALL OIL AND VEGETABLE OIL Op. 13.08.19 Stated Use: Applications include table spreads, breakfast cereals, milk and yoghurt as dietary supplements Applicant: BASF AUSTRALIA LTD	- TC 19254335 50 4%
3402.20.00 CLEANER, TOILET BOWL, with OR without colour AND/OR fragrance having BOTH of the following; (a) anionic surfactant cleaning agent; (b) plastic hanger Op. 05.08.19 Stated Use: To clean toilet bowl Applicant: RECKITT BENCKISER (ENA) B.V	 - TC 19247404 50 5%
3808.99.00 GAS, ETHANEDINITRILE, colourless, liquefied Op. 22.07.19 Stated Use: For soil fumigation and timber fumigation Applicant: DRASLOVKA SERVICES PTY LTD	 - TC 19237102 50 5%
3917.22.00 PIPES, having ALL of the following: (a) polypropylene middle AND outer layer; (b) calcium carbonate filler inner; with OR without sockets AND/OR plain ends Op. 19.07.19 Stated Use: Reduction in noise levels in plumbing installations Applicant: VINIDEX PTY LTD	 - TC 19234922 50 5%

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
<p>8421.31.00 AIR INTAKE FILTERS, GAS TURBINE, multi-stage, having ALL of the following: (a) combustion AND ventilation airflow NOT less than 5 000 m3/minute; (b) combustion pressure NOT less than 692 Pa; (c) ventilation pressure NOT less than 460 Pa; (d) alarm warning NOT greater than 1 493 Pa; (e) alarm shutdown NOT greater than 1 990 Pa Op. 31.07.19</p> <p>Stated Use: Provide quality gas turbine inlet air</p> <p>Applicant: GENERAL ELECTRIC INTERNATIONAL INC</p>	<p>50</p> <p>- TC 19245023</p> <p>5%</p>
<p>8436.10.00 FEED MIXERS, AGRICULTURAL, mounted AND/OR mountable, having ALL of the following: (a) NOT less than 4 weigh cells; (b) asymmetrical mixer bowl; (c) double anti-spill ring; (d) adjustable drawbar Op. 23.07.19</p> <p>Stated Use: Mixing and delivering feed for livestock</p> <p>Applicant: WEBBLINE AGRICULTURE LTD</p>	<p>50</p> <p>- TC 19237172</p> <p>5%</p>
<p>8465.91.00 TENONING AND PANEL SIZING MACHINES, double sided, programmable logic controlled, with OR without angular transfer unit, having ALL of the following: (a) infeed device; (b) trimming unit; (c) hogger; (d) positioning stepless axis; (e) suction hood; (f) switch cabinet with cooling unit; (g) alignment station Op. 24.07.19</p> <p>Stated Use: For production of timber furniture panels</p> <p>Applicant: BORG MANUFACTURING PTY LTD</p>	<p>50</p> <p>- TC 19239284</p> <p>5%</p>
<p>8502.20.00 HEAT AND POWER SETS, programmable logic controlled, including ALL of the following: (a) generator; (b) spark-ignition internal combustion engine; (c) power output NOT less than 60 kW; (d) heat output NOT less than 60 kW Op. 01.08.19</p> <p>Stated Use: Production of electricity and thermal energy utilising syngas as the fuel</p> <p>Applicant: SDA ENGINEERING PTY LTD</p>	<p>50</p> <p>- TC 19246232</p> <p>5%</p>

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269R(1) - TARIFF CONCESSION ORDERS MADE

Tariff Concession Orders have been made for the goods described in the following TABLE.

The operative date (Op.) and TC reference No. follow the description of goods. Local manufacturers of substitutable goods may request the revocation of TCOs at any time.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
3926.90.90 CLIPS, fibreglass reinforced nylon, having a load capacity NOT greater than 100 kg Op. 21.05.19	50 - TC 19159504 Dec. date 16.08.19
5607.49.00 YARN AND/OR TWINE AND/OR LASHING, polyethylene, intertwined, having a yarn AND/OR twine AND/OR lashing count NOT less than 60 Tex and NOT greater than 10 000 Tex Op. 28.05.19	50 - TC 19169410 Dec. date 16.08.19
7326.90.90 STEEL SLEEVES, SETTING TOOL, tapered, having ALL of the following: (a) height NOT less than 850 mm and NOT greater than 900 mm; (b) diameter NOT less than 70 mm and NOT greater than 90 mm; (c) plastic end cap Op. 16.05.19	50 - TC 19157165 Dec. date 14.08.19
8413.50.90 PUMPING SYSTEM, OIL AND/OR GAS EXPLORATION AND/OR PRODUCTION, trailer mounted, whether OR not assembled, including ALL of the following: (a) NOT less than two fuel tanks; (b) reciprocating pump; (c) engine; (d) transmission; (e) radiator; (f) control panel Op. 30.05.19	50 - TC 19169425 Dec. date 19.08.19
8419.89.90 SKIN THAW TUNNEL, FROZEN PLASMA DEBAGGING SYSTEM Op. 22.05.19	50 - TC 19161059 Dec. date 14.08.19
8424.89.90 MARKING MACHINES, STEEL COIL AND/OR STEEL SLAB, alpha-numerical, programmable logic controlled, having ALL of the following: (a) robotic arm; (b) control cabinet; (c) electrical cabinet; (d) paint cabinet; (e) pneumatic paint delivery; (f) coil OR slab temperature NOT less than 350 degrees Celsius and NOT greater than 800 degrees Celsius; (g) character height NOT less than 30 mm and NOT greater than 150 mm Op. 16.05.19	50 - TC 19156212 Dec. date 16.08.19
8427.10.00 LIFT TRUCKS, self-propelled, battery powered, pedestrian controlled, hydraulic lift, having ANY of the following: (a) rotary die gripper; (b) tooling lifting unit; (c) scissor table; (d) battery charger Op. 21.05.19	50 - TC 19159254 Dec. date 14.08.19

NOTIFICATION OF AN AUSTRALIAN INDUSTRY REVOCATION REQUEST - SECTION 269SC(1A) CUSTOMS ACT

An application has have been lodged for revocation of the Tariff Concession Order set out in the following TABLE.

The Lodgement Request Date shown in the table below is the intended revocation date for the Tariff Concession Order which will take effect should the application for revocation be successful.

Importations not covered by in-transit provisions may be subject to post action as any decision to revoke an order is backdated to the date of request for revocation.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Lodgement Request Date
8481.40.00 RELIEF VALVES, PRESSURE AND/OR VACUUM, ATMOSPHERIC VENT Op. 04.05.11 Dec. date 01.08.11	50 - TC 1114141 09.08.19

CUSTOMS ACT 1901**CANCELLATION OF THE INTENTION TO REVOKE**

The Request for revocation of Tariff Concession Orders for goods described in the following TABLE have been cancelled.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number
3816.00.00 HOT REPAIR MIXTURE, REFRACTORY, magnesia-based, having ALL of the following: (a) magnesium oxide content NOT less than 58%; (b) calcium oxide content NOT less than 15%; (c) iron oxide content NOT greater than 2% Op. 26.10.15 Dec. date 18.01.16	50 - TC 1539970
8431.39.00 PARTS, CONVEYOR SYSTEM CONSISTING OF CARRYING AND COVER SANDWICH BELTS AND COVER BELT PRESSING MECHANISMS, being ANY of the following: (a) head end; (b) tail end; (c) tower sections Op. 23.03.16 Dec. date 22.06.16	50 - TC 1611486
8477.80.00 BOTTLE OR CONTAINER PLASTIC CAP RIM FOLDING MACHINES, programmable logic controlled Op. 23.10.15 Dec. date 11.01.16	50 - TC 1539792

TARIFF CONCESSION ORDERS (TCOs) NOT USED IN THE PREVIOUS 2 YEARS

The Comptroller-General of Customs is satisfied that the TCOs listed in the table below are no longer required because, in the 2 years preceding the day of this notice, they have not been quoted in an import declaration to secure a concessional rate of duty.

From Thursday, 19 September 2019, it is intended to take action to revoke these Orders under subsection 269SD(1A) of the Customs Act 1901. In accordance with subsection 269SG(2) of the Customs Act 1901, in transit provisions shall apply. If revoked, the expected date of effect will be 19 September 2019.

Interested parties are invited to provide, by close of business, Wednesday 18 September 2019, written reasons why an Order should NOT be revoked.

Please advise if any of the Orders listed below have been quoted on an import declaration.

If a request is made to retain an Order used for the granting of a Determination, please specify the Determination and the linked Item number to enable mapping to the Order and its scope.

THE TABLE

Tariff Classification	Description	Concession Number
3506.91.90	DOUBLE SIDED REINFORCED TRANSFER ADHESIVE, consisting of a clear rubber/resin pressure sensitive adhesive coated on a very open non woven polyester scrim interleaved with a double sided silicone release paper	
	Op. 01.01.17	Dec. date 22.12.16 - TC 1678238
3506.91.90	ADHESIVE, UV-CURABLE, PRESSURE SENSITIVE, HOT MELT	
	Op. 01.01.17	Dec. date 16.12.16 - TC 1678253
3919.90.90	SHEETS, POLYISOBUTYLENE, self-adhesive backed, having aluminium mesh inserts	
	Op. 01.01.17	Dec. date 19.12.16 - TC 1678285
3919.90.90	FILM, cast polyvinyl chloride, but NOT including film manufactured by the calendered method, having ALL of the following: (a) film thickness NOT exceeding .06 mm (excluding adhesive); (b) solvent-based film formulation with cadmium-free properties; (c) less than .002% shrinkage performance rating; (d) a release liner	
	Op. 01.01.17	Dec. date 17.12.16 - TC 1678793
3919.90.90	FLUOROPOLYMER FILM, having ALL the following: (a) chemical composition of polyvinylidene fluoride and acrylic polymer; (b) cast; (c) thickness: 40 to 60 microns; (d) coated with a pressure sensitive adhesive; (e) laminated to a release liner; (f) width more than 200 mm	
	Op. 01.01.17	Dec. date 17.12.16 - TC 1678798

- 3919.90.90 FILM, PVC, sheets, having ALL of the following features:
 (a) translucent;
 (b) laminated;
 (c) UV stabilised;
 (d) tensile strength greater than 217 kg/sq cm;
 (e) coated on one side with:
 (i) a protective paper liner; and
 (ii) a pressure sensitive adhesive layer
 (f) impact resistant;
 (g) flexible
 Op. 01.01.17 Dec. date 17.12.16 - TC 1678825
- 3923.10.90 CONTAINERS, BABY WIPE AND NAPPY CHANGE, polypropylene, having ALL of the following:
 (a) wet storage compartment;
 (b) dry storage compartment;
 (c) length NOT less than 220 mm and NOT greater than 260 mm;
 (d) width NOT less than 130 mm and NOT greater than 155 mm;
 (e) height NOT less than 45 mm and NOT greater than 60 mm
 Op. 01.01.17 Dec. date 19.12.16 - TC 1678844
- 3923.10.90 TUBS, BAGGAGE HANDLING, polyethylene, stackable, including ALL of the following:
 (a) length NOT greater than 1 200 mm;
 (b) width NOT greater than 850 mm;
 (c) height NOT greater than 280 mm;
 (d) load weight NOT exceeding 50 kg;
 (e) embedded identification number
 Op. 01.01.17 Dec. date 19.12.16 - TC 1678921
- 4412.33.00 PANELS, PLYWOOD, having ALL of the following:
 (a) Russian birch wood layers;
 (b) panel thickness NOT less than 5.5 mm and NOT greater than 7.0 mm;
 (c) panel size NOT greater than 1 530 mm x 1 225 mm, with OR without aspen wood layers
 Op. 01.01.17 Dec. date 14.12.16 - TC 1672299
- 4421.99.00 STICKS, BIRCHWOOD, having ALL of the following:
 (a) length NOT less than 12 cm;
 (b) width NOT less than 1.5 cm;
 (c) rounded ends
 Op. 01.01.17 Dec. date 15.12.16 - TC 1665757
- 4421.99.00 PLANKS, GRILLING, having BOTH of the following:
 (a) length NOT greater than 20 cm;
 (b) height NOT greater than 3 cm
 Op. 01.01.17 Dec. date 14.12.16 - TC 1666781
- 4421.99.00 STICKS, Asian white birch, being EITHER of the following:
 (a) ice cream sticks;
 (b) coffee stirrers
 Op. 01.01.17 Dec. date 15.12.16 - TC 1667064
- 6005.38.00 FABRIC, lace, knitted on a Raschel machine, 48 gauge or finer, containing no elastomeric yarn, having a mesh ground of non-stretch yarn on which a pattern is worked at the same time as the ground, comprising EITHER of the following:
 (a) NOT less than 75% polyamide yarn;
 (b) 55% silk, 45% polyamide (+ or - 5%)
 Op. 01.01.17 Dec. date 07.12.16 - TC 1665760

- 6005.38.00 LACE FABRIC, of 100% polyamide textured yarn, having ALL of the following:
 (a) knitted on a multi-bar Raschel machine (chain operated, exceeding 8 bars);
 (b) 48 gauge or finer;
 (c) in widths not exceeding 1.9 metres;
 (d) having the pattern worked at the same time as the ground mesh;
 (e) having a minimum 10% stretch in both warp and weft directions
 Op. 01.01.17 Dec. date 07.12.16 - TC 1666784
- 6005.38.00 FABRIC, FUSIBLE INTERLINING, of manmade fibre, warp knitted with a dot type OR powder point form of coating of polyamide copolymer resin with a bond strength of 5 newtons per 5 cm of fabric
 Op. 01.01.17 Dec. date 09.12.16 - TC 1677028
- 8414.10.90 VACUUM PUMP SETS, FOOD CONTAINER AIR EXTRACTION, DOMESTIC, comprising ALL of the following:
 (a) hand operated vacuum pump, having ALL of the following features:
 (i) maximum outside diameter of pump 45 mm;
 (ii) pump plunger stroke between 70 mm and 100 mm;
 (iii) does not utilise a mechanical valve in the pump mechanism,
 (b) plastic food containers with integrally fitted vacuum valves;
 (c) flexible bottle stoppers
 Op. 01.01.17 Dec. date 19.12.16 - TC 1679233
- 8421.29.90 SLUDGE DEWATERERS, comprising ALL of the following:
 (a) travelling filter belt;
 (b) flocculators;
 (c) dosing pump
 Op. 01.01.17 Dec. date 20.12.16 - TC 1679702
- 8421.29.90 FILTER PRESSES, ORE CONCENTRATOR, having ALL of the following:
 (a) operating pressure NOT less than 20 bar;
 (b) slurry storage tanks;
 (c) slurry pumps
 Op. 01.01.17 Dec. date 20.12.16 - TC 1679749
- 8421.39.90 AIR CLEANERS, having ALL of the following:
 (a) fan;
 (b) water tank capacity NOT greater than 1 000 ml;
 (c) weight NOT greater than 1.50 kg;
 (d) with OR without ANY of the following:
 (i) 12 V AC adaptor;
 (ii) silicon mat;
 (iii) cleaning brush;
 (iv) aromatic oil;
 (v) LED lights
 Op. 01.01.17 Dec. date 20.12.16 - TC 1679684

- 8421.39.90 GAS TREATMENT PLANT, rigid frame, whether OR not assembled, being EITHER of the following:
- (a) wet gas cleaning modules having ALL of the following;
 - (i) quenching towers;
 - (ii) radial flow scrubber;
 - (iii) gas cooling tower;
 - (iv) SO2 stripper tower;
 - (v) emergency water tank;
 - (vi) settling cone,
 - (b) wet gas cleaning modules having ALL of the following:
 - (i) wet electrostatic precipitators;
 - (ii) mercury scrubber;
 - (iii) effluent tank;
 - (iv) calomel settling cone;
 - (v) zinc reaction tank;
 - (vi) chlorine tank AND dosing system,
- with OR without ANY of the following:
- (i) droplet separators;
 - (ii) pumps;
 - (iii) tanks;
 - (iv) pipes;
 - (v) ducts;
 - (vi) lighting;
 - (vii) ladders;
 - (viii) handrails;
 - (ix) covers;
 - (x) valves with OR without actuators;
 - (xi) casings;
 - (xii) vessels;
 - (xiii) electrical wiring;
 - (xiv) air compressors;
 - (xv) air blowers;
 - (xvi) instrumentation

Op. 01.01.17

Dec. date 20.12.16

- TC 1679713

- 8421.39.90 ELECTROSTATIC PRECIPITATOR CASING, whether OR not assembled, having gas inlet AND outlet vents AND dust hoppers AND rigid frame, with OR without ANY of the following:
- (a) chain conveyors;
 - (b) chutes;
 - (c) ducts;
 - (d) expansion joints;
 - (e) insulation AND/OR cladding;
 - (f) plates;
 - (g) pipes;
 - (h) stairs;
 - (i) rails;
 - (j) platforms;
 - (k) ladders;
 - (l) lighting;
 - (m) transport frames;
 - (n) lifting beams;
 - (o) purge heaters;
 - (p) purge air fans;
 - (q) rotary valves;
 - (r) instrumentation;
 - (s) transformer rectifiers;
 - (t) beams;
 - (u) covers;
 - (v) tubes;
 - (w) hoppers;
 - (x) steel angles;
 - (y) channels;
 - (z) baffle boards;
 - (aa) baffle hangers;
 - (ab) baffles;
 - (ac) steel grates;
 - (ad) walkways;
 - (ae) supports

Op. 01.01.17

Dec. date 20.12.16

- TC 1679717

8421.99.90	PARTS, ELECTROSTATIC PRECIPITATOR, being distribution irons OR inlet screen supports			
	Op. 01.01.17	Dec. date 20.12.16	- TC 1679861	
8421.99.90	FILTER BAG CAGES, consisting of mild steel wire with split joints and venturi			
	Op. 01.01.17	Dec. date 20.12.16	- TC 1679863	
9406.90.00	BUNKERS, ACCOMMODATION, unassembled, including ALL of the following: (a) side wall units; (b) air vented covers; (c) interior AND exterior canvas doors; (d) frames			
	Op. 01.01.17	Dec. date 07.12.16	- TC 1663749	
9406.90.00	CABINS, PRESSURISED, HAZARDOUS CONDITIONS, having ALL of the following: (a) air conditioners; (b) flood lamps; (c) junction boxes; (d) winch control terminals; (e) grounding cables			
	Op. 01.01.17	Dec. date 08.12.16	- TC 1664100	
9406.90.00	AUXILIARY MODULE ENCLOSURES, POWER STATION, acoustic attenuation and thermal insulation, being water injection skid module enclosures			
	Op. 01.01.17	Dec. date 08.12.16	- TC 1664103	
9406.90.00	STRUCTURES, EVENT, prefabricated, demountable, including ALL of the following: (a) cyclonic wind integrity complying with Australian and New Zealand Standard 1170.2:2011 (AS/NZ 1170.2:2011) Appendix F, region C; (b) length NOT less than 40 metres; (c) width NOT less than 25 metres; (d) inflatable PVC coated polyester membrane; (e) solid walls			
	Op. 01.01.17	Dec. date 08.12.16	- TC 1664106	
9406.90.00	BUILDINGS, PREFABRICATED, comprising ALL of the following: (a) tin roofs; (b) hardwood walls; (c) NOT less than 1 000 mirrors and stained glass windows			
	Op. 01.01.17	Dec. date 08.12.16	- TC 1664824	
9406.90.00	PREFABRICATED ROOMS, INFORMATION TECHNOLOGY SECURITY, comprising ALL of the following: (a) fire protection certification by European Certification Board (ECB.S); (b) door closing system; (c) cable duct			
	Op. 01.01.17	Dec. date 09.12.16	- TC 1677006	
9406.90.00	BUILDINGS, PREFABRICATED, ALUMINA PLANT, being filter buildings AND/OR electrical workshops AND/OR concrete transformer buildings			
	Op. 01.01.17	Dec. date 09.12.16	- TC 1677031	

CUSTOMS ACT 1901

NOTICE PURSUANT TO SECTION 269SE(2) - TARIFF CONCESSION ORDER REVOCATION AT THE INITIATIVE OF THE COMPTROLLER-GENERAL OF CUSTOMS

The Tariff Concession Orders listed in THE TABLE below have not been used for at least 2 years and have been revoked under Section 269SD(1A). In transit provisions apply.

The intention to revoke these orders was notified in Gazette TC19/24 dated 26 June 2019.

Contact: Email tarcon@abf.gov.au

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
6815.99.00 BRICKS AND/OR SHAPES, REFRACTORY, unfired, having ALL of the following: (a) alumina content NOT less than 20% and NOT greater than 35%; (b) silica content NOT less than 60% and NOT greater than 75%; (c) ferrous oxide content NOT greater than 3%; (d) cold crushing strength NOT less than 15 MPa; (e) bulk density NOT less than 1 600 kg per cubic metre; (f) apparent porosity greater than 20%; (g) tempered at NOT greater than 600 degrees Celsius Op. 20.10.15 Dec. date 13.01.16 - TC 1539398 2 Years non use. In transit provisions apply	50 23.07.19
8404.20.00 STEAM TURBINE POWER PLANT CONDENSERS, air cooled, finned tube, having ALL of the following: (a) NOT less than 15 tube bundles; (b) NOT less than 150 tubes per bundle; (c) tube bundle length NOT less than 11 500 mm; (d) operating temperature NOT less than 110 degrees C; (e) heat exchanger capacity NOT less than 40 000 kW; (f) auxiliary equipment being NOT less than 8 of the following: (i) condensate tank; (ii) steam duct; (iii) sparse tank; (iv) pipelines AND/OR hoses with OR without fittings; (v) drainers; (vi) cleaners; (vii) dump plate; (viii) vacuum pumps; (ix) wind wall sheet; (x) heat exchanger steel bottom structure; (xi) walkways AND ladders AND stairs; (xii) valves; (xiii) rupture discs; (xiv) electrical cable AND fittings Op. 16.11.15 Dec. date 29.02.16 - TC 1541700 2 Years non use. In transit provisions apply	50 23.07.19
8404.20.00 STEAM TURBINE POWER PLANT CONDENSERS, air cooled, finned tube, gas to air AND/OR water to air, having ALL of the following: (a) NOT less than 15 tube bundles; (b) NOT less than 150 tubes per bundle; (c) tube bundle length size NOT less than 11 500 mm; (d) operating temperature NOT less than 110 degrees C; (e) heat exchanged capacity NOT less than 40 000 kW Op. 16.11.15 Dec. date 29.02.16 - TC 1541703 2 Years non use. In transit provisions apply	50 23.07.19

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number Last Date of Effect
8412.31.00	PARTS, RAIL PASSENGER VEHICLE SIDE DOOR OPENING SYSTEM, being torque cylinders, including ALL of the following: (a) linear pneumatic cylinders; (b) toothed segment; (c) levers Op. 23.10.15	50 23.07.19
	Dec. date 11.01.16	- TC 1539882
	2 Years non use. In transit provisions apply	
8417.10.00	METAL RECOVERY SYSTEM, programmable logic controlled, having a furnace drum capacity NOT less than 1 500 kg and NOT greater than 2 250 kg, including ALL of the following: (a) furnace with burners AND refractory lined enclosure; (b) loading table with hydraulic loading AND lifting AND tilting unit with drum rotating drive; (c) recovery furnace drums; (d) launder trough; (e) safety barriers AND access ladder; (f) control panel Op. 17.11.15	50 23.07.19
	Dec. date 10.02.16	- TC 1541858
	2 Years non use. In transit provisions apply	
8428.33.00	CONVEYORS, SHIP LOADER, mobile, programmable logic controlled, capacity NOT less than 1 500 tonnes per hour having ALL of the following: (a) solid tyres with multi-directional hydraulic steering; (b) dust extractors; (c) conveyor belt width NOT less than 1 400 mm; (d) conveyor belt speed NOT less than 3 metres per second and NOT greater than 3.5 metres per second; (e) belt tensioners Op. 23.10.15	50 23.07.19
	Dec. date 22.02.16	- TC 1539883
	2 Years non use. In transit provisions apply	
8428.39.00	LATCH CONVEYORS, TRANSFER AND HANDLING SYSTEM, with OR without board turner Op. 27.10.15	50 23.07.19
	Dec. date 01.02.16	- TC 1540094
	2 Years non use. In transit provisions apply	
8428.90.00	HANDLING EQUIPMENT, moulded concrete, being EITHER of the following: (a) de-stacking racks with electric gear motor powered wheels; (b) mobile racks, including ALL of the following: (i) geared motors; (ii) roller chains; (iii) guide ways; (iv) metal angles; (v) limit switches; (vi) light barriers Op. 28.10.15	50 23.07.19
	Dec. date 28.01.16	- TC 1540256
	2 Years non use. In transit provisions apply	
8477.80.00	BOTTLE OR CONTAINER PLASTIC CAP RIM PERFORATING MACHINES, programmable logic controlled Op. 23.10.15	50 23.07.19
	Dec. date 11.01.16	- TC 1539791
	2 Years non use. In transit provisions apply	
8479.82.00	BITUMEN EMULSION PLANT, skid mountable, unassembled, NOT including tanks, having ALL of the following: (a) emulsion mill; (b) valves; (c) pumps; (d) heat exchangers; (e) steel pipes; (f) filters;	50 23.07.19

(Continued on next page)

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
---	---

(Continued from previous page)

- (g) flow meters;
- (h) static mixer,
- (i) control system including:
 - (i) control panel;
 - (ii) programmable logic controllers;
 - (iii) amp meters;
 - (iv) digital controllers;
 - (v) meters,
- (j) water heating system including:
 - (i) oil burners;
 - (ii) heat exchangers;
 - (iii) valves;
 - (iv) pipes;
 - (v) pipe connectors,
- (k) cooling system including:
 - (i) heat exchangers;
 - (ii) valves;
 - (iii) controllers

Op. 22.10.15 Dec. date 11.01.16 - TC 1539716

2 Years non use. In transit provisions apply

8479.89.90	SORTERS, RECYCLED MATERIAL, including ALL of the following: (a) pressurised air valves; (b) X-ray AND/OR electromagnetic sensors; (c) conveyor belt OR chute	50 23.07.19
------------	---	----------------

Op. 06.11.15 Dec. date 01.02.16 - TC 1540958

2 Years non use. In transit provisions apply

8483.10.99	CRANKSHAFTS, COLD PILGER MILL, including counterweights	50 23.07.19
------------	---	----------------

Op. 09.11.15 Dec. date 01.02.16 - TC 1541051

2 Years non use. In transit provisions apply

8501.53.00	INDUCTION MOTORS, having ALL of the following: (a) power output NOT less than 857 kW and NOT greater than 859 kW; (b) 200 W heater; (c) blower assembly, including a 15 HP motor; (d) tapered shaft AND hub; (e) exhaust; (f) pressure switch	50 23.07.19
------------	---	----------------

Op. 05.11.15 Dec. date 28.01.16 - TC 1540865

2 Years non use. In transit provisions apply

8501.53.00	INDUCTION MOTORS, having ALL of the following: (a) power output NOT less than 917 kW and NOT greater than 1008 kW; (b) 100 W heater; (c) tapered shaft; (d) encoder; (e) pressure switch	50 23.07.19
------------	---	----------------

Op. 05.11.15 Dec. date 01.02.16 - TC 1540866

2 Years non use. In transit provisions apply

8537.20.90	CABLE REEL CARS, crawler mounted, including ALL of the following: (a) motorised cable reel with 80 m trailing cable; (b) 440 V isolating switchboard; (c) 11 kV switchboard; (d) 11 kV input AND 440 V output transformer; (e) control panel	50 23.07.19
------------	---	----------------

Op. 13.11.15 Dec. date 10.02.16 - TC 1541544

2 Years non use. In transit provisions apply

CUSTOMS ACT 1901 - 269SH(10) - RESULTS OF THE COMPTROLLER-GENERAL OF CUSTOMS REVIEW OF REVOCATION DECISIONS

The Comptroller-General of Customs internal review results made on the Tariff Concession Order revocations for goods described in the following TABLE have been finalised:

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect	Review Decision																					
TCO REVOKED																							
7304.19.00 LINE PIPE, seamless, circular cross section, having EITHER of the following: (a) outside diameter (OD) NOT greater than 168.3 mm; (b) wall thickness (WT) NOT less than 16 mm, and complying with EITHER of the following: (a) American Society of Testing and Materials Standards A106/A106M - 08, grade B (ASTM A106/A106M - 08, grade B); (b) American Petroleum Institute Standard API specification 5L, grade X42 (API specification 5L, grade X42) Op. 13.08.10 Comptroller-General of Customs Decision: Revocation of TCO affirmed	50 12.05.19	REVOKED																					
- TC 1037312																							
TCO REVOKED																							
7304.19.00 LINE PIPE, carbon steel, conforming to American Society of Testing and Materials ASTM A106 Grade B, being ANY of the following, as listed in THE TABLE:	50 12.05.19	REVOKED																					
<table border="1"> <thead> <tr> <th colspan="3">THE TABLE</th> </tr> <tr> <th>TYPE</th> <th>OD</th> <th>WT</th> </tr> </thead> <tbody> <tr> <td>(a) 200NB Schedule 160</td> <td>219.10 mm</td> <td>23.01 mm;</td> </tr> <tr> <td>(b) 250NB Schedule 80</td> <td>273.10 mm</td> <td>15.09 mm;</td> </tr> <tr> <td>(c) 200NB Schedule 40</td> <td>219.10 mm</td> <td>8.18 mm;</td> </tr> <tr> <td>(d) 80NB Schedule 80</td> <td>88.90 mm</td> <td>7.62 mm;</td> </tr> <tr> <td>(e) 20NB Schedule 160</td> <td>26.7 mm</td> <td>5.56 mm</td> </tr> </tbody> </table> <p>For the purposes of this order, all measurements have a tolerance of + OR - 5% Op. 05.01.11 Comptroller-General of Customs Decision: Revocation of TCO affirmed</p>			THE TABLE			TYPE	OD	WT	(a) 200NB Schedule 160	219.10 mm	23.01 mm;	(b) 250NB Schedule 80	273.10 mm	15.09 mm;	(c) 200NB Schedule 40	219.10 mm	8.18 mm;	(d) 80NB Schedule 80	88.90 mm	7.62 mm;	(e) 20NB Schedule 160	26.7 mm	5.56 mm
THE TABLE																							
TYPE	OD	WT																					
(a) 200NB Schedule 160	219.10 mm	23.01 mm;																					
(b) 250NB Schedule 80	273.10 mm	15.09 mm;																					
(c) 200NB Schedule 40	219.10 mm	8.18 mm;																					
(d) 80NB Schedule 80	88.90 mm	7.62 mm;																					
(e) 20NB Schedule 160	26.7 mm	5.56 mm																					
- TC 1100573																							
TCO REVOKED																							
7304.31.00 TUBES OR HOLLOW BARS, seamless, cold drawn in straight lengths Op. 26.11.92 Comptroller-General of Customs Decision: Revocation of TCO affirmed	50 12.05.19	REVOKED																					
- TC 9210246																							
TCO REVOKED																							
7304.39 PIPE, seamless, hot finished, in straight lengths, ends plain, bevelled or threaded BUT without further rework, to specification ASTM A333/A333M-88a Op. 10.02.92 Comptroller-General of Customs Decision: Revocation of TCO affirmed	50 12.05.19	REVOKED																					
- TC 9202042																							

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect	Review Decision
TCO REVOKED		
7304.39.00 PROCESS PIPES, seamless, carbon steel, circular cross-section, having BOTH of the following: (a) square cut plain ends OR bevelled ends; (b) compliance with American Society for Testing and Materials standard ASTM A333/A333M - 10 Op. 21.08.13 Comptroller-General of Customs Decision: Revocation of TCO affirmed	50 12.05.19	REVOKED
- TC 1328486		
TCO REVOKED		
7304.51 PIPE, seamless, cold drawn, in straight lengths, ends plain, bevelled or threaded BUT without further rework, to specification ASTM A333/A 333M-88a Op. 10.02.92 Comptroller-General of Customs Decision: Revocation of TCO affirmed	50 12.05.19	REVOKED
- TC 9202040		
TCO REVOKED		
7304.59 PIPE, seamless, hot finished, in straight lengths, ends plain, bevelled or threaded BUT without further rework to specification ASTM A333/A 333M-88a Op. 10.02.92 Comptroller-General of Customs Decision: Revocation of TCO affirmed	50 12.05.19	REVOKED
- TC 9202039		
TCO REVOKED		
7304.59.00 PROCESS PIPES, seamless, carbon steel, circular cross-section, having BOTH of the following: (a) square cut plain ends OR bevelled ends; (b) compliance with American Society for Testing and Materials standard ASTM A 106/A 106M - 06a OR ASTM A106/A106M - 08 Op. 21.08.13 Comptroller-General of Customs Decision: Revocation of TCO affirmed	50 12.05.19	REVOKED
- TC 1328488		