



**Commonwealth
of Australia**

Gazette

No. TC 20/03, Wednesday, 22 January 2020
Published by the Commonwealth of Australia

TARIFF CONCESSIONS

CONTENTS

TCO Applications	2
TCOs Made.....	7
Comptroller-General of Customs Initiated - Intention to Revoke.....	8
Intention to Revoke TCOs not used in over 2 years.....	9
Customs Initiated - TCOs Revoked	14

**The Commonwealth of Australia Tariff Concessions Gazette
(the Tariff Concessions Gazette) is free of charge on the link below at:**

<https://www.abf.gov.au/importing-exporting-and-manufacturing/tariff-concessions-system>

The Tariff Concessions Administration Section is physically located at 5 Constitution Ave Canberra City 2601. The postal address for correspondence is shown in the relevant forms.

Contact details:

General Email Inquiries:.....	tarcon@abf.gov.au
General Inquiries:	(02) 6229 3567
TAPIN help desk:	(02) 6275 6534

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number General Duty Rate
7222.40.00	PROFILES, stainless steel, hot extruded Op. 24.12.19 Stated Use: Construction and or maintenance of defence equipment Applicant: BAE SYSTEMS AUSTRALIA LIMITED	- TC 19341263 5%
7304.41.00	TUBES OR PIPES, stainless steel, finned, seamless Op. 10.01.20 Stated Use: When assembled these goods provide the inlet pass of a mixed feed coil Applicant: INCITEC PIVOT LIMITED	- TC 2006329 5%
7610.90.00	PANEL EDGE CONNECTORS AND/OR COVERINGS, with OR without fittings Op. 20.12.19 Stated Use: As parts during the construction of safety screens in construction projects Applicant: RAPID METAL DEVELOPMENTS (AUSTRALIA) PTY LTD	- TC 19339699 5%
8207.30.00	CAUL PLATES, LAMINATION Op. 20.12.19 Stated Use: Apply textured finish to foil laminate in lamination press Applicant: BORG MANUFACTURING PTY LTD	- TC 19339448 5%
8421.29.90	PRESSURE FILTERS, causticisation, continuous batch, having ALL of the following: (a) NOT less than 90 filter chambers; (b) filter frame pressure NOT less than 1 500 kPa per frame; (c) filter plates feed pressure NOT less than 400 kPa and NOT greater than 800 kPa Op. 19.12.19 Stated Use: Filtration of precipitate from low percentage solid hydroxide solutions Applicant: ALBEMARLE LITHIUM PTY LTD	- TC 19339440 5%
8421.29.90	POLISHING FILTERS, redisolved, continuous batch, having ALL of the following: (a) NOT less than 50 filter chambers; (b) filter frame pressure rating NOT less than 1 500 kPa per frame; (c) filter plate feed pressure NOT less than 400 kPa and NOT greater than 800 kPa Op. 19.12.19 Stated Use: Filtration of precipitate from low percentage solid hydroxide solutions Applicant: ALBEMARLE LITHIUM PTY LTD	- TC 19339441 5%

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number General Duty Rate
8422.20.00 WASHING AND RINSING AND DRYING MACHINES, CHOCOLATE MOULD, programmable logic controlled, self-cleaning, including ALL of the following: (a) steam heating; (b) 3 cleaning tracks; (c) chemical dosing station; (d) exhaust air system including fans AND filters; (e) pumps AND valves; (f) control cabinets AND panels Op. 30.12.19 Stated Use: Washing, rinsing, drying of moulds and boxes used for making chocolates	- TC 19342627	50
Applicant: NESTLE AUSTRALIA LTD		5%
8422.30.90 MACHINES, LABELLING, including ALL of the following: (a) top AND/OR bottom mounted applicators; (b) conveyors; (c) label dispensers, having BOTH of the following: (i) roll core diameter NOT less than 75 mm; (ii) roll outer diameter NOT greater than 450 mm, with OR without control cabinets AND/OR terminals Op. 19.12.19 Stated Use: For applying labels to cups, cans, cartons, tubular pouches, thermoformed packs and trays, in a packaging line	- TC 19339437	50
Applicant: MULTIVAC AUSTRALIA PTY LTD		5%
8428.90.00 PALLETISERS, FERTILISER BAG, including ALL of the following: (a) motorised AND/OR gravity roller conveyors AND/OR roller modules; (b) anti-slip agent AND/OR additive applicator system; (c) bag orientating system; (d) bag infeed belt; (e) belt conveyor; (f) pusher; (g) layer compactor; (h) empty pallet feeder system Op. 20.12.19 Stated Use: For palletising bags of fertiliser	- TC 19340501	50
Applicant: INCITEC PIVOT LIMITED		5%
8465.91.00 PANEL SAWS, bottom-spindle, multi-blade Op. 19.12.19 Stated Use: Cut particle board and medium density fibreboard to shape during production operations	- TC 19339445	50
Applicant: BORG MANUFACTURING PTY LTD		5%
8467.29.00 SCRAPERS, battery operated, with OR without ANY of the following: (a) battery charger; (b) carry case; (c) bull points; (d) chisels; (e) hooks; (f) battery Op. 18.12.19 Stated Use: For removing tiles from walls during demolition and renovation	- TC 19337731	50
Applicant: MAKITA (AUSTRALIA) PTY LTD		5%

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269R(1) - TARIFF CONCESSION ORDERS MADE

Tariff Concession Orders have been made for the goods described in the following TABLE.

The operative date (Op.) and TC reference No. follow the description of goods. Local manufacturers of substitutable goods may request the revocation of TCOs at any time.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
3919.10.00 ADHESIVE STRIPS, in spools, having BOTH of the following: (a) laminated PET; (b) extruded LPDE Op. 09.10.19	50 Dec. date 16.01.20 - TC 19292183
4821.10.00 LABELS, TEA BAG, on reels, having BOTH of the following: (a) width NOT greater than 26 mm; (b) length NOT greater than 56 mm Op. 08.10.19	50 Dec. date 16.01.20 - TC 19291559
8421.19.00 CENTRIFUGES, screen scroll, having ALL of the following: (a) feeding pipe diameter NOT less than 80 mm; (b) three stage screen baskets; (c) single start scroll; (d) screen basket AND scroll speed NOT less than 2 500 rpm; (e) slurry feed volume NOT less than 3.5 m ³ /h AND NOT greater than 28 m ³ /h Op. 03.10.19	50 Dec. date 16.01.20 - TC 19289540
8421.39.90 FILTRATION MACHINES, WELDING, having ALL of the following: (a) filter; (b) fan; (c) damper Op. 04.10.19	50 Dec. date 16.01.20 - TC 19291049

CUSTOMS ACT 1901

CANCELLATION OF THE INTENTION TO REVOKE

The Request for revocation of Tariff Concession Orders for goods described in the following TABLE have been cancelled.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number
7315.11.00 CHAINS, roller, double pitch, having ALL of the following: (a) pitch: 63.50 mm; (b) inside link plate width: 19.05 mm; (c) roller diameter: 19.05 mm or 39.69 mm; (d) pin diameter: 9.54 mm; (e) side plate thickness: 4.8 mm Op. 26.08.94 Dec. date 06.12.94	50 - TC 9407244
8421.29.90 FILTER SYSTEM, POLYMER MELT, having ALL of the following: (a) semi OR fully continuous partial area backflush filter; (b) one piston, two piston OR four piston backflush screen changers; (c) two, four OR eight screens; (d) total screen area NOT less than 170 cm ² NOT greater than 3 926 cm ² Op. 01.01.17 Dec. date 22.12.16	50 - TC 1680663

TARIFF CONCESSION ORDERS (TCOs) NOT USED IN THE PREVIOUS 2 YEARS

The Comptroller-General of Customs is satisfied that the TCOs listed in the table below are no longer required because, in the 2 years preceding the day of this notice, they have not been quoted in an import declaration to secure a concessional rate of duty.

From Thursday, 20 February 2020, it is intended to take action to revoke these Orders under subsection 269SD(1A) of the Customs Act 1901. In accordance with subsection 269SG(2) of the Customs Act 1901, in transit provisions shall apply. If revoked, the expected date of effect will be 20 February 2020.

Interested parties are invited to provide, by close of business, Wednesday 19 February 2020, written reasons why an Order should NOT be revoked.

Please advise if any of the Orders listed below have been quoted on an import declaration.

If a request is made to retain an Order used for the granting of a Determination, please specify the Determination and the linked Item number to enable mapping to the Order and its scope.

THE TABLE

Tariff Classification	Description	Concession Number
3926.90.90	GOLF BAG COMPONENTS, being ANY of the following: (a) top band cuffs; (b) full length dividers being internal cavity fittings to accommodate golf clubs	
	Op. 14.02.95	Dec. date 15.06.95 - TC 9501799
5402.33.00	YARN, polyester, multi filament, air-texturised, count range 30 to 150 tex (inclusive), having ALL of the following characteristics: (a) tenacity of between 10cN/tex and 20cN/tex (inclusive); (b) elongation of between 20% and 40% (inclusive); (c) residual shrinkage of NOT more than 5% at 190 degrees C hot air for 15 minutes	
	Op. 23.06.95	Dec. date 12.12.95 - TC 9508428
5402.33.00	YARN, polyester, multifilament, textured, count range 7 to 31 tex (inclusive), having ALL of the following characteristics: (a) tenacity of NOT less than 25cN/tex; (b) elongation of between 12% and 30% (inclusive); (c) shrinkage of not more than 8% at 190 degrees C hot air for 15 minutes	
	Op. 23.06.95	Dec. date 09.01.96 - TC 9508459
5402.51.00	YARN, continuous filament low melt copolyamide, melting temperature range 60 degrees C to 160 degrees C	
	Op. 15.06.95	Dec. date 03.11.95 - TC 9508252
5402.52.00	YARN, continuous filament low melt copolyester, melting temperature range 60 degrees C to 160 degrees C	
	Op. 15.06.95	Dec. date 03.11.95 - TC 9508253
5402.52.00	YARN, polyester, single ply, multifilament, between 5 and 10 tex (inclusive), high twist between 600 and 1 300 turns per metre (inclusive)	
	Op. 03.07.95	Dec. date 11.10.95 - TC 9508644

7222.30	BARS, flat, stainless steel, in ANY of the sizes listed in the following TABLE	THE TABLE		
	Thickness		Width	
	(a) less than 0.55 mm		less than 152 mm	
	(b) 0.55 mm to 3 mm		less than 24 mm	
	(c) greater than 3 mm		less than 25 mm	
	(d) greater than 13 mm		less than 204 mm	
	Op. 13.07.95	Dec. date 13.07.95		- TC 9508175
7326.90.90	CONNECTORS, CHAIN, alloy steel (CrNiMo) construction, in ANY of the following chain sizes:			
	Diameter	Pitch	Tolerance	
	30 mm	108 mm	+/- 1.1 mm	
	34 mm	126 mm	+/- 1.3 mm	
	38 mm	137 mm	+/- 1.4 mm	
	42 mm	152 mm	+/- 1.5 mm	
	Op. 22.05.95	Dec. date 08.09.95		- TC 9505686
8207.20.00	DIES, DRAWING, 28 mm x 14 mm, having ALL the following specifications:			
	(a) steel cased with a fixed tungsten carbide nib finished to a lead angle of 11 degrees and an exit angle of 26 degrees +/- 0.25 degrees;			
	(b) sizes range from 0.150 mm to 1.800 mm (inclusive) with a surface finish roughness of RA=0.4, maximum tolerance +/- 0.001 mm			
	Op. 02.05.95	Dec. date 06.10.95		- TC 9505281
8431.49.90	PARTS, ARTICULATED BACKHOE LOADER, being EITHER of the following:			
	(a) backhoe locking mechanism;			
	(b) swinging hydraulic cylinders			
	Op. 14.02.95	Dec. date 21.07.95		- TC 9501912
8483.40.90	GEARS, FISHING REEL, brass, titanium and aluminium alloy, having an outside diameter from 5 mm to 48 mm (both inclusive) and number of teeth from 5 to 70 (both inclusive)			
	Op. 09.02.95	Dec. date 23.06.95		- TC 9501520
8507.20.00	ACCUMULATORS/BATTERIES, absorbed electrolyte lead acid, rechargeable, having ALL of the following:			
	(a) 12 Volt nominal;			
	(b) nominal capacity 33 Ah @ 20 hour rate;			
	(c) leak proof moulded case;			
	(d) operable in any position;			
	(e) nominal dimensions 197 mm x 132 mm x 182 mm			
	Op. 14.02.95	Dec. date 11.07.95		- TC 9501973
8507.20.00	ACCUMULATORS/BATTERIES, absorbed electrolyte lead acid, rechargeable, having ALL of the following:			
	(a) 6 Volt nominal;			
	(b) nominal capacity 20 Ah @ 20 hour rate;			
	(c) leak proof moulded case;			
	(d) operable in any position;			
	(e) nominal dimensions 157 mm x 83 mm X 125 mm			
	Op. 14.02.95	Dec. date 26.05.95		- TC 9501979
8516.29.00	HEATING PANELS, MODULAR, comprising elements of metal foil strips sandwiched between two layers of plastic laminate			
	Op. 28.06.95	Dec. date 29.09.95		- TC 9508552

CUSTOMS ACT 1901

NOTICE PURSUANT TO SECTION 269SE(2) - TARIFF CONCESSION ORDER REVOCATION AT THE INITIATIVE OF THE COMPTROLLER-GENERAL OF CUSTOMS

The Tariff Concession Orders listed in THE TABLE below have not been used for at least 2 years and have been revoked under Section 269SD(1A). In transit provisions apply.

The intention to revoke these orders was notified in Gazette TC 19/44 dated 13 November 2019.

Contact: Email tarcon@abf.gov.au

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
3919.90.90 FOAM SHEETS, polyethylene, self adhesive, pre-cut in zig zag form Op. 01.01.17 Dec. date 22.12.16	50 10.12.19 - TC 1681056
2 Years non use. In transit provisions apply	
5903.90.90 FABRIC, WOVEN POLYPROPYLENE, having ALL of the following: (a) flat woven, NOT greater than 1 250 mm wide; (b) slit edge OR tucked selvedge; (c) coated with polypropylene AND/OR polyethylene of NOT less than 20 microns thickness Op. 23.01.03 Dec. date 11.04.03	50 10.12.19 - TC 0300866
2 Years non use. In transit provisions apply	
6307.90.29 FABRIC, 100% polyester, consisting of pre-formed layers in cellular form, assembled by mechanical welding Op. 27.07.00 Dec. date 08.01.01	50 10.12.19 - TC 0006668
2 Years non use. In transit provisions apply	
8302.30.00 ROOF RACKS, DETACHABLE, vehicle rain gutter mounted, having ALL of the following: (a) plastic handle fasteners; (b) load capacity NOT greater than 45 kg; (c) cross bar width NOT less than 1 250 mm and NOT greater than 1 350 mm Op. 18.08.09 Dec. date 13.11.09	50 10.12.19 - TC 0930292
2 Years non use. In transit provisions apply	
8421.29.90 DEWATERING PLANT, comprising ALL of the following: (a) vertical plate pressure filter; (b) membranes; (c) filter cloths; (d) hydraulic cylinder system; (e) slurry feeders Op. 01.01.17 Dec. date 22.12.16	50 10.12.19 - TC 1680657
2 Years non use. In transit provisions apply	

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
8421.29.90 SLOP WATER AND/OR DRILLING FLUID TREATMENT PLANT, whether OR not assembled, including ALL of the following: (a) steel frame with stairs; (b) tanks, with OR without an agitator; (c) pumps; (d) filter assembly, including ALL of the following: (i) NOT less than three filter cartridges, having stainless steel vessels; (ii) inlet and outlet connectors; (iii) pipes, with OR without valves, (e) filter press; (f) piping, with OR without pipe fittings AND/OR valves; (g) electrical control boards AND/OR consoles; (h) pressure AND flow measurers Op. 01.01.17 Dec. date 22.12.16 - TC 1680659 2 Years non use. In transit provisions apply	50 10.12.19
8421.29.90 OIL FILTER, STAND ALONE, MULTI BAG, having an operating pressure of 3 bar AND operating temperature of 95 degrees Celsius with a capacity of 0.125 m3, consisting of ALL of the following: (a) oil outlet pipe; (b) oil inlet pipe; (c) manually operated top vent Op. 01.01.17 Dec. date 22.12.16 - TC 1680668 2 Years non use. In transit provisions apply	50 10.12.19
8421.99.90 TUBE BUNDLES, GAS PRECIPITATOR, polypropylene, including a grounded inner electrically conductive layer, with OR without ANY of the following: (a) grounding electrical transitions AND diffusion barrier; (b) grounding electrical connectors; (c) polyethylene foam gasket Op. 01.01.17 Dec. date 22.12.16 - TC 1681034 2 Years non use. In transit provisions apply	50 10.12.19
8422.30.90 SEALING MACHINES, carton, automatic, capable of BOTH of the following: (a) gluing the three flaps of the carton lid; (b) folding and sealing the carton lid Op. 01.01.02 Dec. date 10.01.02 - TC 0109337 2 Years non use. In transit provisions apply	50 10.12.19
8479.90.90 PARTS, PRESSURE TRANSFER PUMPS, DESALINATION PLANT, being hydraulic proportioning vessels Op. 01.01.17 Dec. date 23.12.16 - TC 1680470 2 Years non use. In transit provisions apply	50 10.12.19
8479.90.90 HORSE WALKER TRACK, RAMP AND TANK SYSTEM, including ALL of the following: (a) track sections; (b) ramp sections; (c) sump; (d) sump sections; (e) anchors; (f) struts; (g) tanks; (h) tank covers, including retainers and clips; (i) gangplanks Op. 01.01.17 Dec. date 22.12.16 - TC 1680478 2 Years non use. In transit provisions apply	50 10.12.19

CUSTOMS ACT 1901

TARIFF CONCESSION ORDER REVOCATION AT THE INITIATIVE OF THE COMPTROLLER-GENERAL OF CUSTOMS

The Tariff Concession Orders listed in THE TABLE below have been revoked.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
8544.49.20 CABLES, POWER AND/OR ELECTRICAL DATA AND/OR COMMUNICATION, having ALL of the following: (a) uncoated copper cores AND/OR tinned copper cores; (b) plastic insulation; (c) plastic AND/OR rubber jackets; (d) maximum operating temperature between minus 40 degrees C and 105 degrees C; (e) voltage capacity NOT less than 125 V and NOT greater than 1 000 V, with OR without ANY of the following: (i) foil covers; (ii) tape covers; (iii) braided screen covers Op. 25.11.16 Dec. date 15.03.17 - TC 1673243	50 17.12.19
See Tariff Concessions Gazette Notice TC 19/49 - 18 December 2019. In transit provisions apply	
8544.60.90 POWER CABLE, steel wire armoured, having ALL of the following: (a) voltage NOT less than 6.35 kV and NOT greater than 11 kV (b) multiple cores; (c) cross-linked polyethylene (XLPE) insulated bare stranded compacted copper conductors; (d) tinned copper wire screened; (e) polyvinyl chloride (PVC) inner sheath AND high-density polyethylene (HDPE) outer sheath Op. 30.03.15 Dec. date 23.06.15 - TC 1512440	50 17.12.19
See Tariff Concessions Gazette Notice TC 19/49 - 18 December 2019. In transit provisions apply	
8544.60.90 POWER CONTROL CABLES, SINGLE OR MULTI CORE ELECTRICAL, having ALL of the following: (a) tin plated copper braid screen; (b) tin plated stranded copper conductor; (c) conductors insulated with cross linked polyolefin copolymer; (d) cross linked polyolefin copolymer external overall jacket; (e) cross sectional diameter NOT less than 0.15 mm2 but NOT greater than 400 mm2; (f) operating temperature between +120 degree C to -50 degree C; (g) operating voltage NOT less than 1 800 volts and not greater than 6 000 volts with OR without mica tape Op. 22.11.16 Dec. date 27.03.17 - TC 1671864	50 17.12.19
See Tariff Concessions Gazette Notice TC 19/49 - 18 December 2019. In transit provisions apply	

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
<p>8544.60.90 POWER CONTROL CABLES, single OR multi-core electrical, having ALL of the following:</p> <ul style="list-style-type: none"> (a) tin plated stranded copper conductor; (b) conductors insulated with cross linked polyolefin copolymer; (c) cross linked polyolefin copolymer external overall jacket; (d) cross sectional diameter NOT less than 0.15 mm² and NOT greater than 400 mm²; (e) operating temperature NOT less than 50 degrees Celcius and NOT greater than 120 degrees Celcius; (f) operating voltage NOT less than 1 800 volts and NOT greater than 6 000 volts, <p>with OR without ANY of the following:</p> <ul style="list-style-type: none"> (i) tape covers; (ii) braided screen covers <p>Op. 30.06.17 Dec. date 20.09.17 - TC 1769525</p>	50 17.12.19
<p>See Tariff Concessions Gazette Notice TC 19/49 - 18 December 2019. In transit provisions apply</p>	
<p>8544.60.90 CABLES, POWER, stranded, including ALL of the following:</p> <ul style="list-style-type: none"> (a) voltage rating NOT less than 1.5 kV DC and NOT greater than 1.8 kV DC; (b) aluminium OR copper conductor, having a cross-section NOT less than 95 square mm and NOT greater than 500 square mm; (c) maximum continuous working temperature NOT greater than 121 degrees Celsius; (d) compliance with Australian/New Zealand Standard AS/NZS 5000.1.2005; (e) electron beam cross-linked polyethylene OR electron beam cross-linked polyolefin OR halogen polyolefin layer; (f) polyvinyl chloride OR polyolefin jacket <p>Op. 03.08.17 Dec. date 01.11.17 - TC 1783200</p>	50 17.12.19
<p>See Tariff Concessions Gazette Notice TC 19/49 - 18 December 2019. In transit provisions apply</p>	
<p>8544.60.90 CABLES, POWER, stranded, including ALL of the following:</p> <ul style="list-style-type: none"> (a) voltage rating NOT less than 1.5 kV DC and NOT greater than 1.8 kV DC; (b) aluminium OR copper conductor, having a cross-section NOT less than 95 square mm and NOT greater than 500 square mm; (c) maximum continuous working temperature NOT greater than 121 degrees Celsius; (d) compliance with Australian/New Zealand Standard AS/NZS 5000.1.2005; (e) electron beam cross-linked polyethylene OR electron beam cross-linked polyolefin OR halogen polyolefin layer; (f) polyvinyl chloride AND/OR polyolefin AND/OR high density polyethylene jacket; (g) nylon jacket <p>Op. 03.08.17 Dec. date 01.11.17 - TC 1783201</p>	50 17.12.19
<p>See Tariff Concessions Gazette Notice TC 19/49 - 18 December 2019. In transit provisions apply</p>	

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
<p>8544.60.90 CABLES, POWER, stranded, including ALL of the following:</p> <ul style="list-style-type: none"> (a) voltage rating NOT less than 1.5 kV DC and NOT greater than 1.8 kV DC; (b) aluminium OR copper conductor, having a cross-section NOT less than 2.5 square mm and NOT greater than 300 square mm; (c) maximum continuous working temperature NOT greater than 121 degrees Celsius; (d) compliance with Australian/New Zealand Standard AS/NZS 5000.1.2005; (e) electron beam cross-linked polyethylene OR electron beam cross-linked polyolefin OR halogen polyolefin layer; (f) polyvinyl chloride OR electron beam cross-linked polyolefin jacket <p>Op. 03.08.17 Dec. date 01.11.17 - TC 1783203</p> <p>See Tariff Concessions Gazette Notice TC 19/49 - 18 December 2019. In transit provisions apply</p>	50 17.12.19
<p>8544.60.90 CABLES, POWER, stranded, including ALL of the following:</p> <ul style="list-style-type: none"> (a) voltage rating NOT less than 1.5 kV DC and NOT greater than 1.8 kV DC; (b) aluminium OR copper conductor, having a cross-section NOT less than 2.5 square mm and NOT greater than 300 square mm; (c) maximum continuous working temperature NOT greater than 121 degrees Celsius; (d) compliance with Australian/New Zealand Standard AS/NZS 5000.1.2005; (e) electron beam cross-linked polyethylene OR electron beam cross-linked polyolefin OR halogen polyolefin layer; (f) polyvinyl chloride OR electron beam cross-linked polyolefin jacket; (g) nylon OR polyvinyl chloride OR high density polyethylene jacket <p>Op. 03.08.17 Dec. date 01.11.17 - TC 1783207</p> <p>See Tariff Concessions Gazette Notice TC 19/49 - 18 December 2019. In transit provisions apply</p>	50 17.12.19
<p>8544.60.90 POWER CABLES, stranded, complying with Australian Standard AND New Zealand Standard ASNZS 5000.1.2005 AND European Standard EN 50618, including ALL of the following:</p> <ul style="list-style-type: none"> (a) voltage rating NOT less than 1.5 kV DC and NOT greater than 1.8 kV DC; (b) aluminium OR copper conductor having a cross-section NOT less than 95 sq/mm and NOT greater than 500 sq/mm; (c) continuous working temperature NOT greater than 121 degrees Celsius; (d) cross-linked polyethylene OR cross-linked polyolefin OR polyolefin layer; (e) polyvinyl chloride OR cross-linked polyolefin OR high density polyethylene OR polyolefin jacket, <p>with OR without nylon jacket</p> <p>Op. 09.03.18 Dec. date 21.05.18 - TC 1829196</p> <p>See Tariff Concessions Gazette Notice TC 19/49 - 18 December 2019. In transit provisions apply</p>	50 17.12.19

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
<p>8544.60.90 POWER CABLES, stranded, complying with Australian AND New Zealand Standard ASNZS 5000.1.2005 AND European Standard EN 50618, including ALL of the following:</p> <ul style="list-style-type: none"> (a) voltage rating NOT less than 1.5 kV DC and NOT greater than 1.8 kV DC; (b) aluminium OR copper conductor having a cross-section NOT less than 2.5 sq/mm and NOT greater than 300 sq/mm; (c) continuous working temperature NOT greater than 121 degrees Celsius; (d) cross-linked polyethylene OR cross-linked polyolefin OR polyolefin layer; (e) polyvinyl chloride OR cross-linked polyolefin OR high density polyethylene OR polyolefin jacket, <p>with OR without nylon jacket Op. 09.03.18 Dec. date 21.05.18</p> <p>See Tariff Concessions Gazette Notice TC 19/49 - 18 December 2019. In transit provisions apply</p>	50 17.12.19
<p>8544.60.90 POWER CABLES, stranded, complying with Australian Standard AND New Zealand Standard ASNZS 5000.1.2005 AND European Standard EN 50618, including ALL of the following:</p> <ul style="list-style-type: none"> (a) voltage rating NOT less than 1.5 kV DC and NOT greater than 1.8 kV DC; (b) aluminium OR copper conductor having a cross-section NOT less than 2.5 sq/mm and NOT greater than 500 sq/mm; (c) continuous working temperature NOT greater than 121 degrees Celsius; (d) cross-linked polyethylene OR cross-linked polyolefin OR polyolefin layer; (e) polyvinyl chloride OR cross-linked polyolefin OR high density polyethylene OR polyolefin jacket, <p>with OR without one OR both of the following:</p> <ul style="list-style-type: none"> (i) nylon jacket; (ii) connectors <p>Op. 09.03.18 Dec. date 21.05.18</p> <p>See Tariff Concessions Gazette Notice TC 19/49 - 18 December 2019. In transit provisions apply</p>	50 17.12.19
<p>8544.60.90 CABLE, submersible down well pump, rated 3 kV or greater, capable of operating at temperatures of 96 degrees C or greater, sheathed or unsheathed, braided or unbraided, with or without connectors, having BOTH of the following:</p> <ul style="list-style-type: none"> (a) 3 conductors with either polypropylene, propylene ethylene, polyethylene ethylene or ethylene propylene diene monomer insulation; (b) armored with interlocked steel tape <p>Op. 14.02.95 Dec. date 21.05.95</p> <p>See Tariff Concessions Gazette Notice TC 19/49 - 18 December 2019. In transit provisions apply</p>	50 17.12.19
<p>8544.60.90 CONDUCTORS, aluminium OR copper, including ALL of the following:</p> <ul style="list-style-type: none"> (a) voltage rating NOT less than 1.5 kV DC and NOT greater than 1.8 kV DC; (b) cross-section NOT less than 2.5 mm²; (c) continuous working temperature NOT greater than 121 degrees Celsius; (d) cross-linked polyethylene OR electron beam cross-linked polyolefin OR polyolefin layer; (e) polyvinyl chloride OR cross-linked polyolefin OR electron beam cross-linked polyolefin OR high density polyethylene OR polyolefin jacket, <p>with OR without one OR more of the following:</p> <ul style="list-style-type: none"> (i) nylon jacket; (ii) fuses AND/OR connectors; (iii) moulded junctions <p>Op. 25.07.18 Dec. date 10.01.19</p> <p>See Tariff Concessions Gazette Notice TC 19/49 - 18 December 2019. In transit provisions apply</p>	50 17.12.19