



**Commonwealth
of Australia**

Gazette

No. TC20/08, Wednesday, 26 February 2020
Published by the Commonwealth of Australia

TARIFF CONCESSIONS

CONTENTS

TCO Applications	2
TCO Application Reworded.....	6
TCO Applications Refused.....	7
TCOs Made.....	8
Customs Initiated - Intention to Revoke Cancelled	11
Intention to Revoke TCOs not used in over 2 years.....	12
TCOs Revoked - Unused for over 2 years	14

**The Commonwealth of Australia Tariff Concessions Gazette
(the Tariff Concessions Gazette) is free of charge on the link below at:**

<https://www.abf.gov.au/importing-exporting-and-manufacturing/tariff-concessions-system>

The Tariff Concessions Administration Section is physically located at 5 Constitution Ave Canberra City 2601. The postal address for correspondence is shown in the relevant forms.

Contact details:

General Email Inquiries:.....	tarcon@abf.gov.au
General Inquiries:	(02) 6229 3567
TAPIN help desk:	(02) 6275 6534

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269K(1) - APPLICATIONS MADE FOR TARIFF CONCESSION ORDERS

Applications have been lodged for Tariff Concession Orders for the goods described in the following TABLE.

Australian manufacturers who wish to contest the granting of a Tariff Concession Order for the goods described are invited to lodge a submission in writing in an approved form. Submissions must be lodged within 50 days of the date of publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

Objections to the making of TCO submission forms are available at

<https://www.abf.gov.au/importing-exporting-and-manufacturing/tariff-concessions-system/tariff-concession-order>

Contact: Email tarcon@abf.gov.au

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
3815.19.00 CATALYSTS, having a basis of ANY one OR of the following: (a) molybdenum; (b) molybdenum trioxide; (c) iron molybdate Op. 28.01.20	50 - TC 2015919
Stated Use: Oxidisation of methanol to produce formaldehyde for manufacture of urea-formaldehyde resins Applicant: BORG MANUFACTURING PTY LTD	5%
3917.32.90 PIPES, cross linked polyethylene, complying with Australian/New Zealand Standard AS/NZS 2492:2007, having BOTH of the following: (a) outer diameter NOT less than 16 mm and NOT greater than 20 mm; (b) mean wall thickness NOT less than 2.2 mm and NOT greater than 2.8 mm Op. 29.01.20	50 - TC 2016380
Stated Use: For potable, rainwater and recycled water installations Applicant: VIEGA PTY LTD	5%
3926.90.90 LOCK HASPS, nylon Op. 28.01.20	50 - TC 2015993
Stated Use: For preventing the operation of equipment while workers are performing maintenance Applicant: MAYO HARDWARE PTY LTD	5%

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
<p>8413.91.90 PARTS, INJECTION PUMPS, being ANY of the following: (a) housings; (b) piston rods; (c) injection stems; (d) o-ring seats Op. 17.01.20</p> <p>Stated Use: Spare parts for the service of liquid injection pumps</p> <p>Applicant: BRACON INDUSTRIES (N S W) PTY LTD</p>	<p>50</p> <p>- TC 2010774</p> <p>5%</p>
<p>8422.30.90 SYRINGE LABELLING AND PLUNGER INSERTION LINE, programmable logic controlled, including ALL of the following: (a) infeed re-nesting AND outfeed de-nesting machines; (b) transport conveyors; (c) dosing elevator; (d) plunger rod inserting AND labelling machine; (e) label printer AND splicer; (f) visual inspection AND counting modules; (g) reject stations; (h) operator panel; (i) laser label printer; (j) camera unit; (k) NOT greater than 36 000 syringe output per hour Op. 16.01.20</p> <p>Stated Use: For inserting the plunger and printing label on the syringes. In addition the machine detects faulty syringes and perform quality control function</p> <p>Applicant: SEQIRUS PTY LTD</p>	<p>50</p> <p>- TC 2009402</p> <p>5%</p>
<p>8436.80.90 COMPOST AND/OR PEAT FILLING MACHINES, MUSHROOM BED TRAY including ALL of the following: (a) trailer unloading hopper; (b) de-stacker unit; (c) compost filling unit; (d) press unit; (e) peat AND/OR casing unit; (f) peat AND/OR casing mixer; (g) control panel; (h) conveyors Op. 03.02.20</p> <p>Stated Use: To fill mushroom growing beds with mixed compost and peat</p> <p>Applicant: THE MUSHROOM PLACE</p>	<p>50</p> <p>- TC 2019059</p> <p>5%</p>
<p>8438.10.90 BAKED SNACK PRODUCTION LINE, having ALL of the following: (a) ridged gauge roll; (b) rotary cutting station; (c) roll sheeter; (d) continuous mixer Op. 03.02.20</p> <p>Stated Use: A flexible system to create snack crisps from potato, wheat, multi grain or corn masa flour doughs</p> <p>Applicant: THE SMITH'S SNACKFOOD COMPANY PTY LTD</p>	<p>50</p> <p>- TC 2020023</p> <p>5%</p>

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
8438.50.00 BONE PRE-SIZER MACHINES, having BOTH of the following: (a) bone reducer; (b) maximum product capacity NOT less than 3 000 kg per hour Op. 28.01.20 Stated Use: To push the bones through a stainless-steel grid to achieve a reduction in the length of those bones Applicant: MULTIVAC AUSTRALIA PTY LTD	50 - TC 2016036 5%
8474.90.00 PARTS, HIGH INTENSITY GRINDING MILL, being ANY one OR more of the following: (a) castellated rotors; (b) non-castellated rotors; (c) stators rings Op. 28.01.20 Stated Use: In the grinding of materials after extraction Applicant: OUTOTEC PTY LTD	50 - TC 2016008 5%
8608.00.00 BUFFER STOPS, RAILWAY, being ANY of the following: (a) friction; (b) friction hydraulic OR fixed type Op. 03.02.20 Stated Use: A safety mechanism to prevent rail carriages from passing an end section of rail Applicant: MARTINUS RAIL PTY LTD	50 - TC 2020018 5%

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number General Duty Rate
8716.90.00	PARTS, TRAILER HAVING A GROSS WEIGHT NOT LESS THAN 7.5 TONNES, being air suspension hanger brackets Op. 28.01.20	50 - TC 2015958
	Stated Use: Parts for the repair and maintenance of air suspensions in semi-trailers, which are greater than 7.5 tonnes in weight	
	Applicant: BPW TRANSPEC PTY LTD	5%
9506.99.90	KICKING TEE, SPORT, polyethylene vinyl acetate, having 5 degree angled tapered teeth Op. 06.02.20	50 - TC 2022284
	Stated Use: To provide assistance in place kicking in football/rugby	
	Applicant: SRGS PTY LTD	5%

CUSTOMS ACT 1901**NOTICE PURSUANT TO SECTION 269R(1) - APPLICATIONS FOR TARIFF CONCESSION ORDERS REFUSED**

The application for the Tariff Concession Order for the goods described in the following TABLE has have been refused.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number
7309.00.00 SILOS, READY-MIX CONCRETE PLANT, circular, welded rolled steel plate, whether OR not assembled, having all of the following: (a) outlet flanges; (b) railings; (c) service platforms; (d) hot galvanized gangways AND/OR gratings AND/OR ladders; (e) compressed air AND/OR electrical cable piping Op. 25.09.19 Reason for refusal: Substitutable goods produced in Australia in the ordinary course of business by Tylden Equipment Sales, Kyneton, Vic	50

- TC 19283733

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269R(1) - TARIFF CONCESSION ORDERS MADE

Tariff Concession Orders have been made for the goods described in the following TABLE.

The operative date (Op.) and TC reference No. follow the description of goods. Local manufacturers of substitutable goods may request the revocation of TCOs at any time.

THE TABLE

Description of Goods including the Customs Tariff Classification			Schedule 4 Item Number
	Op.	Dec. date	Last Date of Effect General Duty Rate
3808.91.90 INSECTICIDE, having a basis of afidopyropen	Op. 03.12.19	Dec. date 21.02.20	50
		- TC 19328678	
4202.99.00 PROTECTOR CASES, moulded, having ALL of the following:			50
(a) pressure relief valve;			
(b) o-ring lid seal;			
(c) carry OR telescopic handle;			
(d) locking points,			
with OR without ANY of the following:			
(i) internal foam;			
(ii) wheels			
Op. 28.11.19	Dec. date 21.02.20	- TC 19325629	
7314.14.00 WIRE MESH BELTS, SPIRAL CONVEYOR, having a width NOT less than 5 250 mm	Op. 02.12.19	Dec. date 21.02.20	50
		- TC 19327537	
7616.99.00 MESH, aluminium, rigid, plain weave, pre-finished, having ALL of the following:			50
(a) open area NOT less than 33% and NOT greater than 46%;			
(b) weight NOT less than 1.9 kg/m ² and NOT greater than 2.7 kg/m ² ;			
(c) thickness NOT less than 2.5 mm and NOT greater than 4 mm			
Op. 22.11.19	Dec. date 20.02.20	- TC 19322383	
8418.69.00 SAMPLE TUBE STORAGE UNIT, LABORATORY, refrigerated, whether OR not assembled, including ALL of the following:			50
(a) storage racks;			
(b) racking robot			
Op. 28.11.19	Dec. date 21.02.20	- TC 19325617	
8419.81.90 FOAMERS OR STEAMERS, LIQUID, including BOTH of the following:			50
(a) pitchers incorporating radio frequency identification (RFID) tags;			
(b) installation kits consisting of hoses AND valves			
Op. 08.11.19	Dec. date 19.02.20	- TC 19312652	
8419.81.90 LIQUORICE PRODUCTION MACHINERY, including ANY of the following:			50
(a) liquorice slurry kitchen;			
(b) viscotater cooking unit			
Op. 28.11.19	Dec. date 19.02.20	- TC 19325662	
8419.81.90 HOT-PLATES, portable, electric	Op. 03.12.19	Dec. date 20.02.20	50
		- TC 19327978	
8421.19.00 CENTRIFUGE MACHINES, LABORATORY, whether OR not assembled, including ALL of the following:			50
(a) adapters;			
(b) adapter shuttle;			
(c) adapter handler robot;			
(d) centrifuge tube robot;			
(e) centrifuges;			
(f) liquid level detection;			
(g) console			
Op. 27.11.19	Dec. date 20.02.20	- TC 19324816	

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number Last Date of Effect General Duty Rate
8438.20.00	GRINDING MILLS, including ALL of the following: (a) 3 phase motor having a driving power NOT less than 5.5 kW; (b) grinding chamber having a chamber diameter NOT less than 220 mm; (c) hopper Op. 26.11.19	50 Dec. date 20.02.20 - TC 19323342
8467.81.00	ATTACHMENT POLE, CHAIN SAW, with OR without blade cover AND/OR wrenches Op. 18.11.19	50 Dec. date 20.02.20 - TC 19318174
8477.40.00	TRIMMING MACHINES, VINYL FOIL, dual axis, programmable logic controlled, having BOTH of the following: (a) optical AND/OR infra-red scanning devices; (b) infeed conveyor Op. 26.11.19	50 Dec. date 20.02.20 - TC 19323864
8477.80.00	PLASTICS RECYCLING LINE, including ALL of the following: (a) granulator; (b) compactor; (c) silo; (d) feeding AND/OR discharge screw Op. 08.11.19	50 Dec. date 19.02.20 - TC 19311647
8479.89.90	VINYL FOIL WASTE COLLECTION MACHINES, including a chipping unit Op. 26.11.19	50 Dec. date 19.02.20 - TC 19323868
8481.20.00	VALVES, HEIGHT CONTROL, air, anodised aluminium body, having ALL of the following: (a) operating pressure NOT less than 6 bar and NOT greater than 9 bar; (b) operating temperature NOT less than -40 degrees C and NOT greater than 65 degrees C; (c) maximum permissible leakage NOT greater than 3 cc/min at 9 bar; (d) flow rate NOT greater than 400 l/min; (e) dump flow rate NOT greater than 875 l/min; (f) proportional response flow curve; (g) 360 degrees arm movement; (h) crossflow port flow rate NOT greater than 70 l/min Op. 03.12.19	50 Dec. date 21.02.20 - TC 19327974
8481.30.00	DOUBLE POPPET WASHDOWN SHOE, SAND CONTROL, OIL AND/OR GAS WELL, whether OR not assembled, including ALL of the following: (a) NOT less than 2 check valves; (b) steel AND/OR steel alloy housing; (c) threaded connection; (d) external working pressure NOT less than 400 bar Op. 02.12.19	50 Dec. date 21.02.20 - TC 19327540
8704.23.00	CAB-CHASSIS, OFF HIGHWAY, 10 x 10 wheel drive, rigid, having a gross vehicle weight exceeding 28 tonnes, including ALL of the following: (a) compression ignition engine; (b) cooling rig mounted above chassis; (c) steerable tag axle; (d) differential lock all axles; (e) disengageable drive front axles Op. 07.11.19	50 Dec. date 19.02.20 - TC 19310861
9305.20.90	PARTS, RIFLE, being wooden stocks Op. 21.11.19	50 Dec. date 20.02.20 - TC 19320817

CUSTOMS ACT 1901**CANCELLATION OF THE INTENTION TO REVOKE**

The Request for revocation of Tariff Concession Orders for goods described in the following TABLE have been cancelled.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number
7219.22.00 FLAT ROLLED PRODUCTS, stainless steel, Grade UNS 31803, having a chemical composition, by weight, of ALL of the following: (a) carbon 0.3% maximum; (b) chromium 21.0-23.0% inclusive; (c) nickel 4.5-6.5% inclusive; (d) molybdenum 2.5-3.5% inclusive; (e) nitrogen 0.08-0.20% inclusive; (f) silicon 1.0% maximum; (g) manganese 2.0% maximum; (h) phosphorus 0.03% maximum; (i) sulphur 0.02% maximum Op. 10.12.92	50 Dec. date 12.03.93 - TC 9300330
8202.20 BANDSAW BLADING, in coil, unjoined, being of the hardened edge type, having the following specifications: (a) blade width of 31-41 mm (inclusive), a gauge/thickness from 1.07 mm to 1.27 mm (inclusive) and having a vari-tooth pitch from 1.4 to 2.5 t.p.i; (b) blade width of 50-54 mm (inclusive), having a gauge/thickness from 1.27 mm to 1.60 mm and having a vari-tooth pitch from 1.4 to 2.5 t.p.i Op. 27.07.92	50 Dec. date 03.12.92 - TC 9206946
8208.30.00 KNIVES, spiral machine, meat slicing, angles 10 degrees/20 degrees, 10 degrees/33 degrees and 10 degrees/20 degrees/33 degrees Op. 24.05.93	50 Dec. date 27.08.93 - TC 9304993

TARIFF CONCESSION ORDERS (TCOs) NOT USED IN THE PREVIOUS 2 YEARS

The Comptroller-General of Customs is satisfied that the TCOs listed in the table below are no longer required because, in the 2 years preceding the day of this notice, they have not been quoted in an import declaration to secure a concessional rate of duty.

From Thursday, 26 March 2020, it is intended to take action to revoke these Orders under subsection 269SD(1A) of the Customs Act 1901. In accordance with subsection 269SG(2) of the Customs Act 1901, in transit provisions shall apply. If revoked, the expected date of effect will be 26 March 2020.

Interested parties are invited to provide, by close of business, Wednesday 25 March 2020, written reasons why an Order should NOT be revoked.

Please advise if any of the Orders listed below have been quoted on an import declaration.

If a request is made to retain an Order used for the granting of a Determination, please specify the Determination and the linked Item number to enable mapping to the Order and its scope.

THE TABLE

Tariff Classification	Description	Concession Number
3212.90.00	DYE, COLD WATER, PERMANENT, in individual containers NOT exceeding 7 grams each	
	Op. 01.07.96	Dec. date 14.06.96 - TC 9605954
3212.90.00	LIQUID DYE, two part, comprising: (a) a bottle of liquid dye NOT exceeding 55 ml; (b) an additive NOT exceeding 8 g	
	Op. 01.07.96	Dec. date 13.06.96 - TC 9605978
6902.90.00	REFRACTORY INSULATING BRICKS, having BOTH of the following characteristics: (a) a mineral composition exceeding 30% but NOT exceeding 50% by weight of alumina; (b) thermal conductivity within ANY of the following specifications: (i) at mean temperature of 200 degrees C - 0.50 W/metre K; (ii) at mean temperature of 400 degrees C - 0.52 W/metre K; (iii) at mean temperature of 600 degrees C - 0.56 W/metre K; (iv) at mean temperature of 800 degrees C - 0.61 W/metre K; (v) at mean temperature of 1 000 degrees C - 0.64 W/metre K	
	Op. 25.04.96	Dec. date 06.09.96 - TC 9606272
7019.11.00	GLASS FIBRE CHOPPED STRANDS, capable of bonding to thermoset, phenolic resins, having ALL of the following characteristics: (a) E type glass; (b) nominal 10 micron filament diameter; (c) length NOT exceeding 3.5 mm; (d) silane sizing of 1.20% + or - 0.15 LOI and no further coating; (e) in a thermoset phenolic resin gives a shear strength between 12 MPa to 22 MPa	
	Op. 01.07.96	Dec. date 01.05.96 - TC 9605196
7019.11.00	GLASS FIBRE CHOPPED STRANDS, capable of feeding via metered systems into aqueous gypsum slurry, having ALL of the following: (a) E type glass; (b) nominal 16 micron filament diameter; (c) length between 10 mm and 15 mm (both inclusive); (d) aqueous compatible sizing of 0.125% + or - 0.75 and no further coating	
	Op. 01.07.96	Dec. date 01.05.96 - TC 9605197

7019.59	TAPE, woven glass cloth, flame resistant, imported in rolls of a width NOT less than 1 000 mm and a length NOT less than 500 metres, coated on one side with a synthetic rubber heat bonding adhesive			
	Op. 01.07.96	Dec. date 06.06.96	- TC 9605801	
7215.50	BARS, hexagon, bright or cold finished, having an across-the-flat dimension in ANY of the following sizes: (a) 57.15 mm (2 1/4 in. nominal); (b) 60.325 mm (2 3/8 in. nominal); (c) 60.00 mm; (d) 62.00 mm or greater			
	Op. 01.07.96	Dec. date 11.06.96	- TC 9605783	
7217.90	WIRE, music spring, having ANY of the following finishes: (a) bright; (b) cadmium; (c) cadmium/zinc alloy; (d) galvanised; (e) phosphate; (f) polished; (g) tinned			
	Op. 01.07.96	Dec. date 11.06.96	- TC 9605786	
7219.21.00	PLATES OR SHEET, stainless steel, to standard AISI 420			
	Op. 10.04.96	Dec. date 12.07.96	- TC 9605616	
8535.40.90	ISOLATORS, to British Standards BS 6513, MPT 1510 and MPT 1520, having ALL the following: (a) frequency range, 2.5 MHz to 1 GHz; (b) insertion loss, 0.5 dB max 5 MHz - 550 MHz, 1.5 dB max 1 GHz; (c) return loss, 28 dB min 5 MHz - 550 MHz, 16 dB min 1 GHz; (d) breakdown voltage, 2 120 volts DC (for one minute); (e) radio frequency interference, 65 dB nominal; (f) impedance, 75 ohms			
	Op. 26.04.96	Dec. date 26.07.96	- TC 9606352	

CUSTOMS ACT 1901

NOTICE PURSUANT TO SECTION 269SE(2) - TARIFF CONCESSION ORDER REVOCATION AT THE INITIATIVE OF THE COMPTROLLER-GENERAL OF CUSTOMS

The Tariff Concession Orders listed in THE TABLE below have not been used for at least 2 years and have been revoked under Section 269SD(1A). In transit provisions apply.

The intention to revoke these orders was notified in Gazette TC19/47 dated 4 December 2019.

Contact: Email tarcon@abf.gov.au

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
2915.90.00 SODIUM VALPROATE Op. 14.10.92 Dec. date 15.01.93 2 Years non use. In transit provisions apply	- TC 9209222 50 31.12.19
3005.90.90 DRESSINGS, wound, sterile, non-adhering, odour absorbing, being activated charcoal cloth impregnated with 0.15% by weight of silver, sealed within a spun-bonded, porous nylon sleeve Op. 27.05.93 Dec. date 06.09.93 2 Years non use. In transit provisions apply	- TC 9305058 50 31.12.19
3703.20 PAPER, colour photographic, silver halide sensitised, in sheets, having bromide intensity of less than 200 net counts per second when tested with an X-ray fluorescence spectrometer Op. 24.09.92 Dec. date 15.01.93 2 Years non use. In transit provisions apply	- TC 9209066 50 31.12.19
3703.20 PAPER, colour, positive to positive printing only, silver dye bleach reversal process, in sheets or rolls, having the image dyes incorporated in the emulsion layers coated on the resin coated paper base, but NOT including colour negative paper Op. 09.12.92 Dec. date 09.12.92 2 Years non use. In transit provisions apply	- TC 9209428 50 31.12.19
3901.20 POLYETHYLENE, ultra-high molecular weight, high density, having ALL of the following: (a) density 0.942-0.945 gm/cu cm; (b) molecular weight average > 340 000 gm/mole; (c) complying with Ford Motor Co specification ESZ-M4D536-A Op. 12.08.92 Dec. date 29.10.92 2 Years non use. In transit provisions apply	- TC 9207374 50 31.12.19
3909.50.90 WATER - BORNE POLYURETHANE DISPERSION, aromatic polyether type Op. 25.11.92 Dec. date 12.03.93 2 Years non use. In transit provisions apply	- TC 9210222 50 31.12.19
3921.14.00 REGENERATED CELLULOSE VEGETAL MATERIAL, absorbent fine core construction, wafer thin with reinforcing scrim and honeycomb pattern on one side, size 206 mm x 185 mm x 4 mm + or - 15 percent Op. 02.12.92 Dec. date 05.03.93 2 Years non use. In transit provisions apply	- TC 9210474 50 31.12.19

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
9608.20.00 CALLIGRAPHY PENS, containing permanent ink based on EITHER of the following: (a) water; (b) ethylcyclo hexane (solvent of petroleum distillates) but NOT including markers with a nib size up to 4.5 mm in diameter having brush shaped fine point or round shaped nibs Op. 10.06.93 Dec. date 22.10.93 2 Years non use. In transit provisions apply	50 31.12.19 - TC 9304445