



**Commonwealth
of Australia**

Gazette

No. TC15/46, Wednesday, 25 November 2015

Published by the Commonwealth of Australia

TARIFF CONCESSIONS

CONTENTS

TCO Applications	2
TCO Application Reworded	5
TCO Application Refused	6
TCOs Made	7
TCOs Revoked - Unused for over 2 years	8
DIBP Review of TCO Application Results	9
Intention to Revoke TCOs not used in over 2 years	10
Section 273 Determination Made.....	13

The Department of Immigration and Border Protection (DIBP) publishes the Commonwealth of Australia Tariff Concessions Gazette (the Tariff Concessions Gazette) free of charge on the DIBP internet site at:

<http://www.border.gov.au>

Please note that the Industry Assistance Section has changed address. We are now located at 5 Chan St Belconnen ACT 2617.

Contact numbers are listed below:

General Email Inquiries.....tarcon@border.gov.au

General Inquiries:(02) 6198 7289

Facsimile:(02) 6198 7203

TAPIN help desk(02) 6275 6534

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269K(1) - APPLICATIONS MADE FOR TARIFF CONCESSION ORDERS

Applications have been lodged for Tariff Concession Orders for the goods described in the following TABLE.

Australian manufacturers who wish to contest the granting of a Tariff Concession Order for the goods described are invited to lodge a submission in writing in an approved form. Submissions must be lodged within 50 days of the date of publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

Objections to the making of TCO submission forms are available at
<http://www.border.gov.au/Tariffclassificationofgoods/Documents/typableb4442001.pdf>

For guidance on the required description style, phone 02 6198 7289, fax 02 6198 7203 or email
tarcon@border.gov.au.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
3816.00.00 HOT REPAIR MIXTURE, REFRACTORY, magnesia-based, having ALL of the following: (a) magnesium oxide content NOT less than 58%; (b) calcium oxide content NOT less than 15%; (c) iron oxide content NOT greater than 2% Op. 26.10.15	50 - TC 1539970
Stated Use: Refractory mixture for hot repair of steel making vessels	
Applicant: C.I. CERAMICS (AUST.) PTY LTD	5%
3924.10.00 CAKE TURNTABLES Op. 26.10.15	50 - TC 1539971
Stated Use: For decorating cakes	
Applicant: MCPHERSON'S CONSUMER PRODUCTS PTY LTD	5%
6307.90.40 SETS, SURGICAL DRAPE, with OR without absorbent towels, including ALL of the following: (a) table cover; (b) stand cover; (c) suture bag; (d) drapes Op. 27.10.15	50 - TC 1540577
Stated Use: To protect patients during surgery	
Applicant: HALYARD AUSTRALIA PTY LTD	5%
7019.90.90 CONVEYOR BELTING, HEAT PRESS MACHINE, having ALL of the following: (a) woven fibreglass fabric layer; (b) polytetrafluoroethylene (PTFE) top AND bottom surfaces; (c) belt weight NOT greater than 1 050 g/m ² ; (d) belt thickness NOT greater than 0.3 mm Op. 29.10.15	50 - TC 1540369
Stated Use: For conveying goods through heat press machines where heat resistance and non-stick applications are required	
Applicant: CSR MARTINI PTY LTD	5%

CUSTOMS ACT 1901

NOTICE PURSUANT TO SECTION PARAGRAPH 269L(4B) (b) - PROPOSAL TO AMEND DESCRIPTION OF GOODS FOLLOWING AN
OBJECTION SUBMISSION

Amended description has been proposed for the Tariff Concession Order application shown in the following TABLE.

Australian manufacturers who consider that there are reasons why the Tariff Concession Order as proposed to be amended should not be made are invited to lodge a submission. Submissions must be lodged no later than 14 days after the publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number
---	------------------------

8481.80.90 VALVES, BALL, SUBSEA, having ALL of the following: (a) remotely operated vehicle (ROV) actuation; (b) internal diameter NOT less than 250 mm; (c) design pressure NOT less than 345 bar OR 5 000 psi; (d) design temperature NOT less than minus 29 degrees Celsius and NOT greater than plus 221 degrees Celsius	50
---	----

Op. 13.08.15

- TC 1531809

Stated Use:

In manifolds with subsea applications

Applicant: FMC TECHNOLOGIES

CUSTOMS ACT 1901**NOTICE PURSUANT TO SECTION 269R(1) - APPLICATION FOR TARIFF CONCESSION ORDER REFUSED**

The application for the Tariff Concession Order for the goods described in the following TABLE has been refused.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number
---	------------------------

8479.89.90 WELLHEAD CONTROL SYSTEM, OIL AND/OR GAS WELL, having ALL of the following: (a) hydraulic power unit; (b) wellhead control panel; (c) wireline interface panel; (d) accumulators; (e) tanks AND/OR reservoirs; (f) valves; (g) pumps; (h) filters; (i) air AND/OR gas pressure regulator; (j) level AND/OR pressure transmitter; (k) switches; (l) level gauge; (m) filler breathers AND/OR Y type strainers; (n) tube AND tube fittings	50
--	----

Op. 15.06.15

- TC 1521454

Reason for refusal:

Substitutable goods produced in Australia in the ordinary course of business by Hydac Pty Ltd, Altona North, Vic

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269R(1) - TARIFF CONCESSION ORDERS MADE

Tariff Concession Orders have been made for the goods described in the following TABLE.

The operative date (Op.) and TC reference No. follow the description of goods. Local manufacturers of substitutable goods may request the revocation of TCOs at any time.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
8419.89.90 CONCENTRATION MACHINES, PASTE AND PUREE AND SAUCE, FRUIT AND VEGETABLE, including ALL of the following: (a) mixed flow vacuum forced evaporators; (b) centrifugal transfer pumps; (c) vertical tanks Op. 27.08.15	50 Dec. date 23.11.15 - TC 1532929
8422.30.90 TIN CAN FILLING AND CLOSING AND SEALING MACHINES, FRUIT AND VEGETABLE, including ALL of the following: (a) sterilization boxes; (b) fillers; (c) conveyors; (d) can seamers; (e) control panels Op. 28.08.15	50 Dec. date 23.11.15 - TC 1533040
8428.20.00 PULVERISED COAL PRE-INJECTION DELIVERY SYSTEM, SMELTING FURNACE, pneumatic, including ALL of the following: (a) air receivers; (b) nitrogen receivers; (c) silos; (d) conveying vessels; (e) dust collectors Op. 31.08.15	50 Dec. date 23.11.15 - TC 1533596
8438.60.00 FRUIT AND VEGETABLE PEELING MACHINES, including ALL of the following: (a) cleated elevators; (b) peelers; (c) chopper pumps; (d) feed belts; (e) peel separators; (f) inspection AND distribution belts; (g) equipment support platforms; (h) screw conveyors; (i) optical sorters; (j) discharge hoppers Op. 27.08.15	50 Dec. date 23.11.15 - TC 1532990
8474.10.00 FEED HOPPERS, COAL GRINDING PLANT, including BOTH of the following: (a) grizzly screens; (b) screw feeders Op. 28.08.15	50 Dec. date 23.11.15 - TC 1533105
8505.11.00 MOUNTING UNITS, MOBILE PHONE OR COMPUTER TABLET OR GPS, incorporating a neodymium magnet Op. 04.09.15	50 Dec. date 23.11.15 - TC 1534132
8544.49.20 TRAVELLING CABLES, ELEVATOR, electrical, with OR without steel wire supporting members Op. 31.08.15	50 Dec. date 23.11.15 - TC 1533106

CUSTOMS ACT 1901

NOTICE PURSUANT TO SECTION 269SE(2) - TARIFF CONCESSION ORDER REVOCATION AT THE INITIATIVE OF THE COMPTROLLER-GENERAL OF CUSTOMS

The Tariff Concession Orders listed in THE TABLE below have not been used for at least 2 years and have been revoked under Section 269SD(1A). In transit provisions apply.

The intention to revoke these orders was notified in Gazette TC15/41 dated 21 October 2015.

Contact: Phone 02 6275 6534, fax 02 6198 7203 or email tarcon@border.gov.au.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
7326.90.90 PRESSURE VESSELS, self regulating, compliant with National Sanitation Foundation/American National Standards Institute Standard 61 (NSF/ANSI 61) and having ALL of the following: (a) capacity NOT less than 10 000 litres; (b) butyl rubber bladder; (c) gas valve assembly for nitrogen charging Op. 28.02.08 Dec. date 16.05.08 Revoked for 2 years non-use. In transit provisions apply	50 17.11.15 - TC 0803410
7326.90.90 RAILS, CHANNEL PROTECTOR, galvanised OR stainless steel, having a length NOT less than 145 mm and NOT greater than 1 050 mm Op. 29.05.09 Dec. date 21.08.09 Revoked for 2 years non-use. In transit provisions apply	50 17.11.15 - TC 0918399
7326.90.90 GAS STACKS, SUBMERGED ARC FURNACE, including BOTH of the following: (a) ducts; (b) gas stack caps Op. 04.01.11 Dec. date 28.03.11 Revoked for 2 years non-use. In transit provisions apply	50 17.11.15 - TC 1100391
7326.90.90 HANGERS, SMOKE HOOD, SUBMERGED ARC FURNACE Op. 04.02.11 Dec. date 28.04.11 Revoked for 2 years non-use. In transit provisions apply	50 17.11.15 - TC 1105085
7326.90.90 ADAPTERS, SUBSEA, OIL AND/OR GAS WELL EQUIPMENT, having ported hydraulic conduits Op. 01.08.12 Dec. date 15.10.12 Revoked for 2 years non-use. In transit provisions apply	50 17.11.15 - TC 1227824
7326.90.90 CRADLES, METAL COIL, stackable Op. 27.09.12 Dec. date 17.12.12 Revoked for 2 years non-use. In transit provisions apply	50 17.11.15 - TC 1236953
7326.90.90 HANDLES, broom, tubular steel, having ALL of the following: (a) coating of longitudinally ribbed plastic; (b) length 1 200 mm; (c) diameter NOT exceeding 22 mm; (d) plastic press fitted end cap in one end; (e) plastic, tapered male threaded cap in one end Op. 14.02.95 Dec. date 31.05.95 Revoked for 2 years non-use. In transit provisions apply	50 17.11.15 - TC 9501842

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
7326.90.90 SHACKLES, side-opening, where remote actuation release is achieved by centre-pivot release cord or cable carried within securing line Op. 01.03.95 Dec. date 22.06.95 Revoked for 2 years non-use. In transit provisions apply	50 17.11.15 - TC 9504193

CUSTOMS ACT 1901 - RESULT OF REQUEST FOR REVIEW OF AN APPLICATION DECISION

The DIBP internal review result made on the Tariff Concession Order application for goods described in the following TABLE has been finalised:

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect	Review Decision
7309.00.00 STORAGE CONTAINERS, stainless steel, having ALL of the following: (a) maximum volume capacity NOT greater than 1 200 L; (b) maximum operating pressure NOT greater than 2 bars; (c) manhole lid; (d) valves Op. 23.04.15 DIBP Decision : Refusal to make TCO affirmed	50 - TC 1515633	REFUSE

COMMERCIAL TARIFF CONCESSION ORDERS (CTCOs) & TARIFF CONCESSION ORDERS (TCOs) NOT USED IN THE PREVIOUS 2 YEARS

The Comptroller-General of Customs is satisfied that the CTCOs and TCOs listed in the table below are no longer required because, in the 2 years preceding the day of this notice, they have not been quoted in an import declaration to secure a concessional rate of duty.

From Thursday, 24 December 2015, it is intended to take action to revoke these Orders under subsection 269SD (1A) of the Customs Act 1901. In accordance with subsection 269SG(2) of the Customs Act 1901, in transit provisions shall apply. If revoked, the expected date of effect will be 23 December 2015.

Interested parties are invited to provide, by close of business, Wednesday, 23 December 2015, written reasons why an Order should NOT be revoked.

Please advise if any of the Orders listed below have been quoted on an import declaration.

If a request is made to retain an Order used for the granting of a Determination, please specify the Determination and the linked Item number to enable mapping to the Order and its scope.

Contact: Email tarcon@border.gov.au, fax 02 6198 7203 or phone 02 6275 6534.

THE TABLE

Tariff Classification	Description	Concession Number
4002.19	STYRENE BUTADIENE DRY RUBBER, having ALL of the following: (a) produced by the hot polymerisation method; (b) rosin acid emulsified grade; (c) a bound styrene content in the range 22.5% to 24.5% (both inclusive); (d) Mooney viscosity in the range 46 to 58 (both inclusive)	
	Op. 27.07.89	Dec. date 05.10.89 - TC 8905654
4005.91.00	RUBBER, POLYCHLOROPRENE, compounded, unvulcanised	
	Op. 28.12.06	Dec. date 23.03.07 - TC 0620222
4005.99.00	RUBBER, POLYCHLOROPRENE, compounded, unvulcanised	
	Op. 28.12.06	Dec. date 23.03.07 - TC 0620221
4008.11.00	LATEX FOAM, absorbent, in rolls, having ALL of the following: (a) fabric backing; (b) open cell construction; (c) density of latex between 185 gm/m ² to 250 gm/m ² (both inclusive)	
	Op. 01.07.96	Dec. date 13.06.96 - TC 9605953
4009.42.90	HOSE, FLOATING, meeting Oil Companies International Marine Forum (OCIMF) standard, in lengths 9.144 m (30 ft) to 12.192 m (40 ft) with bore of 400 mm (16 in), having ALL of the following: (a) carcass of synthetic, nitrile based, oil resistant rubber; (b) carcass reinforcement by multiple plies of high tensile textile cord with fully embedded helical wire; (c) carcass second lining over first bank of plies; (d) cover of synthetic blended rubber; (e) built-in end fittings (flanged nipples)	
	Op. 01.01.02	Dec. date 08.01.02 - TC 0107340

4010.19.00	BELTS, FILTER, having ALL of the following: (a) fabric and steel cord reinforcement; (b) width NOT less than 3 000 mm; (c) grooved surface; (d) belt length NOT less than 30 m			
	Op. 25.01.12	Dec. date 20.04.12		- TC 1203027
8413.60.90	PUMPS, PERISTALTIC HOSE, having ALL of the following: (a) capacity to operate with EITHER direct coupled geared motors OR flange mounted geared motors; (b) lubricant level indicator, drain plug, inspection window and filler breather cap on front of pump; (c) flange and hose retention with hose inserts, flange brackets and/or hose clamps; (d) rubber hose, peristaltic, reinforced with braided nylon, having ALL of the following: (i) maximum working discharge pressure of 15 bar; (ii) maximum line pressure of 15 bar; (iii) maximum vacuum capability without deformation 5 kPa.a; (iv) hose static burst pressure range of 45 bar to 125 bar, both inclusive; (v) outer surface machined to a tolerance of 0.01 mm, completely smooth with no spiral wound synthetic tape used; (vi) operating temperature of - 20 degrees C to 85 degrees C; (1) natural, (NR), buna nitrile rubber, (NBR), or high buna nitrile, (NBRX) body having a shore hardness of 57 + or - 4 shore; (2) ethylene propylene rubber, (EPDM) body having a shore hardness of 59 + or - 4 shore; (3) hypalon rubber (HPN) body having shore hardness of 59 + or - 4 shore;			
	Op. 31.05.96	Dec. date 27.09.96		- TC 9608684
8414.59.90	BLOWERS, vacuum cleaner, having ALL of the following: (a) wattage 800 W OR greater but NOT exceeding 1 400 W; (b) single OR dual stage; (c) maximum diameter 150 mm; (d) maximum length 170 mm; (e) AC series, brush-type motor			
	Op. 19.08.94	Dec. date 28.11.94		- TC 9406917
8414.59.90	FAN ASSEMBLIES, having ALL of the following: (a) mounting bracket incorporating ducts; (b) speaker; (c) NOT less than two fans, each in a self-contained housing and having a diameter NOT exceeding 80 mm			
	Op. 30.12.97	Dec. date 20.03.98		- TC 9711354
8414.59.90	FANS, ROTARY, incorporating a 12 V DC brushless motor, thermoplastic impellor, sleeve OR ball bearings AND chromed finger guard, with impellor NOT exceeding 125 mm diameter			
	Op. 15.12.98	Dec. date 05.03.99		- TC 9810879
8479.89.90	VACUUM LOADERS, comprising ALL of the following: (a) positive displacement bi-lobe pump; (b) hydraulic drive loading boom; (c) blower exhaust silencer; (d) single mode filtration			
	Op. 11.11.03	Dec. date 11.02.04		- TC 0314445

-
- 8481.80.90 VALVES, VACUUM FLOW CONTROL, liquefied petroleum gas, having ALL of the following:
(a) electrically actuated;
(b) glass filled nylon and steel construction;
(c) maximum flow rating of less than 0.4 cu m/h at 2.49 kPa, but NOT including automotive cylinder valves
- Op. 22.12.95 Dec. date 16.04.96 - TC 9600755
- 8481.80.90 VALVES, double ended, pneumatically actuated, having ALL of the following:
(a) 32 mm threaded inlet/outlet ports;
(b) pinch ram;
(c) failsafe spring closing
- Op. 04.12.97 Dec. date 27.02.98 - TC 9710661
- 8481.80.90 VALVES, SERVO-PNEUMATIC POSITIONING, having ALL of the following:
(a) nominal bore of 6 mm;
(b) nominal pressure of 6 bar;
(c) flow rate up to 700 l/min;
(d) operating voltage of 24 V DC
- Op. 28.04.93 Dec. date 30.07.93 - TC 9305438
- 8481.80.90 VALVES, EXPLOSION BARRIER, spring operated, maximum flow velocity 20 m/sec or less
- Op. 05.02.93 Dec. date 28.05.93 - TC 9308204

NOTICE OF DETERMINATIONS MADE UNDER PART XVI OF THE CUSTOMS ACT 1901

Under subsection 273B(2) of the Customs Act 1901, notice is hereby given of the making of determinations applying to goods of a kind specified in the table below.

In the table:

(i) the first column specifies the kind of goods to which the determination applies, any conditions specified in the determination, the commencement and cessation dates of the determination and the determination reference number;

(ii) the second column specifies the item in Schedule 4 to the Customs Tariff Act 1995 that applies to the specified goods;

(iii) 'AD' indicates the determination was made by AusIndustry;

(iv) 'DE' indicates that the determination was made by Department of Immigration and Border Protection.

Goods ancillary to an EPBS project, including office equipment, buildings, office/personnel accommodation and goods used in activities such as land preparation, road construction and maintenance, transportation (other than pipes, pipelines, conveyors, power transmission lines, flexible flow lines, etc integral to the project and used to convey gas liquids, minerals, electricity or other materials or goods) and the provision of telecommunications and other general services are excluded. Materials, consumables and construction and servicing equipment, including all fuels, oils lubricants, adhesives, filters, protective garments, tools, ladders (other than articles auxiliary to and designed to be permanently attached to eligible goods under EPBS, such as pylons, supporting structures, staircases, ladders, railings, etc) paint, varnish and the like are ineligible under EPBS, as are spare parts used for on-going maintenance beyond the commissioning of the project.

EPBS determinations also apply to all goods listed in the determination when they are imported in multiple shipments, which may be from different locations at different times.

Where a number of EPBS determinations are issued for a particular eligible good, all associated determinations must not exceed the quantity of goods approved by the Delegate in the EPBS Project Eligible Goods List

THE TABLE

Description of Goods Dates of Effect	Schedule 4 Item Number
Polyethylene terephthalate resin used specifically in the manufacturing of food and household consumer rigid packaging, manufactured by thermoforming process, but excludes meat trays. 07.08.15 to 05.08.17	46
	- AD 01004164