



**Commonwealth  
of Australia**

# Gazette

**No. TC16/47, Wednesday, 7 December 2016**  
Published by the Commonwealth of Australia

**TARIFF CONCESSIONS**

## CONTENTS

TCO Applications .....	2
TCO Applications Reworded.....	6
TCOs Made.....	7
Local Manufacturer Initiated - TCO Revocation Requests .....	9
Website Update .....	11

The Commonwealth of Australia Tariff Concessions Gazette  
(the Tariff Concessions Gazette) is free of charge on the DIBP  
internet site at: <http://www.border.gov.au>

The Tariff Concessions Administration Section is located at  
5 Constitution Ave Canberra City 2601

**Contact details:**

General Email Inquiries:.....tarcon@border.gov.au

General Inquiries: .....(02) 6229 3567

TAPIN help desk: .....(02) 6275 6534

Facsimile: .....(02) 6223 8180

**CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269K(1) - APPLICATIONS MADE FOR TARIFF CONCESSION ORDERS**

Applications have been lodged for Tariff Concession Orders for the goods described in the following TABLE.

Australian manufacturers who wish to contest the granting of a Tariff Concession Order for the goods described are invited to lodge a submission in writing in an approved form. Submissions must be lodged within 50 days of the date of publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

Objections to the making of TCO submission forms are available at

<http://www.border.gov.au/Forms/Documents/b444.pdf>

Contact: Email tarcon@border.gov.au

## THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
3824.90.90 BEADS, DESICCANT, including BOTH of the following: (a) silica gel impregnated with a coloured organic moisture absorption indicator; (b) zeolite mixed with a clay binder Op. 10.11.16	50  - TC 1667979
Stated Use: For absorbing moisture in electric power stations, laboratories, packaging and tanks containing lubrication and hydraulic oil  Applicant: STAUFF CORPORATION PTY LTD	5%
3920.20.00 SHEETS, co-extruded polypropylene, in rolls, having ALL of the following: (a) total layered sheet composition NOT less than 70% polypropylene; (b) polyethylene layer, with OR without an ethylene vinyl alcohol (EVOH) layer; (c) sheet width NOT greater than 1 250 mm Op. 01.11.16	50  - TC 1664804
Stated Use: For manufacturing packaging used for carrying food and sterilised goods  Applicant: SANWA PTY LTD	5%
7616.99.00 ATTENUATORS, IMPACT ENERGY ABSORBING, aluminium, truck OR trailer mountable, including ALL of the following: (a) impact energy absorbing enclosures; (b) securing AND energy absorbing tubes; (c) mounting plates Op. 02.11.16	50  - TC 1664958
Stated Use: As safety equipment to be mounted on trucks or trailers to absorb possible colliding vehicle energy and protect road maintenance and signage workers  Applicant: J1-LED INTELLIGENT TRANSPORT SYSTEMS PTY LTD	5%

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
<p>8419.89.90 COOLING SYSTEM, ALUMINIUM EXTRUSION, programmable logic controlled, having ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) centrifugal fans;</li> <li>(b) adjustable hoods;</li> <li>(c) support structure;</li> <li>(d) electric motors;</li> <li>(e) frequency converter;</li> <li>(f) outlet dampers</li> </ul> <p>Op. 03.11.16</p> <p>Stated Use: For the cooling of manufactured extrusions</p> <p>Applicant: G JAMES AUSTRALIA PTY LTD</p>	<p>50</p> <p>- TC 1665739</p> <p>5%</p>
<p>8419.89.90 WATER QUENCHING SYSTEM, ALUMINIUM PROFILE, programmable logic controlled, having ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) upper AND lower water misting jets;</li> <li>(b) air cooler;</li> <li>(c) integrated roller table;</li> <li>(d) control unit</li> </ul> <p>Op. 08.11.16</p> <p>Stated Use: For the quenching of aluminium extrusions</p> <p>Applicant: G JAMES AUSTRALIA PTY LTD</p>	<p>50</p> <p>- TC 1667052</p> <p>5%</p>
<p>8419.89.90 STERILISERS, INTRAVENOUS BAG AND/OR BOTTLE, MEDICAL, including ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) pressure vessel;</li> <li>(b) electrical controls;</li> <li>(c) heat exchangers;</li> <li>(d) circulation pumps;</li> <li>(e) measurement instrumentation</li> </ul> <p>Op. 15.11.16</p> <p>Stated Use: Sterilise solution in bags and bottles</p> <p>Applicant: BAXTER HEALTHCARE PTY LTD</p>	<p>50</p> <p>- TC 1669391</p> <p>5%</p>
<p>8421.39.00 FILTERS, GAS SUSPENDED DROPLET EXTRACTION, GAS TREATMENT PLANT</p> <p>Op. 11.11.16</p> <p>Stated Use: For removing dust laden droplets, residual water drops and acid droplets from cleaned gases in gas treatment plants</p> <p>Applicant: NYRSTAR PORT PIRIE PTY LTD</p>	<p>50</p> <p>- TC 1668649</p> <p>5%</p>

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number General Duty Rate
8477.80.00	<p>ASSEMBLY MACHINES, MEMBRANE TUBE, MEDICAL, including ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) weld station;</li> <li>(b) tube load station;</li> <li>(c) nest block;</li> <li>(d) mandrels;</li> <li>(e) feeder bowl;</li> <li>(f) sensors;</li> <li>(g) punch station;</li> <li>(h) closure station;</li> <li>(i) offload station;</li> <li>(j) tube lifter;</li> <li>(k) leak test station;</li> <li>(l) control panel</li> </ul> <p>Op. 15.11.16</p> <p>Stated Use: Assembly of membrane ports as used in intravenous machine</p> <p>Applicant: BAXTER HEALTHCARE PTY LTD</p>	50
	- TC 1669393	
8477.80.00	<p>ROTARY ASSEMBLY MACHINES, ADDITIVE PORT, MEDICAL, including ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) unscrambling bowls;</li> <li>(b) unwinder;</li> <li>(c) heat shrink stations;</li> <li>(d) control panel;</li> <li>(e) load stations;</li> <li>(f) roll over station;</li> <li>(g) tamping station;</li> <li>(h) eject chute;</li> <li>(i) blow off station</li> </ul> <p>Op. 15.11.16</p> <p>Stated Use: Produce parts to be used in the production of solution bags</p> <p>Applicant: BAXTER HEALTHCARE PTY LTD</p>	50
	- TC 1669396	
8479.82.00	<p>FLOW BALANCING MACHINES, GRAIN, programmable logic controlled, having ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) pneumatically controlled feeder;</li> <li>(b) volumetric measurer;</li> <li>(c) maximum throughput capacity NOT greater than 103 t/h</li> </ul> <p>Op. 03.11.16</p> <p>Stated Use: For bending and volumetric measuring of grains for the food and beverage industries</p> <p>Applicant: COOPERS BREWERY LTD</p>	50
	- TC 1665503	
8507.80.00	<p>ENERGY STORAGE SYSTEM, LITHIUM-IRON PHOSPHATE BATTERY, grid connected, solar powered, single AC connection, with OR without storage cabinets, including ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) lithium-iron phosphate batteries;</li> <li>(b) maximum power output in single phase NOT less than 2.5 kW;</li> <li>(c) maximum power output in three phase NOT less than 3.3 kW;</li> <li>(d) solar power charger;</li> <li>(e) permanent internet connector</li> </ul> <p>Op. 02.11.16</p> <p>Stated Use: To store electricity generated by solar energy systems</p> <p>Applicant: SONNEN AUSTRALIA PTY LTD</p>	50
	- TC 1665178	
		5%

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
8515.80.90 WELDING MACHINES, THERMAL PLASTIC, MEDICAL, high frequency, including ALL of the following: (a) assembly station; (b) bag forming press; (c) radio frequency (RF) thermal welding; (d) indexing module; (e) control panel Op. 15.11.16  Stated Use: Weld polyvinyl chloride (PVC) bags  Applicant: BAXTER HEALTHCARE PTY LTD	50          - TC 1669400          5%
8525.50.00 SPLITTER AND/OR COMBINER MODULE, radio frequency, including micro coaxial receptacles Op. 07.11.16  Stated Use: Splitting and combining of RF signals  Applicant: C-COR BROADBAND AUSTRALIA PTY LTD	50          - TC 1666765          5%
8536.90.90 STRING STARTERS, DETONATOR, branched Op. 28.10.16  Stated Use: Converting signal from two wires to four wires for the process of controlling a string of detonators  Applicant: DYNO NOBEL ASIA PACIFIC PTY LTD	50          - TC 1663733          5%

**CUSTOMS ACT 1901****NOTICE PURSUANT TO SECTION 2691 (4B) (b) - PROPOSAL TO AMEND DESCRIPTION OF GOODS FOLLOWING AN OBJECTION SUBMISSION**

Amended descriptions have been proposed for the Tariff Concession Order applications shown in the following TABLE.

Australian manufacturers who consider that there are reasons why the Tariff Concession Order as proposed to be amended should not be made are invited to lodge a submission. Submissions must be lodged no later than 14 days after the publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

Contact: Email tarcon@border.gov.au

## THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number
<p>8428.90.00 PALLETISING SYSTEM, programmable logic controlled, having ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) layer palletisers;</li> <li>(b) conveyors;</li> <li>(c) bag presser OR flattener;</li> <li>(d) bag turner;</li> <li>(e) layer compressing formation doors;</li> <li>(f) layer compressing forming collars;</li> <li>(g) maximum bag capacity NOT less than 2 000 bags per hour</li> </ul> <p>Op. 03.08.16</p> <p>Stated Use: To shuttle and stack packed product onto empty pallets and present the stacked pallets, double stacked</p> <p>Applicant: AUSTRALIAN PRIME FIBRE PTY LTD</p>	<p>50</p> <p>- TC 1639457</p>
<p>8428.90.00 PICKING AND LIFTING MACHINES, programmable logic controlled, having ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) maximum load carrying capacity NOT greater than 8 500 kg;</li> <li>(b) telescopic liner slides;</li> <li>(c) NOT less than 3 synchronous servomotors;</li> <li>(d) remote controls;</li> <li>(e) control panel</li> </ul> <p>Op. 30.08.16</p> <p>Stated Use: For the selection and movement of goods such as dies</p> <p>Applicant: G JAMES AUSTRALIA PTY LTD</p>	<p>50</p> <p>- TC 1646870</p>

**CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269R(1) - TARIFF CONCESSION ORDERS MADE**

Tariff Concession Orders have been made for the goods described in the following TABLE.

The operative date (Op.) and TC reference No. follow the description of goods. Local manufacturers of substitutable goods may request the revocation of TCOs at any time.

Contact: Email tarcon@border.gov.au

## THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect General Duty Rate
7610.90.00 COMPONENTS, GRID STORAGE PICKING AND RETRIEVAL SYSTEM, being ANY of the following: (a) aluminium profile columns having a length NOT less than 5 286 mm and NOT greater than 5 290 mm; (b) grid fence columns NOT less than 6 481 mm and NOT greater than 7 490 mm; (c) grid double track profile having a length NOT less than 5 760 mm and NOT greater than 5 765 mm; (d) grid single track profile, top AND/OR bottom, having a length NOT less than 5 640 mm and NOT greater than 5 645 mm; (e) spacer column; (f) grid support feet; (g) floor rails NOT less than 2 895 mm NOT greater than 2 900 mm; (h) grid track support AND/OR cover plates; (i) service wall frame; (j) grid corner brackets; (k) robot safety barrier; (l) handrails; (m) port carousel frame; (n) bin brackets Op. 06.09.16 Dec. date 05.12.16 - TC 1649023	50
8418.69.00 LIQUID AND ICE SYSTEM, programmable logic controlled, including ALL of the following: (a) additive storage AND dosing module; (b) additive dissolver; (c) brine supply pump; (d) ice slurry generator; (e) insulated ice slurry buffer AND storage tank incorporating an agitator; (f) discharge dosing counter AND/OR liquid weighing hopper Op. 13.09.16 Dec. date 05.12.16 - TC 1651197	50
8427.10.00 FORKLIFT TRUCKS, counterbalanced, battery powered, operator seated, having ALL of the following: (a) maximum rated load capacity NOT less than 1 400 kg; (b) lift height NOT less than 2 180mm and NOT greater than 4 006 mm; (c) wheelbase NOT less than 1 209 mm and NOT greater than 1 600 mm; (d) travel speed NOT less than 15.5 km/h Op. 12.09.16 Dec. date 05.12.16 - TC 1650585	50
8427.10.00 REACH TRUCKS, operator seated, battery powered, having ALL of the following: (a) maximum rated load capacity NOT less than 1 400 kg; (b) maximum lift height NOT less than 4 500 mm; (c) wheelbase NOT less than 1 400 mm and NOT greater than 1 650 mm Op. 12.09.16 Dec. date 05.12.16 - TC 1650588	50

Description of Goods including the Customs Tariff Classification		Schedule 4 Item Number Last Date of Effect General Duty Rate
8428.32.00 ELEVATORS, BELT AND BUCKET, having ALL of the following: (a) throughput capacity NOT exceeding 90 t/h; (b) weight carrying capacity NOT greater than 0.65 t/m <sup>3</sup> ; (c) elevator velocity NOT greater than 2.6 m/s; (d) safety system including ALL of the following: (i) bearing temperature detectors; (ii) speed detector; (iii) bucket off track detectors; (iv) shut down monitoring unit	Op. 13.09.16 Dec. date 05.12.16	50 - TC 1651193
8428.90.00 TROLLEY PLATFORMS, programmable logic controlled, rail mountable, unassembled, with OR without rails, having ALL of the following: (a) NOT less than two motorised conveyors; (b) height NOT less than 1 000 mm; (c) maximum speed NOT less than 19 metres per minute; (d) maximum load weight carrying capacity NOT less than 2 300 kg	Op. 12.09.16 Dec. date 05.12.16	50 - TC 1650326
8428.90.00 ROTARY DISCHARGERS, COAL OR COKE BUNKER, electric powered	Op. 13.09.16 Dec. date 05.12.16	50 - TC 1651201
8428.90.00 HANDLING LOADING AND TRANSFER SYSTEM, basket, programmable logic controlled, unassembled, having ALL of the following: (a) chain conveyors; (b) basket roller conveyors; (c) automated trolleys; (d) lifting platforms; (e) basket separators	Op. 14.09.16 Dec. date 05.12.16	50 - TC 1651476
8428.90.00 LOADING AND/OR UNLOADING SYSTEM, programmable logic controlled, having ALL of the following: (a) chain conveyors; (b) weighing scales; (c) servomotors; (d) weight AND barcode sensor	Op. 14.09.16 Dec. date 05.12.16	50 - TC 1651479
8479.89.90 CROP PROTECTORS, with OR without tractor mounting brackets, including ALL of the following: (a) stainless steel nose cone; (b) parallelogram suspension; (c) vertical AND horizontal position adjusters; (d) deflector arms	Op. 07.09.16 Dec. date 05.12.16	50 - TC 1649614



**NOTIFICATION OF AN AUSTRALIAN INDUSTRY REVOCATION REQUEST - SECTION 269SC(1A) CUSTOMS ACT**

Applications have been lodged for revocation of the Tariff Concession Orders set out in the following TABLE.

The Lodgement Request Date shown in the table below is the intended revocation date for the Tariff Concession Order which will take effect should the application for revocation be successful.

Importations not covered by in-transit provisions may be subject to post action as any decision to revoke an order is backdated to the date of request for revocation.

Contact: Email tarcon@border.gov.au

## THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Lodgement Request Date
<p>7210.49.00 STEEL, flat rolled, non-alloy, hot dipped galvanized zinc coated, in coils, having ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) yield strength NOT greater than 250 MPa;</li> <li>(b) tensile strength NOT less than 270 MPa;</li> <li>(c) elongation NOT less than 36%;</li> <li>(d) coating mass on each side NOT less than 30 g/m2 and NOT greater than 70 g/m2;</li> <li>(e) in ANY of the following sizes: <ul style="list-style-type: none"> <li>(i) thickness 0.65 mm and width 1 640 mm;</li> <li>(ii) thickness 1.00 mm and width 1 588 mm;</li> <li>(iii) thickness 1.15 mm and width 1 628 mm;</li> <li>(iv) thickness 2.20 mm and width 910 mm</li> </ul> </li> </ul> <p>For the purposes of this Order, tolerances allowable for specification (e) are:</p> <ul style="list-style-type: none"> <li>(a) thickness +/- 10%</li> <li>(b) width +/- 1%</li> </ul> <p>Op. 27.03.13 Dec. date 17.06.13 - TC 1310746</p>	<p>50 28.11.16</p>
<p>7210.49.00 STEEL, flat rolled, non-alloy, hot dipped galvanized zinc coated, in coils, having ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) yield strength NOT greater than 250 MPa;</li> <li>(b) tensile strength NOT less than 270 MPa;</li> <li>(c) elongation NOT less than 36%;</li> <li>(d) coating mass on each side NOT less than 30 g/m2 and NOT greater than 70 g/m2;</li> <li>(e) in ANY of the following sizes: <ul style="list-style-type: none"> <li>(i) thickness 0.75 mm and width 890 mm;</li> <li>(ii) thickness 0.75 mm and width 970 mm;</li> <li>(iii) thickness 0.75 mm and width 1 450 mm;</li> <li>(iv) thickness 0.76 mm and width 1 220 mm;</li> <li>(v) thickness 0.95 mm and width 820 mm;</li> <li>(vi) thickness 1.15 mm and width 740 mm;</li> <li>(vii) thickness 1.20 mm and width 955 mm</li> </ul> </li> </ul> <p>For the purposes of this Order, tolerances allowable for specification (e) are:</p> <ul style="list-style-type: none"> <li>(a) thickness +/- 10%</li> <li>(b) width +/- 1%</li> </ul> <p>Op. 09.04.13 Dec. date 24.06.13 - TC 1312163</p>	<p>50 28.11.16</p>

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Lodgement Request Date
---	--

7211.19.00 STEEL, flat rolled, non-alloy, hot rolled, pickled, not coated, in coils, complying with Japanese Industrial Standard G3131 (JIS G3131), grades SPHD OR SPHE, having ALL of the following: (a) tensile strength NOT less than 270 MPa; (b) elongation NOT less than 32%; (c) in ANY of the following sizes: (i) thickness 1.60 mm and width 300 mm; (ii) thickness 1.60 mm and width 455 mm; (iii) thickness 1.90 mm and width 432 mm; (iv) thickness 2.00 mm and width 530 mm; (v) thickness 2.20 mm and width 233 mm; (vi) thickness 3.00 mm and width 370 mm	50 28.11.16
---	----------------

For the purposes of this Order, tolerances allowable for specification (c) are:

- (a) thickness +/- 10%
- (b) width +/- 1%

Op. 04.04.13 Dec. date 24.06.13 - TC 1311529

7211.23.00 STEEL, flat rolled, non-alloy, cold rolled, not coated, in coils, having ALL of the following: (a) yield strength NOT greater than 250 MPa; (b) tensile strength NOT less than 250 MPa; (c) elongation NOT less than 35%; (d) in ANY of the following sizes: (i) thickness 0.70 mm and width 490 mm; (ii) thickness 0.75 mm and width 310 mm; (iii) thickness 0.80 mm and width 485 mm; (iv) thickness 1.00 mm and width 410 mm; (v) thickness 1.15 mm and width 360 mm; (vi) thickness 1.15 mm and width 405 mm; (vii) thickness 1.15 mm and width 466 mm; (viii) thickness 1.55 mm and width 570 mm; (ix) thickness 1.60 mm and width 310 mm	50 28.11.16
--	----------------

For the purposes of this Order, tolerances allowable for specification (d) are:

- (a) thickness +/- 10%
- (b) width +/- 1%

Op. 09.04.13 Dec. date 24.06.13 - TC 1312161

7225.50.00 STEEL, flat rolled, alloy, cold rolled, in coils, having ALL of the following: (a) yield strength NOT greater than 570 MPa; (b) tensile strength NOT less than 690 MPa; (c) elongation NOT less than 20%; (d) in ANY of the following sizes: (i) thickness 1.15 mm and width 600 mm; (ii) thickness 1.15 mm and width 720 mm; (iii) thickness 1.20 mm and width 1 080 mm; (iv) thickness 1.45 mm and width 1 340 mm; (v) thickness 1.55 mm and width 678 mm; (vi) thickness 1.60 mm and width 1 012 mm	50 28.11.16
---	----------------

For the purposes of this Order, tolerances allowable for specification (d) are:

- (a) thickness +/- 10%
- (b) width +/- 1%

Op. 03.04.13 Dec. date 24.06.13 - TC 1311482

---

## WEBSITE UPDATE

The Department has modernised its website with a new searchable online format for tariff-related information for importers.

The fresh, new look applies to:

**The Working Tariff:** This is an online version of the Combined Australian Customs Tariff Nomenclature and Statistical Classification. It incorporates the Harmonized Commodity Description and Coding System, which define internationally-accepted tariff classifications for traded goods. It also records Australian rates of customs duties for imported goods, and related statistical codes from the Australian Bureau of Statistics.

<http://www.border.gov.au/Busi/cargo-support-trade-and-goods/importing-goods/tariff-classification-of-goods/current-tariff-classification-online-version>

**Tariff Concession Orders (TCOs):** More than 15,000 TCOs are now easily searchable, and more accessible for importers and manufacturers. <http://www.border.gov.au/Busi/domestic-manufacturers-and-importers/list-of-tariff-concession-orders>

The website changes include, for the first time, a page dedicated to the interests of domestic manufacturers and importers, who are key stakeholders of the Tariff Concession System.

<http://www.border.gov.au/Domesticmanufacturersandproducers/>

Any feedback would be welcome to [tarcon@border.gov.au](mailto:tarcon@border.gov.au)