



**Commonwealth  
of Australia**

# Gazette

**No. TC17/50, Wednesday, 29 November 2017**  
Published by the Commonwealth of Australia

**TARIFF CONCESSIONS**

## CONTENTS

TCO Applications .....	2
TCOs Made.....	6
Local Manufacturer Initiated - TCO Revocation Requests .....	9
Intention to Revoke TCOs not used in over 2 years.....	11
TCOs Revoked - Unused for over 2 years .....	14
Comptroller-General of Customs Review of TCO Application Result.....	17

The Commonwealth of Australia Tariff Concessions Gazette  
(the Tariff Concessions Gazette) is free of charge on the DIBP  
internet site at:

<http://www.border.gov.au/Busi/domestic-manufacturers-and-importers>

The Tariff Concessions Administration Section is located at  
5 Constitution Ave Canberra City 2601

**Contact details:**

General Email Inquiries:.....tarcon@border.gov.au  
General Inquiries: .....(02) 6229 3567  
TAPIN help desk: .....(02) 6275 6534  
Facsimile: .....(02) 6223 8180

**CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269K(1) - APPLICATIONS MADE FOR TARIFF CONCESSION ORDERS**

Applications have been lodged for Tariff Concession Orders for the goods described in the following TABLE.

Australian manufacturers who wish to contest the granting of a Tariff Concession Order for the goods described are invited to lodge a submission in writing in an approved form. Submissions must be lodged within 50 days of the date of publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

Objections to the making of TCO submission forms are available at

<http://www.border.gov.au/Forms/Documents/b444.pdf>

Contact: Email tarcon@border.gov.au

## THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
8404.90.00 HEADERS, WATER BOILER STEAM DISTRIBUTING, having a maximum working pressure of NOT less than 10.395 MPa Op. 31.10.17	50 - TC 17115727
Stated Use: For distributing high pressure steam generated from water boilers	
Applicant: MSF SUGAR PTY LTD	5%
8416.30.00 TRAVELLING GRATES, BOILER BIOMASS FUEL STOKING, having planetary gear drives Op. 31.10.17	50 - TC 17115733
Stated Use: For stoking biomass fuel to generate boiler steam used to generate electricity	
Applicant: MSF SUGAR PTY LTD	5%
8421.29.90 FILTERS, SLURRY, hyperbaric, including ALL of the following: (a) disc filter; (b) filtrate receiver; (c) pressure vessel; (d) internal conveyor; (e) cake blow-off tank; (f) discharge sluice Op. 01.11.17	50 - TC 17116016
Stated Use: To reduce moisture content of ultra-fine coal slurry	
Applicant: OAKY CREEK COAL PTY LTD	5%

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
<p>8474.20.00 IMPACT CRUSHERS, ORE MATERIAL, horizontal shaft, with OR without lubrication unit AND/OR handrail AND/OR ladder, including ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) housing;</li> <li>(b) rotor;</li> <li>(c) electric motor;</li> <li>(d) impact aprons;</li> <li>(e) hydraulic cylinders;</li> <li>(f) belt drive</li> </ul> <p>Op. 01.11.17</p> <p>Stated Use: Reduce the size of ore material</p> <p>Applicant: RTA WEIPA PTY LTD</p>	<p>50</p> <p>- TC 17116019</p> <p>5%</p>
<p>8479.89.90 INOCULATION AND STREAKING IN-VITRO DIAGNOSTIC SYSTEM, whether OR not assembled, including ALL of the following:</p> <ul style="list-style-type: none"> <li>(a) conveyor belts;</li> <li>(b) control switches AND/OR buttons;</li> <li>(c) optical sensors;</li> <li>(d) hood AND/OR cover;</li> <li>(e) barcode scanners;</li> <li>(f) grippers;</li> <li>(g) integrated pipet tip rack holder;</li> <li>(h) sample slide rack holder;</li> <li>(i) sample shaker;</li> <li>(j) clamp;</li> <li>(k) exhaust chute with an air filter;</li> <li>(l) lifting AND rotating cylinder;</li> <li>(m) barcode label printer;</li> <li>(n) foot pedal;</li> <li>(o) sample slide dispenser;</li> <li>(p) dish shifter;</li> <li>(q) sample dish lid manipulator with suction cups;</li> <li>(r) handheld scanner;</li> <li>(s) touch screen AND/OR monitor;</li> <li>(t) computer,</li> </ul> <p>with OR without ANY of the following:</p> <ul style="list-style-type: none"> <li>(i) drip trays;</li> <li>(ii) waste containers;</li> <li>(iii) bead dispenser</li> </ul> <p>Op. 27.10.17</p> <p>Stated Use: To introduce microorganism samples into laboratory dishes and slides to promote growth, produce a disease for study or stimulate disease resistance</p> <p>Applicant: BECTON DICKINSON PTY LTD</p>	<p>50</p> <p>- TC 17113504</p> <p>5%</p>





**CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269R(1) - TARIFF CONCESSION ORDERS MADE**

Tariff Concession Orders have been made for the goods described in the following TABLE.

The operative date (Op.) and TC reference No. follow the description of goods. Local manufacturers of substitutable goods may request the revocation of TCOs at any time.

## THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect General Duty Rate
3917.39.90 UMBILICALS, SUBSEA, with OR without hydraulic reeler, including ALL of the following: (a) NOT less than 6 hoses; (b) polypropylene fillers; (c) steel armour wires; (d) connectors Op. 28.08.17	50  Dec. date 27.11.17 - TC 1791729
7309.00.00 TANKS, BEVERAGE, including BOTH of the following: (a) storage capacity NOT greater than 1 000 L and NOT less than 500 L; (b) operating tap pressure NOT greater than 3 bar, with OR without ANY of the following: (i) manhole, having a cover; (ii) piercing unit, having a tap; (iii) safety valves; (iv) support frames; (v) beverage distributor AND/OR divider heads Op. 17.08.17	50  Dec. date 22.11.17 - TC 1789961
8428.90.00 LID HANDLING MACHINES, BAKERY, being EITHER of the following: (a) pan lid placing machines, including ALL of the following: (i) control panel; (ii) servo drives; (iii) gripper heads, having lifting magnets, (b) pan lid removing machines, including ALL of the following: (i) control panel; (ii) servo drives; (iii) gripper heads, having lifting magnets Op. 24.08.17	50  Dec. date 22.11.17 - TC 1790636
8428.90.00 CASE PALLETISING SYSTEM, CARBON FIBRE, having ALL of the following: (a) guide rails; (b) motors; (c) scanners; (d) pneumatic stopper; (e) cameras; (f) supports; (g) integrated software Op. 28.08.17	50  Dec. date 27.11.17 - TC 1791727
8474.20.00 GRINDING MILL PLANT, unassembled, including ALL of the following: (a) ball mill shells, having feed OR discharge shell ends; (b) trommel screens; (c) synchronous motors, including ALL of the following: (i) cooling units, having fans; (ii) stator winders; (iii) couplings; (iv) speed AND position encoders, having BOTH of the following: (1) pulse encoder; (2) absolute position encoder, (v) shaft earthing brushes; (vi) air gap detectors, having an alarm; (vii) locking pins;	50

(Continued on next page)

Description of Goods including the  
Customs Tariff Classification

Schedule 4 Item Number  
Last Date of Effect  
General Duty Rate

(Continued from previous page)

- (viii) cooling unit leakage detectors;
  - (ix) anti-condensation heaters;
  - (x) terminal boxes;
  - (xi) plates;
  - (xii) shims,
  - (d) girth gear OR gear guard assemblies, including NOT less than two of the following:
    - (i) guard sections;
    - (ii) brackets;
    - (iii) clamps;
    - (iv) pinion sections,
  - (e) pinion gears;
  - (f) circulation pumps;
  - (g) jacking cradles;
  - (h) tie beams;
  - (i) plates;
  - (j) coolers;
  - (k) cooling tower;
  - (l) tanks;
  - (m) trays;
  - (n) fasteners;
  - (o) chutes;
  - (p) lubricating hydraulic power unit, including BOTH of the following:
    - (i) piping;
    - (ii) cooler,
  - (q) hydraulic jacks;
  - (r) trunnions, with OR without feed AND/OR discharge chutes;
  - (s) torque limiters;
  - (t) thrust bearing meters;
  - (u) transformers, whether OR not enclosed, with OR without oil conservator;
  - (v) drives, having clutches AND/OR gears;
  - (w) anchor bolts;
  - (x) grinding head segments;
  - (y) bearings,
- with OR without ANY of the following:
- (i) mud flaps;
  - (ii) linings;
  - (iii) vibration sensors;
  - (iv) safety guards;
  - (v) balls;
  - (vi) expandable plugs;
  - (vii) seals;
  - (viii) radiators;
  - (ix) platforms;
  - (x) stairs;
  - (xi) railings;
  - (xii) brake discs;
  - (xiii) calipers;
  - (xiv) switches;
  - (xv) inching drives;
  - (xvi) lubrication units, having NOT less than two of the following:
    - (1) pumps;
    - (2) filters;
    - (3) heat exchanges;
    - (4) hydrostatic jacking circuits,
  - (xvii) power systems, having NOT less than two of the following:
    - (1) universal power supply;
    - (2) switchgear;
    - (3) cabling;
    - (4) current AND/OR voltage measurement;
    - (5) detectors





**NOTIFICATION OF AN AUSTRALIAN INDUSTRY REVOCATION REQUEST - SECTION 269SC(1A) CUSTOMS ACT**

Applications have been lodged for revocation of the Tariff Concession Orders set out in the following TABLE.

The Lodgement Request Date shown in the table below is the intended revocation date for the Tariff Concession Order which will take effect should the application for revocation be successful.

Importations not covered by in-transit provisions may be subject to post action as any decision to revoke an order is backdated to the date of request for revocation.

## THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Lodgement Request Date
<p>7208.26.00 STEEL, flat rolled, iron OR non-alloy, hot rolled, pickled, not coated, in coils, complying with Japanese Industrial Standard G3134 (JIS G3134) grade SPFH590 OR Japanese Industrial Standard G3113 (JIS G3113) grade SAPH440, having ALL of the following:</p> <p>(a) yield strength NOT less than 265 MPa and NOT greater than 600 MPa;</p> <p>(b) tensile strength NOT less than 440 MPa;</p> <p>(c) elongation NOT less than 18% and NOT greater than 46%;</p> <p>(d) thickness 3.20 mm and width 950 mm</p> <p>For the purposes of this Order, tolerances allowable for specification (d) are:</p> <p>(a) thickness +/- 10%</p> <p>(b) width +/- 1%</p> <p>Op. 04.03.13 Dec. date 13.05.13 - TC 1308136</p>	50 20.11.17
<p>7208.26.00 STEEL, flat rolled, iron OR non alloy, hot rolled, pickled, not coated, in coils, complying with Japanese Industrial Standard G3131 (JIS G3131), grades SPHC OR SPHD, having ALL of the following:</p> <p>(a) yield strength NOT less than 175 MPa and NOT greater than 325 MPa;</p> <p>(b) tensile strength NOT less than 270 MPa;</p> <p>(c) elongation NOT less than 35% and NOT greater than 53%;</p> <p>(d) thickness 3.20 mm and width 1 130 mm</p> <p>For the purpose of this Order, tolerances allowable for specification (d) are:</p> <p>(a) thickness +/- 10%</p> <p>(b) width +/- 1%</p> <p>Op. 04.03.13 Dec. date 13.05.13 - TC 1308144</p>	50 20.11.17
<p>7208.26.00 STEEL, flat rolled, iron OR non-alloy steel, hot rolled, pickled, not coated, in coils, complying with Japanese Industrial Standard G3134 (JIS G3134) grade SPFH590 OR Japanese Industrial Standard G3113 (JIS G3113) grade SAPH440, having ALL of the following:</p> <p>(a) yield strength NOT less than 265 MPa and NOT greater than 600 MPa;</p> <p>(b) tensile strength NOT less than 440 MPa;</p> <p>(c) total elongation NOT less than 18% and NOT greater than 46%;</p> <p>(d) in EITHER of the following sizes:</p> <p>(i) thickness 3.20 mm and width 1 034 mm;</p> <p>(ii) thickness 3.20 mm and width 1 350 mm</p> <p>For the purposes of this Order, tolerances allowable for specification (d) are:</p>	50 20.11.17

(Continued on next page)

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Lodgement Request Date
---	--

(Continued from previous page)

<p>(a) thickness +/- 10%</p> <p>(b) width +/- 1%</p> <p>Op. 28.12.12</p>	<p>Dec. date 18.03.13</p>	<p>- TC 1349335</p>
<p>7208.27.00 STEEL, flat rolled, iron OR non alloy, hot rolled, pickled, not coated, in coils, complying with Japanese Industrial Standard G3131 (JIS G3131), grades SPHC OR SPHD, having ALL of the following:</p> <p>(a) yield strength NOT less than 175 MPa and NOT greater than 325 MPa;</p> <p>(b) tensile strength NOT less than 270 MPa;</p> <p>(c) elongation NOT less than 35% and NOT greater than 53%;</p> <p>(d) in ANY of the following sizes:</p> <p style="margin-left: 20px;">(i) thickness 2.00 mm and width 1 022 mm;</p> <p style="margin-left: 20px;">(ii) thickness 2.00 mm and width 1 070 mm;</p> <p style="margin-left: 20px;">(iii) thickness 2.60 mm and width 1 015 mm;</p> <p style="margin-left: 20px;">(iv) thickness 2.90 mm and width 1 200 mm</p> <p>For the purposes of this Order, tolerances allowable for specification (d) are:</p> <p>(a) thickness +/- 10%</p> <p>(b) width +/- 1%</p> <p>Op. 04.03.13</p>	<p>Dec. date 13.05.13</p>	<p>- TC 1308076</p>
<p>7208.27.00 STEEL, flat rolled, iron OR non-alloy steel, hot rolled, pickled, not coated, in coils, complying with Japanese Industrial Standard G3131 (JIS G3131), grades SPHC OR SPHD, having ALL of the following:</p> <p>(a) yield strength NOT less than 175 MPa and NOT greater than 325 MPa;</p> <p>(b) tensile strength NOT less than 270 MPa;</p> <p>(c) total elongation NOT less than 35% and NOT greater than 53%;</p> <p>(d) in ANY of the following sizes:</p> <p style="margin-left: 20px;">(i) thickness 1.40 mm and width 1 050 mm;</p> <p style="margin-left: 20px;">(ii) thickness 1.40 mm and width 1 330 mm;</p> <p style="margin-left: 20px;">(iii) thickness 1.60 mm and width 1 228 mm;</p> <p style="margin-left: 20px;">(iv) thickness 1.80 mm and width 1 025 mm</p> <p>For the purposes of this Order, tolerances allowable for specification (d) are:</p> <p>(a) thickness +/- 10%</p> <p>(b) width +/- 1%</p> <p>Op. 28.12.12</p>	<p>Dec. date 18.03.13</p>	<p>- TC 1349331</p>
<p>7208.27.00 STEEL, flat rolled, iron OR non-alloy steel, hot rolled, pickled, not coated, in coils, complying with Japanese Industrial Standard G3134 (JIS G3134) grade SPFH590 OR Japanese Industrial Standard G3113 (JIS G3133) grade SAPH440, having ALL of the following:</p> <p>(a) yield strength NOT less than 265 MPa and NOT greater than 600 MPa;</p> <p>(b) tensile strength NOT less than 440 MPa;</p> <p>(c) total elongation NOT less than 18% and NOT greater than 46%;</p> <p>(d) in ANY of the following sizes:</p> <p style="margin-left: 20px;">(i) thickness 1.40 mm and width 1 150 mm;</p> <p style="margin-left: 20px;">(ii) thickness 2.00 mm and width 836 mm;</p> <p style="margin-left: 20px;">(iii) thickness 2.60 mm and width 1 120 mm;</p> <p style="margin-left: 20px;">(iv) thickness 2.60 mm and width 1 246 mm</p> <p>For the purposes of this Order, tolerances allowable for specification (d) are:</p> <p>(a) thickness +/- 10%</p> <p>(b) width +/- 1%</p> <p>Op. 28.12.12</p>	<p>Dec. date 18.03.13</p>	<p>- TC 1349332</p>

**COMMERCIAL TARIFF CONCESSION ORDERS (CTCOs) & TARIFF CONCESSION ORDERS (TCOs) NOT USED IN THE PREVIOUS 2 YEARS**

The Comptroller-General of Customs is satisfied that the CTCOs and TCOs listed in the table below are no longer required because, in the 2 years preceding the day of this notice, they have not been quoted in an import declaration to secure a concessional rate of duty.

From Thursday, 28 December 2017, it is intended to take action to revoke these Orders under subsection 269SD (1A) of the Customs Act 1901. In accordance with subsection 269SG (2) of the Customs Act 1901, in transit provisions shall apply. If revoked, the expected date of effect will be 27 December 2017.

Interested parties are invited to provide, by close of business, Wednesday 27 December 2017, written reasons why an Order should NOT be revoked.

Please advise if any of the Orders listed below have been quoted on an import declaration.

If a request is made to retain an Order used for the granting of a Determination, please specify the Determination and the linked Item number to enable mapping to the Order and its scope.

## THE TABLE

Tariff Classification	Description	Concession Number
2915.29.00	STRONTIUM ACETATE	
	Op. 27.07.10	Dec. date 18.10.10 - TC 1034360
3924.90.00	CLEANING HEADS, HOLLOWWARE, foam, incorporating a plastic screw socket	
	Op. 25.03.10	Dec. date 18.06.10 - TC 1014664
5603.13.00	FABRIC, non-woven, incorporating an expanded polytetrafluoroethylene (PTFE) membrane impregnated with polyurethane, having BOTH of the following: (a) weight NOT less than 110 g/m <sup>2</sup> and NOT greater than 150 g/m <sup>2</sup> ; (b) aramid composition	
	Op. 23.09.10	Dec. date 20.12.10 - TC 1043536
7207.11.00	BILLETS, square, semi-finished non-alloy steel, having BOTH of the following: (a) thickness and width NOT less than 115 mm x 115 mm and NOT greater than 160 mm x 160 mm; (b) length NOT less than 11 700 mm and NOT greater than 12 200 mm	
	Op. 01.06.10	Dec. date 30.08.10 - TC 1024427
7211.29.00	STRIP, steel, annealed, cold rolled, in coil form, having ALL of the following: (a) carbon weight composition NOT less than 0.55% and NOT greater than 0.79%; (b) strip width NOT less than 7.7 mm and NOT greater than 599 mm; (c) strip thickness NOT less than 0.70 mm and NOT greater than 1.00 mm	
	Op. 07.07.10	Dec. date 06.10.10 - TC 1030736
7326.90.90	COMPONENTS, WHARF FENDER, being ANY of the following: (a) hinges with OR without concrete anchors; (b) torsion arms; (c) U beam lifting bars; (d) cover plates; (e) cone spacers	
	Op. 31.12.10	Dec. date 21.03.11 - TC 1056466

7419.99.00	EYELASH SUPPORTS, brass, gold plated			
	Op. 02.06.10	Dec. date 30.08.10		- TC 1024607
8414.80.19	COMPRESSORS, air cooled, electric motor driven, 4 stage reciprocating, pressure lubricated, having ALL of the following: (a) pressure rating of NOT less than 220 bar but NOT greater than 345 bar; (b) free air delivery of NOT less than 707 litres per min (25 standard cubic feet per min) and NOT greater than 935 litres per min (33 standard cubic feet per min)			
	Op. 18.11.10	Dec. date 07.02.11		- TC 1051159
8414.90.90	PARTS, COMBUSTION AIR FAN, WALKING BEAM FURNACE, being EITHER of the following: (a) air fan assemblies, including ALL of the following: (i) shaft; (ii) impellor; (iii) bearings; (iv) coupling, (b) inlet vane			
	Op. 30.12.10	Dec. date 28.03.11		- TC 1056464
8431.49.90	PARTS, SLAB CARRIER, being EITHER of the following: (a) hubs; (b) rim bases			
	Op. 23.02.10	Dec. date 30.04.10		- TC 1009554
8438.80.00	DE-BAGGING MACHINES, CHEESE BLOCK, having both of the following: (a) conveyors; (b) cutting blades			
	Op. 17.09.10	Dec. date 13.12.10		- TC 1042810
8454.90.00	PARTS, CONTINUOUS SLAB CASTER, being EITHER of the following: (a) water boxes; (b) water manifolds			
	Op. 12.10.10	Dec. date 07.01.11		- TC 1045903
8479.89.90	OIL SPILL CONTAINMENT SYSTEM, OCEAN, including BOTH of the following: (a) single point inflation boom; (b) diesel engine powered hydraulic boom reel with integrated air blower			
	Op. 08.10.10	Dec. date 07.01.11		- TC 1045490
8479.89.90	SHREDDING LINE, SCRAP MATERIAL, having ALL of the following: (a) input feeder having a capacity NOT less than 55 tonnes per hour; (b) rotary shredder having a capacity NOT less than 35 tonnes per hour; (c) discharge chain conveyor having a capacity NOT less than 450 cubic metres per hour; (d) hydraulic power pack; (e) power and control cabinets			
	Op. 17.12.10	Dec. date 16.03.11		- TC 1055016
8481.80.90	VALVES, AXIAL FLOW, having a bore diameter NOT less than 140 mm			
	Op. 16.07.10	Dec. date 06.10.10		- TC 1032533
8483.10.99	SPINDLES, HOT STRIP ROLLING MILL			
	Op. 12.10.10	Dec. date 07.01.11		- TC 1045904
8483.40.90	GEARBOXES, TILT DRIVE, BLAST FURNACE, water cooled			
	Op. 15.12.10	Dec. date 16.03.11		- TC 1054740

---

8503.00.00	ROTOR ASSEMBLIES, DUMP TRUCK WHEEL DRIVE, including ALL of the following: (a) punchings; (b) end plate; (c) end ring; (d) rotor shaft			
	Op. 25.03.10	Dec. date 18.06.10		- TC 1014802
8704.10.00	CHASSIS, DUMP TRUCK, ABOVE GROUND MINING, GROSS VEHICLE WEIGHT GREATER THAN 200 t, with or without dump body, including ALL of the following: (a) rigid frame; (b) cabin; (c) diesel engine; (d) electric drive; (e) NOT less than four wheels			
	Op. 26.07.10	Dec. date 18.10.10		- TC 1034150
9508.90.00	TUBE SLIDES, PLAYGROUND, stainless steel, polycarbonate cover, having BOTH of the following: (a) length NOT less 17 m; (b) time controlled traffic lights			
	Op. 05.11.10	Dec. date 24.01.11		- TC 1049261

**CUSTOMS ACT 1901****NOTICE PURSUANT TO SECTION 269SE(2) - TARIFF CONCESSION ORDER REVOCATION AT THE INITIATIVE OF IMMIGRATION & BORDER PROTECTION**

The Tariff Concession Orders listed in THE TABLE below have has not been used for at least 2 years and have been revoked under Section 269SD(1A). In transit provisions apply.

The intention to revoke these orders was notified in Gazette TC 17/44 dated 18 October 2017.

Contact: Email tarcon@border.gov.au

## THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
4811.59.90 PAPER, INKJET IMAGING, bleached, clay and polymer resin coated, weighing less than 150 grams per square metre Op. 14.10.09 Dec. date 04.01.10 2 Years non use. In transit provisions apply	50 14.11.17 - TC 0938596
6307.90.29 STORERS AND/OR DISPENSERS, BAG, tubular, knitted polyester, having BOTH of the following: (a) length NOT greater than 50 cm; (b) elasticised bottom outlet Op. 25.11.09 Dec. date 05.02.10 2 Years non use. In transit provisions apply	50 14.11.17 - TC 0944791
8404.10.00 AUXILIARY PLANT, STEAM BOILER, being superheater attemperators with supports Op. 04.01.11 Dec. date 21.03.11 2 Years non use. In transit provisions apply	50 14.11.17 - TC 1100392
8413.19.00 SEAWATER DESALINATION WATER PUMPING PLANT, comprising ALL of the following: (a) piping and/or fittings; (b) pumps; (c) valves; (d) air compressors; (e) surge vessels; (f) electrical instrumentation modules and/or controllers Op. 20.07.09 Dec. date 09.10.09 2 Years non use. In transit provisions apply	50 14.11.17 - TC 0925660
8419.50.90 HEAT EXCHANGERS, PLATE-DISMANTLE, but not including air to air heat exchangers, having ALL of the following: (a) frames, having ALL of the following: (i) length NOT less than 300 mm; (ii) height NOT less than 750 mm; (iii) thickness NOT less than 20 mm, (b) plates, having BOTH of the following: (i) surface NOT less than 1 300 cm <sup>2</sup> ; (ii) thickness NOT less than 0.5 mm, (c) working pressure NOT less than 10 bar; (d) maximum working temperature NOT less than 110 degrees C Op. 07.09.09 Dec. date 28.10.09 2 Years non use. In transit provisions apply	50 14.11.17 - TC 0939948

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
8421.22.00 CROSSFLOW FILTRATION SYSTEM, WINE LEES, having ALL of the following: (a) polyvinylidene fluoride (PVDF) hollow capillary membranes and polysulfone housings; (b) pumps; (c) pipes; (d) valves; (e) fittings; (f) tanks; (g) pressure sensors; (h) temperature sensors; (i) stainless steel frame Op. 07.12.09 Dec. date 26.02.10 - TC 0947553  2 Years non use. In transit provisions apply	50 14.11.17
8424.89.90 INJECTOR SYSTEM, coiled tubing, comprising ALL of the following: (a) tubing; (b) injector and tubing guide; (c) tubing storage reel; (d) control house; (e) hydraulic power pack; (f) lift frames; (g) coiled tubing data acquisition system; (h) guide arch; (i) blowout preventer; (j) well control equipment, comprising BOTH of the following: (i) stripper AND/OR packer; (ii) blowout preventer Op. 12.11.09 Dec. date 29.01.10 - TC 0942794  2 Years non use. In transit provisions apply	50 14.11.17
8426.12.00 STONE LIFTING AND TRANSPORTING AND INSTALLING MACHINES, including ALL of the following: (a) four wheel drives; (b) four wheel hydraulic power steering; (c) cable remote control box; (d) load capacity NOT greater than 1 600 kg; (e) drilling auger; (f) lift and lowering gantry Op. 05.08.09 Dec. date 30.10.09 - TC 0928360  2 Years non use. In transit provisions apply	50 14.11.17
8433.59.90 HARVESTERS, PEA AND BEAN, comprising ALL of the following: (a) threshing drum; (b) hopper; (c) suction fans Op. 27.07.09 Dec. date 09.10.09 - TC 0927024  2 Years non use. In transit provisions apply	50 14.11.17
8451.80.00 CARPET TILE BEVELLING AND HEAT SEALING MACHINES Op. 23.10.09 Dec. date 04.01.10 - TC 0939983  2 Years non use. In transit provisions apply	50 14.11.17
8474.39.00 MIXERS, SAND, having a mixing capacity NOT less than 18 t per hour Op. 06.01.09 Dec. date 03.04.09 - TC 0946228  2 Years non use. In transit provisions apply	50 14.11.17

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
8474.80.00 CONCRETE SHAPE MOULDING PLACEMENT SYSTEM, including ALL of the following: (a) hopper with agitator; (b) concrete discharger; (c) radio controls; (d) hydraulically adjustable screed; (e) gantry frame Op. 23.10.09 Dec. date 08.01.10 - TC 0940172  2 Years non use. In transit provisions apply	50 14.11.17
8477.59.00 CUTTING LINE, EXPANDED POLYSTYRENE BLOCK, programmable logic controlled, having ALL of the following: (a) heated oscillating wires; (b) conveyor; (c) cutting capacity: (i) length NOT less than 4 800 mm; (ii) width NOT less than 1 200 mm; (iii) height NOT less than 620 mm Op. 02.12.09 Dec. date 26.02.10 - TC 0946743  2 Years non use. In transit provisions apply	50 14.11.17
8513.10.00 KITS, INSPECTION AND SEARCH, having ALL of the following: (a) framed mirror; (b) telescopic arm; (c) light emitting diode (LED) pod Op. 24.09.09 Dec. date 27.11.09 - TC 0936152  2 Years non use. In transit provisions apply	50 14.11.17
9508.90.00 PARTS, ELECTRO-MAGNETICALLY POWERED FAIRGROUND AMUSEMENT RIDE, being single carriage wheeled vehicles having NOT less than 10 seats Op. 23.11.09 Dec. date 29.01.10 - TC 0944281  2 Years non use. In transit provisions apply	50 14.11.17



**CUSTOMS ACT 1901 - RESULT OF REQUEST FOR REVIEW OF AN APPLICATION DECISION**

The Immigration and Border Protection internal review result made on the Tariff Concession Order application for goods described in the following TABLE has been finalised:

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect	Review Decision
7308.90.00 PARTS, BRICK CLADDING, being steel support trays AND/OR interlocking steel rails, complying with Australian Standard/New Zealand Standard AS/NZS 4284:2008 Op. 10.04.17 Comptroller-General of Customs Decision: Refusal to make TCO affirmed	50  - TC 1738137	REFUSE