



**Commonwealth
of Australia**

Gazette

No. TC19/37, Wednesday, 25 September 2019
Published by the Commonwealth of Australia

TARIFF CONCESSIONS

CONTENTS

TCO Applications	2
TCOs Made.....	7
Intention to Revoke TCOs not used in over 2 years.....	10
TCOs Revoked - Unused for over 2 years	15

**The Commonwealth of Australia Tariff Concessions Gazette
(the Tariff Concessions Gazette) is free of charge on the link below at:**

<https://www.abf.gov.au/importing-exporting-and-manufacturing/tariff-concessions-system>

The Tariff Concessions Administration Section is physically located at 5 Constitution Ave Canberra City 2601. The postal address for correspondence is shown in the relevant forms.

Contact details:

General Email Inquiries:.....	tarcon@abf.gov.au
General Inquiries:	(02) 6229 3567
TAPIN help desk:	(02) 6275 6534

Cat. No.

ISSN 0813-8389

©Commonwealth of Australia, 2019

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269K(1) - APPLICATIONS MADE FOR TARIFF CONCESSION ORDERS

Applications have been lodged for Tariff Concession Orders for the goods described in the following TABLE.

Australian manufacturers who wish to contest the granting of a Tariff Concession Order for the goods described are invited to lodge a submission in writing in an approved form. Submissions must be lodged within 50 days of the date of publication of this Notice.

The operative date (Op.) and TC reference number follow the description of goods.

To assist local manufacturers, the use(s) to which the goods can be put follow the description of goods.

Objections to the making of TCO submission forms are available at

<https://www.abf.gov.au/importing-exporting-and-manufacturing/tariff-concessions-system/tariff-concession-order>

Contact: Email tarcon@abf.gov.au

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
3214.10.00 RESINS, polyurethane, including BOTH of the following: (a) polyurethane base; (b) isocyanate hardener Op. 04.09.19	50 - TC 19269796
Stated Use: For making electrical insulation material for use in cable joint boxes and cable terminations	
Applicant: SICAME AUSTRALIA PTY LTD	5%
3808.62.90 INSECTICIDES, having a basis of lambda-cyhalothrin AND chlorantraniliprole Op. 09.09.19	50 - TC 19272662
Stated Use: Control of insect pests in forage brassicas	
Applicant: SYNGENTA AUSTRALIA PTY LTD	5%
3813.00.00 FIRE EXTINGUISHING FOAM, concentrate Op. 27.08.19	50 - TC 19263817
Stated Use: Extinguishing and securing all types of flammable liquid fires and class A incidents	
Applicant: CHUBB FIRE & SECURITY PTY LTD	5%
3925.20.00 VERTICAL LIFTING DOORS, having ALL of the following: (a) fabric AND aluminium door leaf; (b) drive unit; (c) lifting belt AND/OR cable; (d) control unit; (e) steel bottom section; (f) guide rail Op. 06.09.19	50 - TC 19272650
Stated Use: Aircraft hangar and shipyard hall door openings	
Applicant: ASSA ABLOY ENTRANCE SYSTEMS AUSTRALIA PTY LTD	5%

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
7224.90.00 BILLETS, square, semi-finished alloy steel, having BOTH of the following: (a) thickness AND width NOT less than 120 mm x 120 mm and NOT greater than 170 mm x 170 mm; (b) length NOT less than 7.0 m and NOT greater than 13.0 m Op. 27.08.19	50 - TC 19263347
Stated Use: As input feed to rolling mills producing rod, bar, wire and other long steel finished products	
Applicant: INFRABUILD (NEWCASTLE) PTY LTD	5%
7322.90.00 HEATERS, mobile, diesel fuelled, fan forced Op. 12.09.19	50 - TC 19275618
Stated Use: Mobile heat source	
Applicant: VISA GLOBAL LOGISTICS PTY LTD	5%
8418.69.00 REFRIGERATION UNITS, MOTOR VEHICLE OR TRAILER, single AND/OR multi-compartment Op. 04.09.19	50 - TC 19269454
Stated Use: Temperature control of goods in single and/or multi-compartment motor vehicles or trailers	
Applicant: THERMO KING WEST PTY LTD	5%
8422.30.90 BAG FILLING AND SEALING MACHINES, having an output capacity NOT greater than 600 bags per hour, including ALL of the following: (a) conveyors; (b) weigher; (c) sewing head; (d) feeder Op. 06.09.19	50 - TC 19272649
Stated Use: Filling and closing bags	
Applicant: FRESCO NZ LTD	5%
8428.33.00 BELT CONVEYORS, CRUSHING AND/OR SCREENING, portable, having ALL of the following: (a) belt width NOT greater than 1 200 mm; (b) conveying capacity NOT less than 100 tonne per hour; (c) angle of inclination NOT greater than 20 degrees; (d) length NOT less than 10 m; (e) belt speed NOT greater than 1.6 m/sec, with OR without service platforms OR dust covers Op. 02.09.19	50 - TC 19268599
Stated Use: Portable field conveyors	
Applicant: METSO AUSTRALIA LTD	5%

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
8465.91.00 SAWS, TRIMMING, PARTICLE BOARD AND/OR FIBREBOARD, having ALL of the following: (a) trimming width NOT LESS than 1 800 mm; (b) incoming trimming length NOT LESS than 5 000 mm; (c) incoming board thickness NOT LESS than 8.0 mm, with or without integrated belt conveyor OR nipp-roll feeder Op. 10.09.19	50 - TC 19273601
Stated Use: Trimming of particle board and fibreboard Applicant: BORG MANUFACTURING PTY LTD	5%
8467.29.00 MIXERS, DC, with OR without ANY of the following: (a) front covers; (b) bags; (c) shaft holders; (d) side grips; (e) wrenches Op. 12.09.19	50 - TC 19275584
Stated Use: Mixers render and paint Applicant: MAKITA (AUSTRALIA) PTY LTD	5%
8477.30.00 STRETCH BLOW MOULDING LINE, having ALL of the following: (a) stretch blow moulding machine; (b) resin dryer; (c) bottle take out device; (d) mould chiller; (e) mould temperature controller Op. 03.09.19	50 - TC 19269451
Stated Use: To manufacture plastic containers and jars Applicant: VISY INDUSTRIES AUSTRALIA PTY LTD	5%
8479.89.90 DISCONNECT TOOLS, OIL AND/OR GAS WELL, hydraulic, including ALL of the following: (a) upper AND lower housing; (b) shear piston; (c) shear screws; (d) drop balls; (e) ball seat; (f) ball seat retainer; (g) discs; (h) rings Op. 13.09.19	50 - TC 19277420
Stated Use: Disconnect and isolate bottom hole assemblies from drillstring in downhole oil and gas well operations Applicant: SCHLUMBERGER AUSTRALIA PTY LTD	5%

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number General Duty Rate
8479.90.90 PARTS, INDUSTRIAL WASTE SHREDDER, being ANY of the following: (a) rotor having a length NOT less than 3 m; (b) screen; (c) cassette; (d) ram Op. 11.09.19	50 - TC 19275127
Stated Use: Parts for an industrial waste shredder	
Applicant: VISY INDUSTRIES AUSTRALIA PTY LTD	5%
9603.50.00 PARTS, PARTICLE BOARD PANEL BRUSHING MACHINES, being linear brushes Op. 29.08.19	50 - TC 19266057
Stated Use: Parts of particle board brushing machines for cleaning particle board panels during manufacture	
Applicant: BORG MANUFACTURING PTY LTD	5%

CUSTOMS ACT 1901 - NOTICE PURSUANT TO SECTION 269R(1) - TARIFF CONCESSION ORDERS MADE

Tariff Concession Orders have been made for the goods described in the following TABLE.

The operative date (Op.) and TC reference No. follow the description of goods. Local manufacturers of substitutable goods may request the revocation of TCOs at any time.

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
3808.93.90 HERBICIDES, having a basis of profoxydim Op. 12.07.19 Dec. date 23.09.19	50 - TC 19229692
8413.60.90 PUMPS, POSITIVE DISPLACEMENT, vane, reverse osmosis, with OR without ANY of the following: (a) isobaric pressure exchanger; (b) electric motor Op. 12.07.19 Dec. date 23.09.19	50 - TC 19229690
8424.30.90 WET BLAST CABINET, having a closed loop pump Op. 02.07.19 Dec. date 23.09.19	50 - TC 19211717
8426.11.00 CRANES, overhead travelling, programmable logic controlled, having ALL of the following: (a) single OR dual bale lift; (b) lifting capacity NOT less than 24 tonnes; (c) long travel speed NOT greater than 3 m per second; (d) cross travel speed NOT greater than 1 m per second; (e) retractable drip tray; (f) auxiliary hook; (g) operator cabin; (h) platforms AND ladders AND handrails Op. 20.06.19 Dec. date 18.09.19	50 - TC 19187572
8436.91.00 PARTS, SETTERS AND/OR HATCHERS AND/OR INCUBATORS, POULTRY EGG HATCHERY, being ANY of the following: (a) panels; (b) doors Op. 08.07.19 Dec. date 23.09.19	50 - TC 19216701
8438.10.90 DOUGH FORMING AND/OR CUTTING AND/OR EXTRUDING LINE, BISCUIT PRODUCTION, including ALL of the following: (a) hoppers; (b) roller feeders; (c) extruders; (d) conveyors; (e) oscillating cutters, with OR without EITHER of the following: (i) metal detector; (ii) delivery panning device Op. 02.07.19 Dec. date 23.09.19	50 - TC 19211185
8479.89.90 CLEANING LINE, ultrasonic, programmable logic controlled, including ALL of the following: (a) tanks having independent agitation; (b) drain; (c) inlet; (d) internet connectivity; (e) baskets Op. 09.07.19 Dec. date 23.09.19	50 - TC 19217612

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
8537.10.90 ELECTRICAL CONTROL AND/OR PROTECTION SYSTEM, HIGH VOLTAGE DIRECT CURRENT (HVDC) LINK, including ALL of the following: (a) station control AND/OR monitoring system, including ALL of the following: (i) clock; (ii) switches; (iii) operator's station OR cubicle, (b) cooling control AND/OR protection system including BOTH of the following: (i) input/output racks; (ii) indicator panel, (c) pole control AND/OR protection system, including ALL of the following: (i) calculator AND/OR computer; (ii) input/output racks; (iii) indicator panel	50
Op. 08.07.19	Dec. date 23.09.19 - TC 19215963
8537.10.90 CONTROL MODULES, having ALL of the following: (a) microchips; (b) relays; (c) capacitors; (d) resistors; (e) power supplies	50
Op. 15.07.19	Dec. date 23.09.19 - TC 19230916
9506.39.00 KITS, GOLF CLUB, including BOTH of the following: (a) NOT less than two shafts having fitting cogs AND/OR grips; (b) NOT less than two heads	50
Op. 05.07.19	Dec. date 23.09.19 - TC 19215552

4823.90.90	NAPPY CADDIES, polyurethane imitation leather, with OR without change mat	Op. 30.09.11	Dec. date 19.12.11	- TC 1133856
6305.39.90	POUCHES, peelable, having a layer of flash spun, high density polyethylene fibres, laminated to a clear plastic sheet	Op. 10.09.09	Dec. date 27.11.09	- TC 0933807
6305.39.90	BAGS, having ALL of the following: (a) width NOT greater than 19 cm; (b) length NOT greater than 26 cm; (c) outer surface of polyester and cotton; (d) drawstring closure	Op. 01.01.10	Dec. date 22.03.10	- TC 1000114
7210.69.00	STEEL SHEET, ALUMINIUM SILICON ALLOY COATED, whether or not in coil, having ALL of the following: (a) width 630 mm, 699 mm, 780 mm, 790 mm, 810 mm, 900 mm, 914 mm, 930 mm, 990 mm, 1 000 mm, 1 025 mm, 1 030 mm, 1 035 mm, 1 100 mm, 1 120 mm, 1 146 mm, 1 160 mm, 1 165 mm, 1 170 mm, 1 200 mm, 1 219 mm, 1 220 mm, 1 250 mm; (b) thickness 0.55 mm, 0.60 mm, 0.72 mm, 0.75 mm, 0.80 mm, 0.90 mm, 0.96 mm, 1.00 mm, 1.15 mm, 1.20 mm, 1.50 mm, 1.55 mm, 1.60 mm, 1.90 mm or 2.00 mm; (c) coating consisting of NOT less than 88% aluminium and balance silicon; (d) coating weight NOT less than 20 gsm and NOT greater than 90 gsm; (e) conforming to EITHER of the following: (i) American Society of Testing and Materials Standards A 463, having ANY combination of the following: (i) coating symbol T1-25 or T1-40; (ii) quality CS or FS or DDS or EDDS, (ii) Japanese Industrial Standard JIS G 3314, having ANY combination of the following: (i) coating symbol 40 or 60 or 80; (ii) quality SA1C or SA1D or SA1E	Op. 19.11.09	Dec. date 05.02.10	- TC 0943744

For the purposes of this order tolerances allowable on widths and thicknesses are:

(a) widths + or - 2 mm;
(b) thicknesses + or - 0.2 mm

- 7226.92.00 STEEL STRIP, cold rolled, in coil form, having ALL of the following:
- (a) chemical composition by percentage of weight in accordance with EITHER of the compositions listed in THE TABLE;
 - (b) dimensions, being ANY of the following width and thickness combinations:
 - (i) 26 mm width (25.91/26.42 mm) x 4 mm thickness (3.90/4.12 mm);
 - (ii) 26 mm width (25.91/26.42 mm) x 4.5 mm thickness (4.49/4.71 mm);
 - (iii) 39 mm width (38.61/39.12 mm) x 4 mm thickness (3.56/3.80 mm);
 - (iv) 39 mm width (38.61/39.12 mm) x 5 mm thickness (4.83/5.09 mm),
 - (c) camber tolerance in accordance with British Standard 1449 (BS1449) Part 1, Table 30

THE TABLE

COMPOSITION 1

CARBON (C) NOT less than 0.37 and NOT greater than 0.44;
 MANGANESE (Mn) NOT less than 0.70 and NOT greater than 1.00;
 SILICON (Si) NOT less than 0.17 and NOT greater than 0.37;
 SULPHUR (S) NOT greater than 0.035;
 PHOSPHOROUS (P) NOT greater than 0.035;
 CHROMIUM (Cr) NOT greater than 0.25;
 NICKEL (Ni) NOT less than 0.30;
 COPPER (Cu) NOT greater than 0.25

COMPOSITION 2

CARBON (C) NOT less than 0.37 and NOT greater than 0.44;
 MANGANESE (Mn) NOT less than 0.50 and NOT greater than 0.80;
 SILICON (Si) NOT less than 0.17 and NOT greater than 0.37;
 SULPHUR (S) NOT greater than 0.035;
 PHOSPHOROUS (P) NOT greater than 0.035;
 CHROMIUM (Cr) NOT less than 0.80 and NOT greater than 1.10;
 NICKEL (Ni) NOT greater than 0.30;
 COPPER (Cu) NOT greater than 0.30

Op. 01.03.10 Dec. date 30.04.10 - TC 1010373

- 7304.59.00 TUBES, seamless, alloy steel, forged, in straight lengths, having ALL of the following:
- (a) length NOT greater than 1 950 mm;
 - (b) outside diameter (OD) NOT greater than 550 mm;
 - (c) wall thickness (WT) NOT less than 70 mm

Op. 17.11.09 Dec. date 22.01.10 - TC 0943497

- 7306.19.00 PIPE, ELECTRIC RESISTANCE WELDED, exceeding a wall thickness of 12.7 mm

Op. 22.02.08 Dec. date 20.11.09 - TC 0943624

- 7306.40.00 PIPES, stainless steel, with OR without couplings, having BOTH of the following:
- (a) internal ceramic tile lining;
 - (b) outside diameter less than 406.4 mm

Op. 21.03.11 Dec. date 15.06.11 - TC 1109650

- 7326.20.00 CONTAINERS AND RETAINING WALL BLOCKS, PROTECTIVE, consisting of welded wire mesh and liner

Op. 17.11.10 Dec. date 07.02.11 - TC 1051310

- 7604.21.00 PROFILES, HEAT EXCHANGER, extruded, aluminium alloy 1100, multivoid, profile thickness NOT greater than 1.80 mm

Op. 31.12.10 Dec. date 21.03.11 - TC 1100101

8215.20.00	SETS, HOUSEHOLD, comprising ALL of the following: (a) turner; (b) spoon; (c) spaghetti server; (d) whisk			
	Op. 11.09.09	Dec. date 27.11.09	- TC 0933955	
8422.30.90	FILLERS AND SEALERS, BAG, open mouth, having ALL of the following: (a) empty bag placement; (b) operating capacity of NOT less than 200 bags/h and NOT greater than 900 bags/h; (c) weighing range of NOT less than 4.5 kg and NOT greater than 25.5 kg; (d) lining sealers; (e) bag top folding and sealing			
	Op. 18.12.09	Dec. date 12.03.10	- TC 0949438	
8425.39.00	WINCHES, SLICKLINE, OIL AND/OR GAS WELL, container mounted, hydraulic, diesel powered			
	Op. 12.09.11	Dec. date 06.12.11	- TC 1130949	
8431.39.00	PARTS, DUAL WAGON TIPPER, being ANY of the following: (a) rotors; (b) dust collectors; (c) frames; (d) drivers; (e) wheel grippers; (f) beams			
	Op. 04.01.11	Dec. date 28.03.11	- TC 1100244	
8438.50.00	MEAT PROCESSING MACHINES, including BOTH of the following: (a) pneumatic press; (b) mesh net packer			
	Op. 21.04.11	Dec. date 18.07.11	- TC 1113344	
8477.80.00	HOLE PUNCHING MACHINES, FOAM			
	Op. 20.04.10	Dec. date 25.06.10	- TC 1017853	
8479.82.00	BATCH MIXERS, SLURRY, skid mounted, having ALL of the following: (a) twin mixing tanks; (b) centrifugal pumps; (c) hydraulic power pack; (d) weight NOT less than 14 500 kg			
	Op. 07.05.10	Dec. date 19.07.10	- TC 1020868	
8481.40.00	VALVES, SAFETY SHUT-OFF, DIFFUSION SEAT, nickel alloy, having BOTH of the following: (a) direct coupled actuators; (b) noise attenuators			
	Op. 18.05.11	Dec. date 08.08.11	- TC 1115624	
8481.90.90	PARTS, GATE VALVE, MATERIAL CHARGER, BLAST FURNACE, being ANY of the following: (a) material gates; (b) wear liners; (c) bushes			
	Op. 15.04.11	Dec. date 11.07.11	- TC 1112633	
8483.40.90	REDUCTION GEARBOXES, MAIN DRIVE, HOT STRIP MILL, comprising ALL of the following: (a) main gear housings; (b) spur gears; (c) pinion shafts AND/OR pinion gears			
	Op. 24.08.09	Dec. date 13.11.09	- TC 0931082	

8501.53.00	SPEED REDUCERS, axle mounted, incorporating an AC motor			
	Op. 07.08.09	Dec. date 23.10.09	- TC 0928926	
8516.79.00	MUGS, BEVERAGE, 12 volt, plug in			
	Op. 28.10.09	Dec. date 15.01.10	- TC 0940624	
8535.21.00	CIRCUIT BREAKERS, DC, having BOTH of the following: (a) rated voltage exceeding 1 000 V and NOT greater than 1 200 V; (b) rated current NOT greater than 125 A			
	Op. 14.10.11	Dec. date 09.01.12	- TC 1134596	
8604.00.00	RAILWAY MAINTENANCE MACHINES, comprising multiple modular self-propelled rail-mounted trolleys, radio remote controlled, incorporating lifting and lateral slewing jacks			
	Op. 16.08.10	Dec. date 23.12.10	- TC 1037721	
8907.90.00	VESSEL MOORING SYSTEM, FLOATING PRODUCTION STORAGE AND OFF-LOADING (FPSO), comprising ALL of the following: (a) submerged turret production buoy; (b) mooring lines, NOT less than 700 metres combined length, each comprising: (i) lower chain segment; (ii) upper chain segment; (iii) lower wire segment; (iv) upper wire segment, (c) pile anchors NOT less than 130 t each; (d) clump weight NOT less than 8 000 kg			
	Op. 01.03.11	Dec. date 30.05.11	- TC 1107686	

CUSTOMS ACT 1901

NOTICE PURSUANT TO SECTION 269SE(2) - TARIFF CONCESSION ORDER REVOCATION AT THE INITIATIVE OF THE COMPTROLLER-GENERAL OF CUSTOMS

The Tariff Concession Orders listed in THE TABLE below has not been used for at least 2 years and have been revoked under Section 269SD(1A). In transit provisions apply.

The intention to revoke these orders was notified in Gazette TC19/29 dated 31 July 2019.

Contact: Email tarcon@abf.gov.au

THE TABLE

Description of Goods including the Customs Tariff Classification	Schedule 4 Item Number Last Date of Effect
3402.90.00 SURFACTANTS, polymer-free, in liquid form, having a basis of fatty acid amidoalkyl betaine AND isopropanol Op. 08.06.16 Dec. date 29.08.16 2 Years non use. In transit provisions apply	50 27.08.19 - TC 1620063
7208.39.00 COILS, non-alloy steel, hot rolled, complying with Australian/New Zealand Standard AS/NZS 1594:2002 Grade HA1010, having ALL of the following: (a) thickness NOT less than 2.48 mm and NOT greater than 2.52 mm; (b) width NOT less than 1 640 mm and NOT greater than 1 680 mm; (c) weight NOT less than 6 000 kg and NOT greater than 13 000 kg; (d) chemical composition by weight of ALL of the following: (i) carbon content NOT less than 0.08% and NOT greater than 0.13%; (ii) silicon content NOT greater than 0.03%; (iii) manganese content NOT less than 0.3% and NOT greater than 0.6%; (iv) phosphorus content NOT greater than 0.04%; (v) sulphur content NOT greater than 0.03%; (vi) aluminium content NOT greater than 0.10%; (vii) titanium content NOT greater than 0.04% Op. 21.07.16 Dec. date 17.10.16 2 Years non use. In transit provisions apply	50 27.08.19 - TC 1635932
7326.90.90 LINKS, OIL AND GAS WELL, weldless, having a rated load carrying capacity NOT less than 226 tonne and NOT greater than 1 135 tonne Op. 17.06.16 Dec. date 12.09.16 2 Years non use. In transit provisions apply	50 27.08.19 - TC 1620605
8413.70.10 PUMPS, SINGLE SUCTION, CENTRIFUGAL, SUBMERSIBLE, OFF SHORE OIL AND GAS WELL, having ALL of the following: (a) maximum output flow capacity NOT less than 550 m3/hr and NOT greater than 600 m3/hr; (b) motor speed 3 540 RPM + OR - 5%; (c) 2 pole motor rating 220 kW + OR - 5% Op. 12.07.16 Dec. date 10.10.16 2 Years non use. In transit provisions apply	50 27.08.19 - TC 1633539

8438.50.00	PRESSES, MEAT, mobile, having BOTH of the following: (a) NOT less than 21 stainless steel moulds; (b) screw scissor jacks Op. 05.07.16	Dec. date 10.10.16	- TC 1632564	50 27.08.19
	2 Years non use. In transit provisions apply			
8438.80.00	CUTTING LINES, CHEESE BLOCK, including ALL of the following: (a) cutters; (b) conveyors; (c) dividers AND/OR separators AND/OR de-stackers; (d) de-baggers, including ALL of the following: (i) cutter; (ii) position controller; (iii) air inflator; (iv) grippers, with OR without crumb plates Op. 12.07.16	Dec. date 10.10.16	- TC 1633544	50 27.08.19
	2 Years non use. In transit provisions apply			
8479.82.00	DRY AND/OR LIQUID CHEMICAL MIXING MACHINES, programmable logic controlled, having ALL of the following: (a) maximum volume capacity NOT less than 250 L; (b) maximum ingredient viscosity NOT less than 20 000 cps; (c) maximum mixing speed NOT less than 140 RPM Op. 08.06.16	Dec. date 29.08.16	- TC 1620061	50 27.08.19
	2 Years non use. In transit provisions apply			
8479.82.00	MIXERS, BATTERY ACID, continuous operation, programmable logic controlled, including ALL of the following: (a) density meters; (b) centrifugal pumps; (c) flow meters; (d) static mixers; (e) graphite plate heat exchangers; (f) distribution valves; (g) reclaim tanks; (h) internal tubes AND pipes; (i) stainless steel support stand Op. 05.07.16	Dec. date 19.09.16	- TC 1631754	50 27.08.19
	2 Years non use. In transit provisions apply			
8479.89.90	WIRELINE DATA LOGGING MODULES, OIL AND/OR GAS WELL, whether OR not assembled, including ALL of the following: (a) power pack; (b) winch; (c) instrument cabin, incorporating instrumentation; (d) motors; (e) pumps; (f) tanks; (g) oil cooler; (h) generator; (i) electronic controls; (j) lights; (k) filters; (l) air conditioners; (m) transmission; (n) brakes; (o) cylinders Op. 30.05.16	Dec. date 22.08.16	- TC 1619356	50 27.08.19
	2 Years non use. In transit provisions apply			